# Business Item 2016-183: 2016 Stormwater Grant Remaining Fund Allocation

Joe Mulcahy, Water Resources Assessment Judy Sventek, Manager, Water Resources Assessment

Environment Committee: September 13, 2016



#### **2016 Grant Program Overview**

- \$1,000,000 available for 2016
- 5-15 projects total
- Projects must be :
  - Innovative
  - Serve as visible demonstration projects
  - Easy to replicate
  - Include strong educational component



# **2016 Applications Received**

	COUNCIL	AMOUNT	
PROJECT	DISTRICT	REQUESTED	
Dickman Industrial Park Inver Grove Heights	15	\$86,250	
60th and Babcock Stormwater Improvements Inver Grove Heights	15	\$200,000	
78th and Concord Extended Wet Detention Basin Inver Grove Heights	15	\$50,850	
Northside Neighborhood Engagement & Opportunities	7	\$200,000	
Greenfield Central Park Pond Project	1	\$41,136	
Westminster Church Stormwater Mgt & Reuse	7	\$200,000	
Living Greens Farm	7	\$200,000	
Lilydale Stormwater Improvement Project	13	\$9,000	
Silver Lake Boat Landing Pond Reconstruction Columbia Heights	2	\$200,000	
Fridley Civic Center Complex	2	\$200,000	
Waters Edge Stormwater Reuse Project	11	\$200,000	
New Brighton Exchange Park Stormwater Reuse	10	\$200,000	
Rosemount Master Irrigation Control System	15	\$25,764	
Rosemount Splash Pad Recirculation/Reuse	15	\$125,000	
Dakota Cty Western Service Center BMP Demonstration Project	16	\$90,000	
Hayes Field Park Stormwater Retrofit-Apple Valley	16	\$120,135	
Small Space Stormwater Retrofits for the Rum and Mississippi Rivers	9	\$100,000	
Streamlining Advanced Street Sweeping for WDs and Cities	12	\$21,872	
Snelling Midway Soccer Redevelopment	14	\$200,000	
RWMWD Aquifer Recharge Site Feasibility Study and Design	12-13	\$37,500	
Healthy Lawns for Healthy Water-Turf Grass Aeration for WQ Improvements	12-13	\$104,400	
Chanhassen HS Stormwater Capture and Reuse	3	\$200,000	
Fire Station #2 Water Harvesting and Reuse	3	\$99,287	
	5	ψ99,207	
TOTAL REQUESTED		\$2,911,194	

# **Recommended Grant Awards**

	TOTAL		AMOUNT	RECOMMENDED
PROJECT	PROJECT COST	DISTRICT	REQUESTED	AMOUNT
Charlesson LIC Starray Jotar Cartura and Davias	¢204.000	2	¢200.000	¢200.000
Chanhassen HS Stormwater Capture and Reuse	\$384,000	3	\$200,000	\$200,000
Fire Station #2 Water Harvesting and Reuse Waters Edge Stormwater Reuse Project	\$137,700 \$532,000	3	\$99,287	\$99,287
Water's Edge Stormwater Reuse Project Westminster Church Stormwater Mgt & Reuse	\$522,000 \$2,000,000	11	\$200,000 \$200,000	\$200,000 \$100,000
Snelling Midway Soccer Redevelopment	\$2,000,000	14	\$200,000	\$200,000
Northside Neighborhood Engagement & Opportunities	\$302,750	7	\$100,000	\$100,000
Living Greens Farm	\$600,000	7	\$200,000	\$100,000
TOTAL			\$1,199,287	\$999,287



### **Canceled Project**

	TOTAL		AMOUNT	RECOMMENDED
PROJECT	PROJECT COST	DISTRICT	REQUESTED	AMOUNT
Chanhassen HS Stormwater Capture and Reuse	\$384,000	3	\$200,000	\$200,000
Fire Station #2 Water Harvesting and Reuse	\$137,700	3	\$99,287	\$99,287
Waters Edge Stormwater Reuse Project	\$522,000	11	\$200,000	\$200,000
Westminster Church Stormwater Mgt & Reuse	\$2,000,000	7	\$200,000	\$100,000
Snelling Midway Soccer Redevelopment	\$3,100,000	14	\$200,000	\$200,000
Northside Neighborhood Engagement & Opportunities	\$302,750	7	\$200,000	\$100,000
Living Greens Farm	\$600,000	7	\$200,000	\$100,000
TOTAL			\$1,299,287	\$999,287



# **Recommended Grant Awards**

	TOTAL	COUNCIL	AMOUNT	RECOMMENDED
PROJECT	PROJECT COST	DISTRICT	REQUESTED	AMOUNT
Greenfield Central Park Pond Project	\$54,848	1	\$41,136	\$41,136
Lilydale Stormwater Improvement Project	\$12,000	13	\$9,000	\$9,000
Small Space Stormwater Retrofits Rum and Mississippi Rivers	\$125,000	9	\$100,000	\$50,577
TOTAL				\$100,713



#### **Proposed Action**

 That the Metropolitan Council authorize its Regional Administrator to award and execute three stormwater management grants described in Attachment A of the business item in the total amount of \$100,713.



#### Questions

Judy Sventek <u>Judy.Sventek@metc.state.mn.us</u> 651-602-1156

Joe Mulcahy Joe.mulcahy@metc.state.mn.us 651-602-1104

