

# Regional Solicitation Application

Draft updated July 11, 2014.

Complete and submit the following online application **by 5:00 PM on November 24, 2014.**

For questions contact (Elaine Koutsoukos) at (elaine.koutsoukos@metc.state.mn)

## I. GENERAL INFORMATION

1. APPLICANT:			
2. UNIT OF GOVERNMENT:		(Select from drop down list)	
3. PRIMARY COUNTY WHERE THE PROJECT IS LOCATED:		(Select from drop down list)	
4. JURISDICTIONAL AGENCY (IF DIFFERENT THAN THE APPLICANT):			
5. APPLICANT MAILING ADDRESS			
STREET:	CITY:	STATE:	ZIP CODE:
6. PROJECT CONTACT PERSON:	TITLE:	PHONE NO. ( )	E-MAIL ADDRESS:

## II. PROJECT INFORMATION

7. PROJECT NAME:	
8. EVALUATION CATEGORIES – Check only one project category in which you wish your project to be considered.	
<b>Roadways Including Multimodal Elements</b>	
<input type="checkbox"/> Roadway Expansion	<input type="checkbox"/> Roadway System Management
<input type="checkbox"/> Roadway Reconstruction/Modernization	<input type="checkbox"/> Bridges
<b>Bicycle and Pedestrian Facilities</b>	
<input type="checkbox"/> Multiuse Trails and Bicycle Facilities	<input type="checkbox"/> Safe Routes to School Infrastructure
<input type="checkbox"/> Pedestrian Facilities (Sidewalks, Streetscaping, and ADA)	
<b>Transit and Travel Demand Management (TDM) Projects</b>	
<input type="checkbox"/> Transit Expansion	<input type="checkbox"/> Transit System Modernization
<input type="checkbox"/> TDM	
9. BRIEF PROJECT DESCRIPTION (Include location, road name/functional class, type of improvement, etc. – limit to 400 words):	
10. PROJECT LENGTH (in miles):	
11. CONNECTION TO LOCAL PLANNING (Reference the name of the appropriate comprehensive plan, regional/statewide plan, capital improvement program, corridor study document [studies on trunk highway must be approved by MnDOT and the Metropolitan Council], or other official plan or program of the applicant agency [includes Safe Routes to School Plans] that the project is included in and/or a transportation problem/need that the project addresses. List the applicable pages):	

### III. PROJECT FUNDING

12. Are you applying for funds from another source(s) to implement this project? Yes <input type="checkbox"/> No <input type="checkbox"/> If yes, please identify the source(s):
13. FEDERAL AMOUNT: \$
14. MATCH AMOUNT: \$ (Minimum of 20% of project total)
15. PROJECT TOTAL: \$
16. MATCH PERCENTAGE (Minimum of 20%): (Compute the match percentage by dividing the match amount by the project total)
17. SOURCE OF MATCH FUNDS:
18. PREFERRED PROGRAM YEAR: <input type="checkbox"/> 2017 <input type="checkbox"/> 2018 <input type="checkbox"/> 2019

## IV. REQUIRED ATTACHMENTS

Upload a pdf package with the following elements requested in questions 17 to 19 (hyperlink to upload pdf).

### 17. MAPS:

- A map of the project limits. Applicants may include more than one map if the project impacts multiple modes.
  - If it is a road project, highlight the segment of road to be constructed on a city or county roadway map.
  - If it is a trail project, highlight the segment of trail to be constructed on a map that includes trails, bikeways, or roadways.
  - If it is for transit service or buses, highlight the transit route that will be expanded with the proposed investment.
  - If it is a facility or on a facility, highlight the location of the facility (roadway, park & ride lot, etc.) on a city or county roadway map.
- An aerial photograph/map that shows the location of the project as it is today **OR** a plan view of the existing roadway that shows the roadway geometry and any bicycle, pedestrian and transit components.
- A 2030 Land Use Map(s) for all cities included within the project limits with TAZs identified. These can be obtained from the city's local comprehensive plan.
- **For Multiuse Trails and Bicycle Facilities, Pedestrian Facilities, Safe Routes to School, Roadway Expansion, Roadway Reconstruction/Modernization, and Bridge projects only:** A concept drawing of the proposed improvements that shows the roadway geometry and any bicycle, pedestrian, and transit components upon completion of the project.
- **For Roadway Expansion, Roadway Reconstruction/Modernization, and Roadway System Management projects only:** The Synchro/HCS emission reduction report supporting the project's improvement in total peak hour emissions.

### 18. COORDINATION

- The applicant must include a letter from the agency with jurisdiction over the facility (if different than the applicant) indicating that it is aware of and understands the project being submitted, and that it commits to operate and maintain the facility for its design life and not change the use of any right-of-way acquired without prior approval from MnDOT and the applicable federal agency (FHWA or FTA).
- If the applicant expects any other agency to provide part of the local match, the applicant must include a letter or resolution from the other agency agreeing to financially participate.
- **For Transit Expansion projects that include service expansion only:** Applicants must provide a letter of support for the project from the transit provider that will commit to providing the service or manage the contract for the service provider.

### 19. OTHER

- **For Transit and TDM Projects that include public/private joint-use parking facilities only:** The applicant must upload a plan for and make a commitment to the long-term management and enforcement of ensuring exclusive availability of parking to public transit users during commuting times. Federal rules require that parking spaces funded through CMAQ be available exclusively to transit users during the hours of transit service. In the plan, the applicant must indicate how commuter and transit parking will coexist with parking needs for joint use tenants. The entity charged with ensuring exclusive parking for transit commuters after the facility opens must be designated in the plan.

# Project Information Form – Bicycle and Pedestrian Facilities

(To be used to assign State Project Number after project is selected)

Please fill in the following information as it pertains to your proposed project. Items that do not apply to your project, please label N/A. **Do not send this form to the State Aid Office. For project solicitation package only.**

COUNTY, CITY, OR LEAD AGENCY \_\_\_\_\_

ZIP CODE WHERE MAJORITY OF WORK IS BEING PERFORMED \_\_\_\_\_

APPROXIMATE BEGIN CONSTRUCTION DATE (MO/YR) \_\_\_\_\_

APPROXIMATE END CONSTRUCTION DATE (MO/YR) \_\_\_\_\_

LOCATION: From: \_\_\_\_\_

To: \_\_\_\_\_

(DO NOT INCLUDE LEGAL DESCRIPTION; INCLUDE NAME OF ROADWAY IF MAJORITY OF FACILITY RUNS ADJACENT TO A SINGLE CORRIDOR)

PRIMARY TYPES OF WORK \_\_\_\_\_

Examples: GRADE, AGG BASE, BIT BASE, BIT SURF, SIDEWALK, SIGNALS, LIGHTING, GUARDRAIL, BIKE PATH, PED RAMPS, BRIDGE, PARK AND RIDE, ETC.

## BRIDGE/CULVERT PROJECTS (IF APPLICABLE)

OLD BRIDGE /CULVERT NO.: \_\_\_\_\_

NEW BRIDGE/CULVERT NO.: \_\_\_\_\_

STRUCTURE IS OVER/UNDER: \_\_\_\_\_

# Project Information Form – Roadways Including Multimodal Elements

(To be used to assign State Project Number after project is selected)

Please fill in the following information as it pertains to your proposed project. Items that do not apply to your project, please label N/A. **Do not send this form to the State Aid Office. For project solicitation package only.**

COUNTY, CITY, OR LEAD AGENCY \_\_\_\_\_

FUNCTIONAL CLASS OF ROAD \_\_\_\_\_

ROAD SYSTEM \_\_\_\_\_ (TH, CSAH, MSAS, CO. RD., TWP. RD., CITY STREET)

NAME OF ROAD \_\_\_\_\_ (Example; 1st ST., MAIN AVE)

ZIP CODE WHERE MAJORITY OF WORK IS BEING PERFORMED \_\_\_\_\_

APPROXIMATE BEGIN CONSTRUCTION DATE (MO/YR) \_\_\_\_\_

APPROXIMATE END CONSTRUCTION DATE (MO/YR) \_\_\_\_\_

LOCATION: From: \_\_\_\_\_

To: \_\_\_\_\_

(DO NOT INCLUDE LEGAL DESCRIPTION)

PRIMARY TYPES OF WORK \_\_\_\_\_

Examples: GRADE, AGG BASE, BIT BASE, BIT SURF, SIDEWALK, CURB AND GUTTER, STORM SEWER, SIGNALS, LIGHTING, GUARDRAIL, BIKE PATH, PED RAMPS, BRIDGE, PARK AND RIDE, ETC.

## BRIDGE/CULVERT PROJECTS (IF APPLICABLE)

OLD BRIDGE /CULVERT NO.: \_\_\_\_\_

NEW BRIDGE/CULVERT NO.: \_\_\_\_\_

STRUCTURE IS OVER/UNDER: \_\_\_\_\_

# Project Information Form – Transit and TDM (for Park-and-Ride and Transit Station Projects Only)

---

(To be used to assign State Project Number after project is selected)

Please fill in the following information as it pertains to your proposed project. Items that do not apply to your project, please label N/A. **Do not send this form to the State Aid Office. For project solicitation package only.**

COUNTY, CITY, OR LEAD AGENCY \_\_\_\_\_

ZIP CODE WHERE MAJORITY OF WORK IS BEING PERFORMED \_\_\_\_\_

APPROXIMATE BEGIN CONSTRUCTION DATE (MO/YR) \_\_\_\_\_

APPROXIMATE END CONSTRUCTION DATE (MO/YR) \_\_\_\_\_

LOCATION: From: \_\_\_\_\_

To: \_\_\_\_\_

(DO NOT INCLUDE LEGAL DESCRIPTION)

PRIMARY TYPES OF WORK \_\_\_\_\_

---

Examples: GRADE, AGG BASE, BIT BASE, BIT SURF, SIDEWALK, CURB AND GUTTER, STORM SEWER, SIGNALS, LIGHTING, GUARDRAIL, BIKE PATH, PED RAMPS, PARK AND RIDE, ETC.

## Estimate of Construction Costs

Fill out the scoping sheet below and provide the construction cost estimate for the project. Applicants are not required to fill out each row of the cost estimate. The list of project elements is meant to provide a framework to think about the types of costs that may be incurred from the project. The total cost should match the total cost reported for the project on the first page of this application. Costs for specific elements are only used to help applicants come up with a more accurate total cost; adjustments to these specific costs are expected as the project is more fully developed. Please use 2013 cost estimates; the TAB may apply an inflation factor to awarded projects.

<b>CONSTRUCTION PROJECT ELEMENTS/COST ESTIMATES</b>		
<b>Check all that apply</b>	<b>ITEM</b>	<b>COST</b>
<b>Specific Roadway Elements</b>		
<input type="checkbox"/>	Mobilization (approx. 5% of total cost)	\$
<input type="checkbox"/>	Removals (approx. 5% of total cost)	\$
<input type="checkbox"/>	Roadway (grading, borrow, etc.)	\$
<input type="checkbox"/>	Roadway (aggregates and paving)	\$
<input type="checkbox"/>	Subgrade Correction (muck)	\$
<input type="checkbox"/>	Storm Sewer	\$
<input type="checkbox"/>	Ponds	\$
<input type="checkbox"/>	Concrete Items (curb & gutter, sidewalks, median barriers)	\$
<input type="checkbox"/>	Traffic Control	\$
<input type="checkbox"/>	Striping	\$
<input type="checkbox"/>	Signing	\$
<input type="checkbox"/>	Lighting	\$
<input type="checkbox"/>	Turf - Erosion & Landscaping	\$
<input type="checkbox"/>	Bridge	\$
<input type="checkbox"/>	Retaining Walls	\$
<input type="checkbox"/>	Noise Wall	\$
<input type="checkbox"/>	Traffic Signals	\$
<input type="checkbox"/>	Wetland Mitigation	\$
<input type="checkbox"/>	Other Natural and Cultural Resource Protection	\$
<input type="checkbox"/>	RR Crossing	\$
<input type="checkbox"/>	Roadway Contingencies	\$
<input type="checkbox"/>	Other Roadway Elements	\$
<b>Specific Bicycle and Pedestrian Elements</b>		
<input type="checkbox"/>	Path/Trail Construction	\$
<input type="checkbox"/>	Sidewalk Construction	\$
<input type="checkbox"/>	On-Street Bicycle Facility Construction	\$
<input type="checkbox"/>	Right-of-Way	\$
<input type="checkbox"/>	Pedestrian Curb Ramps (ADA)	\$
<input type="checkbox"/>	Crossing Aids (e.g., Audible Pedestrian Signals, HAWK)	\$
<input type="checkbox"/>	Pedestrian-scale Lighting	\$

<input type="checkbox"/>	Streetscaping	\$
<input type="checkbox"/>	Wayfinding	\$
<input type="checkbox"/>	Bicycle and Pedestrian Contingencies	\$
<input type="checkbox"/>	Other Bicycle and Pedestrian Elements	\$
<b>Specific Transit and TDM Elements</b>		
<input type="checkbox"/>	Fixed Guideway Elements	\$
<input type="checkbox"/>	Stations, Stops, and Terminals	\$
<input type="checkbox"/>	Support Facilities	\$
<input type="checkbox"/>	Transit Systems (e.g. communications, signals, controls, fare collection, etc.)	\$
<input type="checkbox"/>	Vehicles	\$
<input type="checkbox"/>	Transit Operations	\$
<input type="checkbox"/>	Transit and TDM Contingencies	\$
<input type="checkbox"/>	Other Transit and TDM Elements	\$
<b>TOTAL CONSTRUCTION COST</b>		<b>\$</b>



# Risk Assessment

Please check those that apply and fill in anticipated completion dates for all projects, except for new/expanded transit service and transit vehicle purchases.

**1) Project Scope (5 Percent of Points)**

- 100%  Meetings or contacts with stakeholders have occurred
- 40%  Stakeholders have been identified
- 0%  Stakeholders have not been identified or contacted

**2) Layout or Preliminary Plan (5 Percent of Points)**

- 100%  Layout or Preliminary Plan completed
- 50%  Layout or Preliminary Plan started
- 0%  Layout or Preliminary Plan has not been started

Anticipated date or date of completion: \_\_\_\_\_

**3) Environmental Documentation (10 Percent of Points)**

- EIS  EA  PM

Document Status:

- 100%  Document approved (include copy of signed cover sheet)
- 75%  Document submitted to State Aid for review (date submitted: \_\_\_\_\_)
- 50%  Document in progress; environmental impacts identified
- 0%  Document not started

Anticipated date or date of completion/approval: \_\_\_\_\_

**4) Review of Section 106 Historic Resources (15 Percent of Points)**

- 100%  No known potential for archaeological resources, no historic resources known to be eligible for/listed on the National Register of Historic Places located in the project area, and project is not located on an identified historic bridge
- 80%  Historic/archeological review under way; determination of “no historic properties affected” or “no adverse effect” anticipated
- 40%  Historic/archeological review under way; determination of “adverse effect” anticipated
- 0%  Unknown impacts to historic/archaeological resources

Anticipated date or date of completion of historic/archeological review: \_\_\_\_\_

Project is located on an identified historic bridge:

**5) Review of Section 4f/6f Resources (15 Percent of Points)**

- 100%  No Section 4f/6f resources located in the project area (4f is publicly owned parks, recreation areas, historic sites, wildlife or waterfowl refuges; 6f is outdoor recreation lands where Land and Water Conservation Funds were used for planning, acquisition, or development of the property)
- 100%  Adverse effects (land conversion) to Section 4f/6f resources likely; letter of support received (potential option for bicycle and pedestrian facility applications only)
- 80%  Section 4f resources present within the project area, but no known adverse effects
- 30%  Adverse effects (land conversion) to Section 4f/6f resources likely
- 0%  Unknown impacts to Section 4f/6f resources in the project area

**6) Right-of-Way (15 Percent of Points)**

- 100%  Right-of-way or easements not required
- 100%  Right-of-way or easements has/have been acquired
- 75%  Right-of-way or easements required, offers made
- 50%  Right-of-way or easements required, appraisals made
- 25%  Right-of-way or easements required, parcels identified
- 0%  Right-of-way or easements required, parcels not identified
- 0%  Right-of-way or easements identification has not been completed

Anticipated date or date of acquisition \_\_\_\_\_

**7) Railroad Involvement (25 Percent of Points)**

- 100%  No railroad involvement on project
- 100%  Railroad Right-of-Way Agreement is executed (include signature page)
- 60%  Railroad Right-of-Way Agreement required; Agreement has been initiated
- 40%  Railroad Right-of-Way Agreement required; negotiations have begun
- 0%  Railroad Right-of-Way Agreement required; negotiations not begun

Anticipated date or date of executed Agreement \_\_\_\_\_

**8) Construction Documents/Plan (10 Percent of Points)**

- 100%  Construction plans completed/approved (include signed title sheet)
- 75%  Construction plans submitted to State Aid for review
- 50%  Construction plans in progress; at least 30% completion
- 0%  Construction plans have not been started

Anticipated date or date of completion: \_\_\_\_\_

**9) Letting**

Anticipated Letting Date: \_\_\_\_\_

# Requirements (Draft)

---

Updated July 11, 2014

The applicant must show that the project meets all of the requirements to be eligible to be scored and ranked against other projects. All requirements must be met before completing an application. Applicants whose projects are disqualified may appeal and participate in the review and determination of eligibility at the Technical Advisory Committee (TAC) Funding & Programming Committee meeting. ([provide link](#))

By selecting each checkbox, the applicant confirms compliance with the following project requirements:

## All Projects

1. The project must be consistent with the goals and policies in these adopted regional plans: Thrive MSP 2040 (2014), the 2030 Transportation Policy Plan (amended 2013), the 2030 Regional Parks Policy Plan (amended 2013), and the 2030 Water Resources Management Policy Plan (2005).  
 Check the box to indicate that the project meets this requirement.
2. Applicants that are not cities or counties in the seven-county metro area with populations over 5,000 must contact the MnDOT Metro State Aid Office prior to submitting their application to determine if a public agency sponsor is required.  
 Check the box to indicate that the project meets this requirement.
3. Applicants must not submit an application for the same project in more than one funding sub-category.  
 Check the box to indicate that the project meets this requirement.
4. The requested funding amount must be more than or equal to the minimum award and less than or equal to the maximum award. The cost of preparing a project for funding authorization can be substantial. For that reason, minimum federal amounts apply. Other federal funds may be combined with the requested funds for projects exceeding the maximum award, but the source(s) must be identified in the application. Funding amounts by application category are listed below in Table 1.

*Table 1: 2014 Regional Solicitation Funding Award Minimums and Maximums*

Modal Categories	2014 Regional Solicitation		
	Sub-Categories	Minimum Award	Maximum Award
<b>Roadways Including Multimodal Elements</b>	Roadway Expansion	\$1,000,000	\$7,000,000
	Roadway Reconstruction/ Modernization	\$1,000,000	\$7,000,000
	Roadway System Management	\$250,000	\$7,000,000
	Bridges	\$1,000,000	\$7,000,000
<b>Bicycle and Pedestrian Facilities</b>	Multiuse Trails and Bicycle Facilities	\$125,000	\$5,500,000
	Pedestrian Facilities (Sidewalks, Streetscaping, and ADA)	\$125,000	\$1,000,000
	Safe Routes to School	\$125,000	\$1,000,000
<b>Transit and TDM Projects</b>	Transit Expansion	\$500,000	\$10,000,000
	TDM	\$75,000	\$300,000
	Transit System Modernization	\$100,000	\$7,000,000

Check the box to indicate that the project meets this requirement

5. The project must comply with the Americans with Disabilities Act.

Check the box to indicate that the project meets this requirement.

6. The project must be accessible and open to the general public.

Check the box to indicate that the project meets this requirement.

7. The owner/operator of the facility must operate and maintain the project for the useful life of the improvement.

Check the box to indicate that the project meets this requirement.

8. The project must represent a permanent improvement with independent utility. The term “independent utility” means the project provides benefits described in the application by itself and does not depend on any construction elements of the project being funded from other sources outside the regional solicitation, excluding the required non-federal match. Projects that include traffic management or transit operating funds as part of a construction project are exempt from this policy.

Check the box to indicate that the project meets this requirement.

9. The project must not be a temporary construction project. A temporary construction project is defined as work that must be replaced within five years and is ineligible for funding. The project must also not be staged construction where the project will be replaced as part of future stages. Staged construction is eligible for funding as long as future stages build on, rather than replace, previous work.

Check the box to indicate that the project meets this requirement.

10. The project applicant must send written notification regarding the proposed project to all affected state and local units of government prior to submitting the application.

Check the box to indicate that the project meets this requirement.

11. Project applicants can “bundle” projects together to meet the funding minimum. An example of a bundled project could be signing and lighting a number of bike trails in several cities, filling in multiple trail gaps or crossings along a corridor, systemwide signal retiming, or installing heated bus shelters along a route. Communities may want to consider using joint powers agreements for implementing bundled projects. Bundling of independent projects that are not related to one another is not eligible. Applicants should contact Elaine Koutsoukos ([Elaine.koutsoukos@metc.state.mn.us](mailto:Elaine.koutsoukos@metc.state.mn.us); 651-602-1717) to address any questions about the eligibility of a proposed “bundled” project.

Check the box to indicate that the applicant understands this requirement.

## Roadways Including Multimodal Elements

1. **Expansion and Reconstruction/Modernization projects only:** The project must be designed to meet 10-ton load limit standards.

Check the box to indicate that the project meets this requirement.

2. **Expansion and Reconstruction/Modernization projects only:** The project must exclude costs for right-of-way, studies, preliminary engineering, design, or construction engineering (can be included if the project does not involve construction such as signal re-timing)? Noise barriers, drainage projects, fences, landscaping, etc., are not eligible for funding unless included as part of a larger project, which is otherwise eligible.

Check the box to indicate that the project meets this requirement.

1. **Bridge projects only:** The bridge project must be identified as a Principal Arterial (Non-Freeway facilities only) or “A” Minor Arterial as shown on the latest TAB approved roadway functional classification map.

Check the box to indicate that the project meets this requirement.

2. **Bridge projects only:** Bridges selected in previous Bridge Improvement and Replacement solicitations (1994 – 2011) are not eligible. A previously selected project is not eligible unless it has been withdrawn or sunset prior to the deadline for proposals in this solicitation.  
 Check the box to indicate that the project meets this requirement.
3. **Bridge projects only:** Projects requiring a grade-separated crossing of a Principal Arterial or freeway design must be limited to the federal share of those project costs identified as local (non-MnDOT) cost responsibility using MnDOT’s “Cost Participation for Cooperative Construction Projects and Maintenance Responsibilities” manual. In the case of a federally funded trunk highway project, the policy guidelines should be read as if the funded trunk highway route is under local jurisdiction.  
 Check the box to indicate that the project meets this requirement.
4. **Bridge projects only:** The bridge must carry highway traffic. Bridges can carry traffic from multiple modes. However, bridges that are exclusively for bicycle or pedestrian traffic must apply under one of the Bicycle and Pedestrian Facilities sub-categories. Rail-only bridges are ineligible for funding.  
 Check the box to indicate that the project meets this requirement.
5. **Bridge projects only:** The length of the bridge must equal or exceed 20 feet.  
 Check the box to indicate that the project meets this requirement.
6. **Bridge projects only:** Project limits for bridge projects are limited from abutment to abutment.  
 Check the box to indicate that the project meets this requirement.
7. **Bridge projects only:** The project must exclude costs for the superstructure (except for the cost of constructing a new bridge deck or reconstructing an existing bridge deck), substructure, studies, preliminary engineering, design, construction engineering, and right-of-way.  
 Check the box to indicate that the project meets this requirement.
8. **For bridge replacement projects only:** The bridge must have a sufficiency rating less than 50. Additionally, it must also be classified as structurally deficient or functionally obsolete.  
 Check the box to indicate that the project meets this requirement.
9. **For bridge rehabilitation projects only:** The bridge must have a sufficiency rating less than 80. Additionally, it must also be classified as structurally deficient or functionally obsolete.  
 Check the box to indicate that the project meets this requirement.

## Bicycle and Pedestrian Facilities Projects Only

**Note:** Bicycle and pedestrian projects may use a “soft match” to fulfill the local match. A “soft match” may include donated labor or construction materials if adequate documentation of its equivalent dollar value and availability can be provided. Donated labor must have expertise and experience in the type of labor required for the project and valued at rates consistent with rates ordinarily paid for similar work. Some type of time sheet must support donated labor. Donated materials, e.g., railroad ties, asphalt pavement, or wiring necessary to run a street car, must meet all standards and specifications. Caution in using a “soft match” should be taken to ensure the donated materials or labor during actual construction does not fall below the 20 percent non-federal match required to be able to receive 100 percent of the federal funds. Applicants wishing to use a soft match should first contact the Minnesota office of the Federal Highway Administration for more information.

1. All projects must relate to surface transportation. As an example, for multiuse trail and bicycle facilities, surface transportation is defined as primarily serving a commuting purpose and/or that connect two destination points. A facility may serve both a transportation purpose and a recreational purpose; a facility that connects people to recreational destinations may be considered to have a transportation purpose.

Check the box to indicate that the project meets this requirement.

2. The project must exclude costs for study completion, preliminary engineering, design, construction engineering, or other similar costs (eligible costs include construction and materials, right-of-way, and land acquisition).

Check the box to indicate that the project meets this requirement.

3. The project must exclude work that is required as a condition of obtaining a permit or concurrence for a different transportation project.

Check the box to indicate that the project meets this requirement.

4. Seventy percent of the project cost must fall under one of the following eligible activities:
- Construction of on-road and off-road trail facilities for pedestrians, bicyclists, and other non-motorized forms of transportation, including sidewalks, bicycle infrastructure, pedestrian and bicycle signals, traffic calming techniques, lighting and other safety-related infrastructure, and transportation projects to achieve compliance with the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.).
  - Construction of infrastructure-related projects and systems that will provide safe routes for non-drivers, including children, older adults, and individuals with disabilities, to access daily needs.
  - Conversion and use of abandoned railroad corridors for trails for pedestrians, bicyclists, or other non-motorized transportation users.
  - Safe Routes to School Infrastructure-related projects.

Check the box to indicate that the project meets this requirement.

5. **For Safe Routes to School projects only:** All projects must be located within a two-mile radius of the associated primary, middle, or high school site.

Check the box to indicate that the project meets this requirement.

6. **For Safe Routes to School projects only:** All schools benefitting from the SRTS program must conduct after-implementation surveys. These include the student tally form and the parent survey available on the National Center for SRTS website ([provide link](#)). The school(s) must submit the after-evaluation data to the National Center for SRTS within a year of the project completion date. Additional guidance regarding evaluation can be found at the MnDOT SRTS website ([provide link](#)).

Check the box to indicate that the applicant understands this requirement and will submit data to the National Center for SRTS within one year of project completion.

7. **For Safe Routes to School projects only:** The applicant must have a Safe Routes to School plan established to be eligible for funding. MnDOT staff will notify Metropolitan Council staff of all agencies eligible for funding. If an applicant has a new Safe Routes to School plan and has not previously notified MnDOT Safe Routes to School staff of the plan, the applicant should contact Nicole Campbell ([Nicole.Campbell@state.mn.us](mailto:Nicole.Campbell@state.mn.us); 651-366-4180) prior to beginning an application to discuss the plan and confirm eligibility. MnDOT staff will send updated applicant eligibility information to Metropolitan Council staff, if necessary.

Check the box to indicate that the applicant understands this requirement and will contact MnDOT Safe Routes to School staff, if necessary, to confirm funding eligibility.



## Transit and TDM Projects Only

1. The project must exclude costs for studies, preliminary engineering, design, or construction engineering (except if the project does not involve construction such as signal re-timing). Noise barriers, drainage projects, fences, landscaping, etc., are not eligible for funding unless included as part of a larger project, which is otherwise eligible. Right-of-way costs are not eligible as a stand-alone proposal, but are eligible when included in a proposal to build or expand transit hubs, transit terminals, park-and-ride facilities, or pool-and-ride lots).

Check the box to indicate that the project meets this requirement.

2. **For Transit Expansion projects only:** The project must provide a new or expanded transit facility or service (includes peak, off-peak, express, limited stop service, or dial-a-ride).

Check the box to indicate that the project meets this requirement.

3. **For Transit Expansion projects only:** The applicant must have the capital and operating funds necessary to implement the entire project and commit to continuing the service or facility project beyond the initial funding period.

Check the box to indicate that the project meets this requirement.

4. **For Transit Expansion projects only:** The project is not eligible for either capital or operating funds if the corresponding capital or operating costs have been funded in a previous solicitation. A previously selected project is not eligible unless it has been withdrawn or sunset prior to the deadline for proposals in this solicitation.

Check the box to indicate that the project meets this requirement.

# General Process (Draft)

---

Draft Updated June 26, 2014

1. Project sponsors must incur the cost of the project prior to repayment. Costs become eligible for reimbursement only after a project has been approved by the Transportation Advisory Board (TAB)/Metropolitan Council, the Minnesota Department of Transportation (MnDOT), and the appropriate United States Department of Transportation (USDOT) modal agency.
2. Projects will be added to the Transportation Improvement Program (TIP) only after TAB/Metropolitan Council approval.
3. The construction cost of projects listed in the region's draft or adopted TIP is assumed to be fully-funded. TAB will not consider projects already listed in the draft or adopted TIP, nor the reimbursement of advanced construction funds for those projects, for funding through the solicitation process.
4. The federal fund participation for each project will be updated and reported annually. Projects selected to receive federal funding through this solicitation will be programmed in the regional TIP in years 2017, 2018, and 2019, taking into consideration the applicant's request and the TAB's balancing of these requests based on available funds. When the selected projects are programmed, the TAB will adjust the federal award and the non-federal match amount to account for anticipated inflation.
5. The fundable amount of a project is based on the original submittal. TAB must approve any significant change in the scope of an approved project. Include link to scope change process.
6. **A project will be removed from the program if it does not meet its program year.** The program year aligns with the state fiscal year. For example, if the project is programmed for 2018 in the TIP, the project program year begins July 1, 2017 and ends June 30, 2018. Projects selected from this solicitation will be programmed in 2017, 2018, and 2019. The Regional Program Year Policy outlines the process to request a one-time program year extension. Include link to Regional Program Year Policy.
7. The announcement of funding availability is published in the State Register, posted on the Metropolitan Council website, and emailed to local stakeholders.
8. The applicant must show that the project meets all of the requirements to be eligible to be scored and ranked against other projects. Applicants whose projects are disqualified may appeal and participate in the review and determination of eligibility at the Technical Advisory Committee (TAC) Funding & Programming Committee meeting.
9. A set of prioritizing criteria with a range of points assigned is provided. The applicant must respond directly to each prioritizing criterion in order for it to be scored and receive points. Projects are scored based on how well the response meets the requirements of the prioritizing criteria and how well the responses compare to those of other qualifying applications in the same project category.

10. Members of the TAC Funding and Programming Committee or other designees will evaluate the applications and prepare a ranked list of projects by category based on a total score of all the prioritizing criteria. The TAC will forward the ranked list of projects with funding options. TAB may develop its own funding proposals. TAB may or may not choose to fund projects submitted from each sub-category. TAB will then recommend a list of projects to be included in the region's Transportation Improvement Program and receive federal funds. TAB then submits the Transportation Improvement Program (TIP) to the Metropolitan Council for concurrence.
11. Projects involving interchange construction and reconstruction on the Principal Arterial system (regardless of whether the project is on the Principal Arterial or an intersecting "A" Minor Arterial) are funded conditional on the successful completion of the Metropolitan Council/MnDOT Highway Interchange Request procedures. Include link to Appendix E of the 2030 TPP.
12. In the 2014 regional solicitation, the TAB will only fund a project on an "A" Minor Arterial that is spaced at least 3.5 miles away from another funded project on the same "A" Minor Arterial (only applies to two separate applications selected in the same solicitation; excludes bundled applications).
13. In the 2014 regional solicitation, the TAB will only fund a project on a Non-Freeway Principal Arterial that is spaced at least seven miles away from another funded project on the same Non-Freeway Principal Arterial (only applies to two separate applications selected in the same solicitation; excludes bundled applications).
14. In the 2014 regional solicitation, the TAB will not fund more than one transit capital project in a Transitway Corridors (only applies to two separate applications selected in the same solicitation; excludes bundled applications).
15. In the 2014 regional solicitation, the TAB will not fund more than one bicycle or pedestrian facility in the same corridor (only applies to two separate applications selected in the same solicitation; excludes bundled applications).

# Roadway Expansion – Draft Prioritizing Criteria and Measures

---

Updated July 11, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; infrastructure age; congestion reduction/air quality; safety; multimodal facilities and connections; and risk assessment. The use of these common criteria will allow projects to be scored relatively equal across the modal sub-categories while also addressing the particular attributes of the project type.

For new roadway alignments, the applicant must conduct a corridor analysis comparing the parallel route(s) that will be affected by the project. Where applicable, the measure responses for the new alignment would be addressed by using the data for the parallel route(s), such as traffic volumes, crashes, etc. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (200 Points; 20 Percent of Total Points)** – This criterion measures the project’s ability to serve a transportation purpose within the regional transportation system and economy based on how well it fulfills its functional classification role, serves heavy commercial traffic, and connects to Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions, as defined in ThriveMSP 2040, as well as existing local activity centers.

- A. ***MEASURE***: Address how the project route fulfills its role in the regional economy as identified by its current functional classification. Respond as appropriate to one type of functional classification. (100 Points)

**Reliever:**

- Identify the hours per day the current volume exceeds the design capacity (i.e., congestion) in either direction on the Principal Arterial being relieved by the Reliever. For freeway facilities, the applicant should obtain data from the current MnDOT Metro Freeway Congestion Report (**provide link**). For non-freeway facilities, the applicant should obtain intersection turning movement or hourly volume data (within the last three years) directly from the MnDOT Metro Intersection Warrant Information website (**provide link**). If data is unavailable on the website, the applicant should collect or use their own intersection turning movement or hourly volume data (within the last three years) for the non-freeway facility. The volume used for the Principal Arterial being relieved should be located within the parallel length of the project. To calculate existing conditions, the applicant must obtain the hourly directional traffic volumes on a weekday, and the current lane configurations. Design capacity calculations must be based on the definitions found in **Appendix A**.

***RESPONSE (Calculation):***

**Expander:**

- Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

RESPONSE (Calculation):

**Augmentor:**

- Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

RESPONSE (Calculation):

**Non-Freeway Principal Arterial:**

- Calculate the average distance between the project and the closest parallel Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

RESPONSE (Calculation):

- B. MEASURE: Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. It is required that actual counts are collected. (75 Points)

RESPONSE:

- Location: \_\_\_\_\_ Current daily heavy commercial traffic volume: \_\_\_\_\_

- C. MEASURE: Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions as defined in ThriveMSP 2040, as well as local activity centers. (**provide link**) If the project provides a connection to a local activity center, reference the adopted county or city plan identifying this area. (25 Points)

RESPONSE (Select all that apply):

- Direct connection to or within a mile of a Job Concentration:  (25 Points)
- Direct connection to or within a mile of a Manufacturing/Distribution Location:  (25 Points)
- Direct connection to or within a mile of an Educational Institution:  (15 Points)
- Project provides a direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan:  (15 Points)

RESPONSE (county or city plan reference; 100 words or less):

**2. Usage (200 Points; 20 Percent of Total Points)** – This criterion quantifies the project’s potential impact by measuring the current daily person throughput and future vehicular traffic that will be served by the project. These roadway users directly benefit from the project improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial.

A. **MEASURE:** Metropolitan Council staff will calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership. The applicant must identify the location along the project length and provide the current AADT volume from the MnDOT 50-series maps. Ridership data will be provided by the Metropolitan Council staff, if public transit is currently provided on the project length. (125 Points)

- Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)

**RESPONSE (Completed by Metropolitan Council staff):**

- Location: \_\_\_\_\_
- Current AADT volume: \_\_\_\_\_

B. **MEASURE:** Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length, as identified in the previous measure. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location. Respond as appropriate to the use of one type of forecast model. (75 Points)

**RESPONSE (Completed by Metropolitan Council staff):**

- Use Metropolitan Council model to determine forecast (2030) ADT volume

OR

**RESPONSE:**

- Approved county or city travel demand model to determine forecast (2030) ADT volume
- Forecast (2030) ADT volume : \_\_\_\_\_

**3. Equity (50 Points; 5 Percent of Total Points)** – This criterion addresses the project’s positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community’s efforts to promote affordable housing.

A. MEASURE: Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (35 Points) (**provide link**)

- Project located in Racially Concentrated Area of Poverty:  (0 to 35 Points)
- Project located in Concentrated Area of Poverty:  (0 to 28 Points)
- Project’s census tracts are above the regional average for population in poverty or population of color:  (0 to 21 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 14 Points)

RESPONSE (200 words or less):

B. MEASURE: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (15 Points) (**provide link**)

RESPONSE (Completed by Metropolitan Council staff):

**4. Infrastructure Age (75 Points; 7.5 Percent of Total Points)** – This criterion will assess the age and remaining useful life for the roadway facility being improved. Roadway improvement investments should focus on the higher needs of an aging facility. Whereas, improvements to a recently reconstructed roadway does not display an efficient use of funds.

- A. MEASURE: Identify the year of the roadway’s original construction or most recent reconstruction. If the reconstruction date is used for the roadway, a full reconstruction must have been completed during the indicated year. Routine maintenance, such as an overlay or sealcoating project, is ineligible for this calculation of remaining useful life. The useful life for a roadway is 50 years.

RESPONSE:

- Date of original roadway construction or most recent reconstruction (year) : \_\_\_\_\_



**5. Congestion Reduction/Air Quality (150 Points; 15 Percent of Total Points)** – This criterion measures the project’s ability to reduce delay along the roadway facility. It will also address its ability to improve congested intersections operating at unacceptable levels of service during peak hour conditions. This criterion will assess the project’s cost effectiveness based on the total project cost and reduction in the total peak hour intersection delay. The region must allocate transportation funds in such a way that the selected projects provide the most benefit for the amount of funding requested. Cost effectiveness is an essential component of the regional solicitation process.

- A. MEASURE: Conduct a capacity analysis at the most congested signalized or roundabout intersection on the roadway project using existing turning movement counts (collected within the last three years) in the a.m. or p.m. peak hour and Synchro or HCS (for roundabouts) software. The analysis must include build and no build conditions (with and without the project improvements). The applicant must show the current total peak hour intersection delay and the reduction in total peak hour intersection delay in seconds due to the project. (100 Points)

The applicant should include the appropriate Synchro/HCM reports that support the improvement in total peak hour delay and should conduct the analysis using the following:

- Under the network settings, all defaults should be used for lanes, volumes, phases and simulation
- Use Synchro’s automatic optimization to determine cycle, offset and splits (for traffic signals)
- Project improvements assumed in the build condition should be reflected in the total project cost, such as additional through or turn lanes and protective left-turn phasing

The applicant must then calculate the cost per total peak hour vehicle delay (seconds) reduced by the project improvement. The cost effectiveness calculation must be based on the total construction cost of the project, not just the portion of the project eligible for federal funding.

- Cost Effectiveness = total project cost/total peak hour vehicle delay reduced by the project

RESPONSE (Calculation):

- B. MEASURE: Using the Synchro/HCS analysis completed in the previous measure, identify the total peak hour emissions reduction in kilograms (CO, NO<sub>x</sub>, VOC) due to the project. The applicant must then calculate the cost per total peak hour kilograms reduced by the project improvement. The applicant should include the appropriate Synchro/HCM reports that support the improvement in total peak hour emissions. The cost effectiveness calculation must be based on the total construction cost of the project, not just the portion of the project eligible for federal funding.

- Cost Effectiveness = total project cost/total peak hour kilograms reduced by the project

RESPONSE (Calculation):

**6. Safety (150 Points; 15 Percent of Total Points)** – This criterion addresses the project’s ability to correct deficiencies and improve the overall safety of an existing or future roadway facility. It will assess the project’s Benefit/Cost ratio.

- A. MEASURE: Calculate the reduction in the total number of crashes due to improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial made by the project. The applicant must base the estimate of crash reduction on the methodology consistent with the Highway Safety Improvement Program (HSIP), which is found in **Appendix E. (provide link)** Crash data must be obtained for the project length using the MnDOT TIS system average for calendar years 2011 through 2013. Crash data should include all crash types and severity, including pedestrian and bicycle crashes. Applicants should request crash data from MnDOT as early as possible. The applicant must then provide the resulting Benefit/Cost (B/C) ratio associated with the project improvement. The cost effectiveness calculation (B/C) must be based on the total cost of the project, not just the portion of the project eligible for federal funding.

RESPONSE (Calculation):

- Project Benefit/Cost ratio : \_\_\_\_\_

## 7. Multimodal Facilities and Connections (100 Points; 10 Percent of Total Points) –

This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes. The *Transportation Policy Plan* requires that explicit consideration of all users of the transportation system be considered in the planning and scoping phase of roadway projects.

### Multimodal Connections (50 Points)

#### Transit Connections

- A. **MEASURE:** List the transit routes directly connected to the project. Potential connections include transitway stations, high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link ([provide link](#)).

**RESPONSE (List route numbers):**

- Existing routes directly connected to the project: \_\_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project: \_\_\_\_\_

#### Bicycle and Pedestrian Connections

- B. **MEASURE:** Identify the pedestrian and bikeway connections to the project and describe these existing facilities. As part of the required response, discuss how the project provides a direct connection to an existing high pedestrian-traffic area (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) identified in an adopted county or city plan or study. Applicants should also discuss any bicycle or pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian or bicycle connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

**RESPONSE (200 words or less):**

### Multimodal Facilities (50 Points)

- C. **MEASURE:** Discuss any bicycle, pedestrian, or transit elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing bicycle, pedestrian, and transit accommodations. Furthermore, address how the proposed project safely integrates all modes of transportation (i.e., vehicles, bicyclists, transit, and pedestrians) and, if applicable, supports planned transitway stations. Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated in the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).

**RESPONSE (200 words or less):**

**8. Risk Assessment (75 Points; 7.5 Percent of Total Points)** – This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

- A. MEASURE: Applications involving construction must complete the Risk Assessment. This checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).

RESPONSE (Complete Risk Assessment):

**TOTAL: 1,000 POINTS**

# Roadway Reconstruction/Modernization – Draft Prioritizing Criteria and Measures

---

Updated July 11, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; infrastructure age/condition; congestion reduction/air quality; safety; multimodal facilities and connections; and risk assessment. The use of these common criteria will allow projects to be scored relatively equal across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (200 Points; 20 Percent of Total Points)** – This criterion measures the project’s ability to serve a transportation purpose within the regional transportation system and economy based on how well it fulfills its functional classification role, serves heavy commercial traffic, and connects to regional centers of jobs and activity.

- A. **MEASURE:** Address how the project route fulfills its role in the regional economy as identified by its current functional classification. Respond as appropriate to one type of functional classification. (100 Points)

**Reliever:**

- Identify the hours per day the current volume exceeds the design capacity (i.e., congestion) in either direction on the Principal Arterial being relieved by the Reliever. For freeway facilities, the applicant should obtain data from the current MnDOT Metro Freeway Congestion Report (**provide link**). For non-freeway facilities, the applicant should obtain intersection turning movement or hourly volume data (within the last three years) directly from the MnDOT Metro Intersection Warrant Information website (**provide link**). If data is unavailable on the website, the applicant should collect or use their own intersection turning movement or hourly volume data (within the last three years) for the non-freeway facility. The volume used for the Principal Arterial being relieved should be located within the parallel length of the project. To calculate existing conditions, the applicant must obtain the hourly directional traffic volumes on a weekday, and the current lane configurations. Design capacity calculations must be based on the definitions found in **Appendix A**.

RESPONSE (Calculation):

**Expander:**

- Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

RESPONSE (Calculation):

**Connector:**

- Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

RESPONSE (Calculation):

**Augmentor:**

- Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

RESPONSE (Calculation):

**Non-Freeway Principal Arterial:**

- Calculate the average distance between the project and the closest parallel Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

RESPONSE (Calculation):

- B. MEASURE: Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. It is required that actual counts are collected. (75 Points)

RESPONSE:

- Location: \_\_\_\_\_ Current daily heavy commercial traffic volume: \_\_\_\_\_

- C. MEASURE: Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions as defined in ThriveMSP 2040, as well as local activity centers (**provide link**). If the project provides a connection to a local activity center, reference the adopted county or city plan identifying this area. (25 Points)

RESPONSE (Select all that apply):

- Direct connection to or within a mile of a Job Concentration:  (25 Points)
- Direct connection to or within a mile of a Manufacturing/Distribution Location:  (25 Points)
- Direct connection to or within a mile of an Educational Institution:  (15 Points)
- Project provides a direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan:  (15 Points)

RESPONSE (county or city plan reference; 100 words or less):

**2. Usage (200 Points; 20 Percent of Total Points)** – This criterion quantifies the project’s potential impact by measuring the current daily person throughput and future vehicular traffic that will be served by the project. These roadway users directly benefit from the project improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial.

A. MEASURE: Metropolitan Council staff will calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership. The applicant must identify the location along the project length and provide the current AADT volume from the MnDOT 50-series maps. Ridership data will be provided by the Metropolitan Council staff, if public transit is currently provided on the project length. (125 Points)

- Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)

RESPONSE (Completed by Metropolitan Council staff):

- Location: \_\_\_\_\_
- Current AADT volume: \_\_\_\_\_

B. MEASURE: Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length, as identified in the previous measure. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location. Respond as appropriate to the use of one type of forecast model. (75 Points)

RESPONSE (Completed by Metropolitan Council staff):

- Use Metropolitan Council model to determine forecast (2030) ADT volume

OR

RESPONSE:

- Approved county or city travel demand model to determine forecast (2030) ADT volume
- Forecast (2030) ADT volume : \_\_\_\_\_

**3. Equity (50 Points; 5 Percent of Total Points)** – This criterion addresses the project’s positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community’s efforts to promote affordable housing.

A. **MEASURE**: Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (35 Points) (**provide link**)

- Project located in Racially Concentrated Area of Poverty:  (0 to 35 Points)
- Project located in Concentrated Area of Poverty:  (0 to 28 Points)
- Project’s census tracts are above the regional average for population in poverty or population of color:  (0 to 21 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 14 Points)

**RESPONSE (200 words or less):**

B. **MEASURE**: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (15 Points) (**provide link**)

**RESPONSE (Completed by Metropolitan Council staff):**



**4. Infrastructure Age/Condition (150 Points; 15 Percent of Total Points)** – This criterion will assess the age and remaining useful life for the roadway facility being improved. Roadway improvement investments should focus on the higher needs of an aging facility. Whereas, improvements to a recently reconstructed roadway does not display an efficient use of funds.

- A. MEASURE: Identify the year of the roadway’s original construction or most recent reconstruction. If the reconstruction date is used for the roadway, a full reconstruction must have been completed during the indicated year. Routine maintenance, such as an overlay or sealcoating project, is ineligible for this calculation of remaining useful life. The useful life for a roadway is 50 years. (50 Points)

RESPONSE:

- Date of original roadway construction or most recent reconstruction (year) : \_\_\_\_\_

- B. MEASURE: List or describe any known geometric, structural, or infrastructure deficiencies that will be improved as part of this project, as reflected in the project cost estimate. These could include underground, above ground, or other innovative improvements. Examples include, but are not limited to, adding new or replacing aged municipal utilities; addressing a known flooding problem or replacing an aged drainage system; improving roadway structural capacity to 10-ton limit; adding new or widening existing shoulders to enhance safety; and improving clear zone or sight lines at key locations. (100 Points)

RESPONSE (200 words or less):

**5. Congestion Reduction/Air Quality (75 Points; 7.5 Percent of Total Points)** – This criterion measures the project’s ability to reduce delay-along the roadway facility. It will also address its ability to improve congested intersections operating at unacceptable levels of service during peak hour conditions. This criterion will assess the project’s cost effectiveness based on the total project cost and reduction in the total intersection delay. The region must allocate transportation funds in such a way that the selected projects provide the most benefit for the amount of funding requested. Cost effectiveness is an essential component of the regional solicitation process.

- A. MEASURE: Conduct a capacity analysis at the most congested signalized or roundabout intersection on the roadway project using existing turning movement counts (collected within the last three years) in the a.m. or p.m. peak hour and the Synchro or HCS (for roundabouts) software. The analysis must include build and no build conditions (with and without the project improvements). The applicant must show the current total peak hour intersection delay and the reduction in total peak hour intersection delay in seconds due to the project. (100 Points)

The applicant should include the appropriate Synchro/HCM reports that support the improvement in total peak hour delay and should conduct the analysis using the following:

- Under the network settings, all defaults should be used for lanes, volumes, phases and simulation
- Use Synchro’s automatic optimization to determine cycle, offset and splits (for traffic signals)
- Project improvements assumed in the build condition should be reflected in the total project cost, such as additional through or turn lanes and protective left-turn phasing

The applicant must then calculate the cost per total peak hour vehicle delay (seconds) reduced by the project improvement. The cost effectiveness calculation must be based on the total construction cost of the project, not just the portion of the project eligible for federal funding.

- Cost Effectiveness = total project cost/total peak hour vehicle delay reduced by the project

RESPONSE (Calculation):

- B. MEASURE: Using the Synchro/HCS analysis completed in the previous measure, identify the total peak hour emissions reduction in kilograms (CO, NO<sub>x</sub>, VOC) due to the project. The applicant must then calculate the cost per total peak hour kilograms reduced by the project improvement. The applicant should include the appropriate Synchro/HCM reports that support the improvement in total peak hour emissions. The cost effectiveness calculation must be based on the total construction cost of the project, not just the portion of the project eligible for federal funding.

- Cost Effectiveness = total project cost/total peak hour kilograms reduced by the project

RESPONSE (Calculation):

**6. Safety (150 Points; 15 Percent of Total Points)** – This criterion addresses the project’s ability to correct deficiencies and improve the overall safety of an existing or future roadway facility. It will assess the project’s Benefit/Cost ratio.

- A. MEASURE: Calculate the reduction in the total number of crashes due to improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial made by the project. The applicant must base the estimate of crash reduction on the methodology consistent with the Highway Safety Improvement Program (HSIP), which is found in **Appendix E. (provide link)** Crash data must be obtained for the project length using the MnDOT TIS system average for calendar years 2011 through 2013. Crash data should include all crash types and severity, including pedestrian and bicycle crashes. Applicants should request crash data from MnDOT as early as possible. The applicant must then provide the resulting Benefit/Cost (B/C) ratio associated with the project improvement. The cost effectiveness calculation (B/C) must be based on the total cost of the project, not just the portion of the project eligible for federal funding.

RESPONSE (Calculation):

- Project Benefit/Cost ratio : \_\_\_\_\_

## 7. Multimodal Facilities and Connections (100 Points; 10 Percent of Total Points) -

This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes. The *Transportation Policy Plan* requires that explicit consideration of all users of the transportation system be considered in the planning and scoping phase of roadway projects.

### Multimodal Connections (50 Points)

#### Transit Connections

- A. **MEASURE:** List the transit routes directly connected to the project. Potential connections include transitway stations, high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link ([provide link](#)).

**RESPONSE (List route numbers):**

- Existing routes directly connected to the project: \_\_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project: \_\_\_\_\_

#### Bicycle and Pedestrian Connections

- B. **MEASURE:** Identify the pedestrian and bikeway connections to the project and describe these existing facilities. As part of the required response, discuss how the project provides a direct connection to an existing high pedestrian-traffic area (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) identified in an adopted county or city plan or study. Applicants should also discuss any bicycle or pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian or bicycle connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

**RESPONSE (200 words or less):**

### Multimodal Facilities (50 Points)

- C. **MEASURE:** Discuss any bicycle, pedestrian, or transit elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing bicycle, pedestrian, and transit accommodations. Furthermore, address how the proposed project safely integrates all modes of transportation (i.e., vehicles, bicyclists, transit, and pedestrians) and, if applicable, supports planned transitway stations. Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated in the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).

**RESPONSE (200 words or less):**

**8. Risk Assessment (75 Points; 7.5 Percent of Points)** – This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

- A. MEASURE: Applications involving construction must complete the Risk Assessment. This checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).

RESPONSE (Complete Risk Assessment):

**TOTAL: 1,000 POINTS**

# Roadway System Management – Draft Prioritizing Criteria and Measures

---

Updated July 11, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; infrastructure age/condition; congestion reduction/air quality; safety; multimodal facilities and connections; and risk assessment. The use of these common criteria will allow projects to be scored relatively equal across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (150 Points; 15 Percent of Total Points)** – This criterion measures the project’s ability to serve a transportation purpose within the regional transportation system and economy based on its functional classification role, how it serves heavy commercial traffic and connects to regional centers of jobs and activity.

- A. **MEASURE**: Address how the project route fulfills its role in the regional economy as identified by its current functional classification. If the project serves a system of routes, respond using the route with the highest functional classification. This system must include a Non-Freeway Principal Arterial or an “A” Minor Arterial. (75 Points)

**Non-Freeway Principal Arterial or “A” Minor Arterial:**

- Calculate the average distance between the project and the closest parallel Principal Arterials or “A” Minor Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

**RESPONSE (Calculation):**

- B. **MEASURE**: Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. It is required that actual counts are collected. (50 Points)

**RESPONSE:**

- Location: \_\_\_\_\_
- Current daily heavy commercial traffic volume: \_\_\_\_\_

- C. **MEASURE**: Identify the location of the project or system of routes as it relates to the Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions as defined in ThriveMSP 2040 ([provide link](#)), as well as local activity centers. If the project or system of routes provides a connection to a local activity center, describe the adopted county or city plan identifying this area. (25 Points)

RESPONSE (Select all that apply):

- Direct connection to or within a mile of a Job Concentration:  (25 Points)
- Direct connection to or within a mile of a Manufacturing/Distribution Location:  (25 Points)
- Direct connection to or within a mile of an Educational Institution:  (15 Points)
- Project provides a direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan:  (15 Points)

RESPONSE (county or city plan reference; 100 words or less):

**2. Usage (150 Points; 15 Percent of Total Points)** – This criterion quantifies the project’s potential impact by measuring the current daily person throughput and future vehicular traffic that will be served by the project. These roadway users directly benefit from the project improvements.

A. MEASURE: Metropolitan Council staff will calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership. If the project is located on a network of roadways, the current total daily person throughput will be calculated for the system. The applicant must identify the location along the project length and provide the current AADT volume from the MnDOT 50-series maps. Ridership data will be provided by the Metropolitan Council staff, if public transit is currently provided on the project length. (75 Points)

- Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)

RESPONSE (Completed by Metropolitan Council staff):

- Location: \_\_\_\_\_
- Current AADT volume: \_\_\_\_\_

B. MEASURE: Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length, as identified in the previous measure. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location. Respond as appropriate to the use of one type of forecast model. (75 Points)

RESPONSE (Completed by Metropolitan Council staff):

- Use Metropolitan Council model to determine forecast (2030) ADT volume

OR

RESPONSE:

- Approved county or city travel demand model to determine forecast (2030) ADT volume
- Forecast (2030) ADT volume : \_\_\_\_\_

RESPONSE (Completed by Metropolitan Council staff):



**3. Equity (50 Points; 5 Percent of Total Points)** – This criterion addresses the project’s positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community’s efforts to promote affordable housing.

A. **MEASURE:** Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (35 Points) (**provide link**)

- Project located in Racially Concentrated Area of Poverty:  (0 to 35 Points)
- Project located in Concentrated Area of Poverty:  (0 to 28 Points)
- Project’s census tracts are above the regional average for population in poverty or population of color:  (0 to 21 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 14 Points)

**RESPONSE (200 words or less):**

B. **MEASURE:** Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (15 Points) (**provide link**)

**RESPONSE (Completed by Metropolitan Council staff):**

**4. Infrastructure Age/Condition (75 Points; 7.5 Percent of Total Points)** – This criterion will assess the age and remaining useful life for the infrastructure elements being improved. Roadway system management investments should focus on improving and replacing existing equipment that is beyond its useful life.

- A. MEASURE: Identify the type(s) and age(s) of ITS, signal/control, and/or communication equipment that will be improved or replaced as part of this project, as reflected in the project cost estimate.

RESPONSE:

- Equipment to be improved: \_\_\_\_\_
- Date of equipment installation (year) : \_\_\_\_\_

**5. Congestion Reduction/Air Quality (200 Points; 20 Percent of Total Points)** – This criterion measures the project’s ability to reduce congestion. In addition, it will address its ability to improve congested intersections operating at unacceptable levels of service during peak hour conditions. The project will also be measured based on its ability to reduce emissions in a cost-effective manner.

- A. **MEASURE:** Conduct a capacity analysis at the most congested signalized or roundabout intersection on the roadway project using existing turning movement counts (collected within the last three years) in the a.m. or p.m. peak hour and the Synchro or HCS (for roundabouts) software. The analysis must include build and no build conditions (with and without the project improvements). The applicant must show the current total peak hour intersection delay and the reduction in total peak hour intersection delay in seconds due to the project. (100 Points)

The applicant should include the appropriate Synchro/HCM reports that support the improvement in total peak hour delay and should conduct the analysis using the following:

- Under the network settings, all defaults should be used for lanes, volumes, phases and simulation
- Use Synchro’s automatic optimization to determine cycle, offset and splits (for traffic signals)
- Project improvements assumed in the build condition should be reflected in the total project cost, such as additional through or turn lanes and protective left-turn phasing

The applicant must then calculate the cost per total peak hour vehicle delay (seconds) reduced by the project improvement. The cost effectiveness calculation must be based on the total construction cost of the project, not just the portion of the project eligible for federal funding.

- Cost Effectiveness = total project cost/total peak hour vehicle delay reduced by the project

**RESPONSE (Calculation):**

- B. **MEASURE:** Using the Synchro/HCS analysis completed in the previous measure, identify the total peak hour emissions reduction in kilograms (CO, NO<sub>x</sub>, VOC) due to the project. The applicant must then calculate the cost per total peak hour kilograms reduced by the project improvement. The applicant should include the appropriate Synchro/HCM reports that support the improvement in total peak hour emissions. The cost effectiveness calculation must be based on the total construction cost of the project, not just the portion of the project eligible for federal funding.

- Cost Effectiveness = total project cost/total peak hour kilograms reduced by the project

**RESPONSE (Calculation):**

**6. Safety (200 Points; 20 Percent of Total Points)** – This criterion addresses the project’s ability to correct deficiencies and improve the overall safety of an existing or future roadway facility. It will assess the project’s Benefit/Cost ratio.

- A. MEASURE: Calculate the reduction in the total number of crashes due to improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial made by the project. Projects for a system of roadways must calculate crash reduction for the project’s network. The applicant must base the estimate of crash reduction on the methodology consistent with the Highway Safety Improvement Program (HSIP), which is found in **Appendix E. (provide link)** Crash data must be obtained for the project length using the MnDOT TIS system average for calendar years 2011 through 2013. Crash data should include all crash types and severity, including pedestrian and bicycle crashes. Applicants should request crash data from MnDOT as early as possible. The applicant must then provide the resulting Benefit/Cost (B/C) ratio associated with the project improvement. The cost effectiveness calculation (B/C) must be based on the total cost of the project, not just the portion of the project eligible for federal funding.

RESPONSE (Calculation):

- Project Benefit/Cost ratio : \_\_\_\_\_

## 7. Multimodal Facilities and Connections (100 Points; 10 Percent of Total Points) –

This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes. The *Transportation Policy Plan* requires that explicit consideration of all users of the transportation system be considered in the planning and scoping phase of roadway projects.

### Multimodal Connections (50 Points)

#### Transit Connections

- A. **MEASURE:** List the transit routes directly connected to the project. Potential connections include transitway stations, high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link ([provide link](#)).

**RESPONSE (List route numbers):**

- Existing routes directly connected to the project: \_\_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project: \_\_\_\_\_

#### Bicycle and Pedestrian Connections

- B. **MEASURE:** Identify the pedestrian and bikeway connections to the project and describe these existing facilities. As part of the required response, discuss how the project provides a direct connection to an existing high pedestrian-traffic area (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) identified in an adopted county or city plan or study. Applicants should also discuss any bicycle or pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian or bicycle connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

**RESPONSE (200 words or less):**

### Multimodal Facilities (50 Points)

- C. **MEASURE:** Discuss any bicycle, pedestrian, or transit elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing bicycle, pedestrian, and transit accommodations. Furthermore, address how the proposed project safely integrates all modes of transportation (i.e., vehicles, bicyclists, transit, and pedestrians) and, if applicable, supports planned transitway stations. Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated in the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).

**RESPONSE (200 words or less):**

**8. Risk Assessment (75 Points; 7.5 Percent of Total Points)** – This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

- A. MEASURE: Applications involving construction must complete the Risk Assessment. This checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).

RESPONSE (Complete Risk Assessment):

**TOTAL: 1,000 POINTS**

# Bridges – Draft Prioritizing Criteria and Measures

---

Updated July 11, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; infrastructure age/condition/safety; multimodal facilities and connections; risk assessment; and total project cost effectiveness. The use of these common criteria will allow projects to be scored relatively equal across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (150 Points; 15 Percent of Total Points)** – This criterion measures the project’s ability to serve a transportation purpose within the regional transportation system and economy based on its functional classification role, how it serves heavy commercial traffic and connects to regional centers of jobs and activity.

- A. ***MEASURE***: Address how the project route fulfills its role in the regional economy as identified by its current functional classification. (75 Points)

**Non-Freeway Principal Arterial or “A” Minor Arterial:**

- Calculate the average distance between the project and the closest parallel Principal Arterials or “A” Minor Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.

***RESPONSE (Calculation):***

- B. MEASURE: Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. It is required that actual counts are collected. (50 Points)

RESPONSE:

- Location: \_\_\_\_\_
- Current daily heavy commercial traffic volume: \_\_\_\_\_

- C. MEASURE: Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions as defined in ThriveMSP 2040, as well as local activity centers (**provide link**). If the project provides a connection to a local activity center, describe the adopted county or city plan identifying this area. (25 Points)

RESPONSE (Select all that apply):

- Direct connection to or within a mile of a Job Concentration:  (25 Points)
- Direct connection to or within a mile of a Manufacturing/Distribution Location:  (25 Points)
- Direct connection to or within a mile of an Educational Institution:  (15 Points)
- Project provides a direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan:  (15 Points)

RESPONSE (county or city plan reference; 100 words or less):



**2. Usage (200 Points; 20 Percent of Total Points)** – This criterion quantifies the project’s potential impact by measuring the current daily person throughput and future vehicular traffic that will be served by the project. These roadway users directly benefit from the project improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial.

A. MEASURE: Metropolitan Council staff will calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership. The applicant must identify the location along the project length and provide the current AADT volume from the MnDOT 50-series maps. Ridership data will be provided by the Metropolitan Council staff, if public transit is currently provided on the project length. (150 Points)

- Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)

RESPONSE (Completed by Metropolitan Council staff):

- Location: \_\_\_\_\_
- Current AADT volume: \_\_\_\_\_

B. MEASURE: Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length, as identified in the previous measure. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location. Respond as appropriate to the use of one type of forecast model. (50 Points)

RESPONSE (Completed by Metropolitan Council staff):

- Use Metropolitan Council model to determine forecast (2030) ADT volume

OR

RESPONSE:

- Approved county or city travel demand model to determine forecast (2030) ADT volume
- Forecast (2030) ADT volume : \_\_\_\_\_

**3. Equity (50 Points; 5 Percent of Total Points)** – This criterion addresses the project’s positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community’s efforts to promote affordable housing.

A. **MEASURE**: Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (35 Points) (**provide link**)

- Project located in Racially Concentrated Area of Poverty:  (0 to 35 Points)
- Project located in Concentrated Area of Poverty:  (0 to 28 Points)
- Project’s census tracts are above the regional average for population in poverty or population of color:  (0 to 21 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 14 Points)

**RESPONSE (200 words or less):**

B. **MEASURE**: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (15 Points) (**provide link**)

**RESPONSE (Completed by Metropolitan Council staff):**

**4. Infrastructure Age/Condition/Safety (400 Points; 40 Percent of Total Points)** – This criterion will assess the age and condition of the bridge facility being improved. Bridge improvement investments should focus on the higher needs of an aging and unsafe facility. In addition, it addresses the project’s ability to correct design deficiencies and improve the overall safety of the bridge facility.

- A. MEASURE: Identify the bridge sufficiency rating, and select the classification and/or if the structure is posted for load restrictions. (300 Points)

RESPONSE:

- Bridge Sufficiency Rating: \_\_\_\_ (0 to 100)

AND

RESPONSE (Select all that apply):

- Structurally Deficient:
- Functionally Obsolete:
- Load-Posted:

- B. MEASURE: Describe the design and safety deficiencies improved by the proposed project. (100 Points)

RESPONSE (200 words or less):

## 5. Multimodal Facilities and Connections (100 Points; 10 Percent of Total Points) –

This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes. The *Transportation Policy Plan* requires that explicit consideration of all users of the transportation system be considered in the planning and scoping phase of roadway projects.

### Multimodal Connections (50 Points)

#### Transit Connections

- A. **MEASURE:** List the transit routes directly connected to the project. Potential connections include transitway stations, high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link ([provide link](#)).

RESPONSE (List route numbers):

- Existing routes directly connected to the project: \_\_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project: \_\_\_\_\_

#### Bicycle and Pedestrian Connections

- B. **MEASURE:** Identify the pedestrian and bikeway connections to the project and describe these existing facilities. As part of the required response, discuss how the project provides a direct connection to an existing high pedestrian-traffic area (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) identified in an adopted county or city plan or study. Applicants should also discuss any bicycle or pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian or bicycle connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

RESPONSE (200 words or less):

### Multimodal Facilities (50 Points)

- C. **MEASURE:** Discuss any bicycle, pedestrian, or transit elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing bicycle, pedestrian, and transit accommodations. Furthermore, address how the proposed project safely integrates all modes of transportation (i.e., vehicles, bicyclists, transit, and pedestrians) and, if applicable, supports planned transitway stations. Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated in the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).

RESPONSE (200 words or less):

**6. Risk Assessment (75 Points; 7.5 Percent of Total Points)** – This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

- A. MEASURE: Applications involving construction must complete the Risk Assessment. This checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).

RESPONSE (Complete Risk Assessment):

**7. Total Project Cost Effectiveness (75 Points; 7.5 Percent of Total Points)** – This criterion will assess the project’s cost effectiveness based on the total project cost and total points awarded in the previous criteria. The region must allocate transportation funds in such a way that the selected projects provide the most benefit for the amount of funding requested. Cost effectiveness is an essential component of the regional solicitation process. Cost effectiveness calculations must be based on the total cost of the project, not just the portion of the project eligible for federal funding.

A. MEASURE: Calculate the total project cost effectiveness. Met Council staff will divide the total project cost by the total number of points awarded in the previous criteria (1 through 6).

- Cost Effectiveness = total project cost/total number of points awarded in previous criteria (1 through 6)

RESPONSE (Calculation):

**TOTAL: 1,000 POINTS**

# Multiuse Trails and Bicycle Facilities – Prioritizing Criteria and Measures

---

Updated July 10, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; deficiencies and safety; multimodal facilities and connections; and risk assessment. The use of these common criteria will allow projects to be scored relatively equal across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (200 Points; 20 Percent of Total Points)** - This criterion measures the project’s ability to serve a transportation purpose within the regional transportation system and economy through its inclusion within or direct connection to the Regional Bicycle Transportation Network (RBTN), which is based on the Twin Cities Regional Bicycle System Study (2014). **(provide link to TPP)**

- A. ***MEASURE:*** Identify the location of the project relative to the RBTN. A map of this bicycle network can be accessed with this link.

***RESPONSE (Select one):***

- Tier 1, Priority RBTN Corridor:  (200 Points)
- Tier 2, RBTN Corridor:  (160 Points)
- Direct connection to the RBTN (Tier 1 or Tier 2):  (120 Points)

*OR*

- Project is not located on or directly connected to the RBTN, but is part of a local system and identified within an adopted county or city plan:  (20 Points)

**2. Usage (200 Points; 20 Percent of Total Points)** - This criterion quantifies the project's potential impact to existing population and employment. Metropolitan Council staff will calculate the cost effectiveness of the project using the Metropolitan Council model, the project location, and total project cost from previous sections.

A. MEASURE: Metropolitan Council staff will calculate the cost effectiveness of the project using the Metropolitan Council model, the project location, and total project cost.

- Cost Effectiveness = Total project cost/existing population within one mile of the project (100 Points)
- Cost Effectiveness = Total project cost/existing employment within one mile of the project (100 Points)

Note: Future population and employment data are not considered under this measure due to the lack of reliable data.

RESPONSE (Completed by Metropolitan Council staff):



**3. Equity (100 Points; 10 Percent of Total Points)** – This criterion addresses the project’s positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community’s efforts to promote affordable housing.

A. **MEASURE**: Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (70 Points) **(provide link)**

- Project located in Racially Concentrated Area of Poverty:  (0 to 70 Points)
- Project located in Concentrated Area of Poverty:  (0 to 56 Points)
- Project’s census tracts are above the regional average for population in poverty or population of color:  (0 to 42 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 28 Points)

**RESPONSE (200 words or less):**

B. **MEASURE**: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (30 Points) **(provide link)**

**RESPONSE (Completed by Metropolitan Council staff):**

**4. Deficiencies and Safety (250 Points; 25 Percent of Total Points)** – This criterion addresses the project’s ability to overcome barriers or system gaps through completion of a Critical Bicycle Transportation Link, as defined in the Twin Cities Regional Bicycle System Study (2014) ([provide link to TPP](#)). **Critical Bicycle Transportation Links** encompass several types of barriers that can disrupt the connectivity of the bicycle network and isolate communities and key destinations. Projects will also be scored on their ability to correct deficiencies and improve the overall safety of an existing or future multiuse trail or bicycle facility.

Note: Routine maintenance activities on a multiuse trail or bicycle facility are not eligible for funding. As defined by the FHWA, examples of routine maintenance activities include shrub and brush removal or minor drainage improvements. In order to be eligible for funding, reconstruction projects must be replacing a facility at the end of its useful life or include improvements to the facility (e.g., ADA, safety, other deficiencies). Resurfacing of a facility is eligible only if other improvements to the facility are also included in the proposed project.

- A. **MEASURE:** Select the type of Critical Bicycle Transportation Link(s) completed by the project and discuss how the project will close a gap, cross or circumvent a physical barrier (i.e., bridge or tunnel), and/or improve continuity or connections between jurisdictions. The applicant should include barriers and gap improvements on the required project map. If the project is crossing or circumventing a barrier (e.g., river, stream, railroad corridor, freeway, or multi-lane highway), the applicant should demonstrate the magnitude of the barrier (number of lanes, average daily traffic, posted speed limit, etc.) and how the proposed project will improve travel across or around that barrier. Distance to and condition of the nearest parallel crossing of the barrier should also be provided, including the presence or absence of bicycle facilities, number of lanes, average daily traffic, and posted speed limit. (100 Points)

RESPONSE (Check all that apply):

- **Closes a gap** (on or off the RBTN), including improving bikeability for all age/experience levels within urban, high demand corridors that may already have a continuous bikeway facility (in urban high-demand corridors, this could include adding an off-road trail where there is only an on-street bike lane or adding a bike lane where only a trail exists):  (45 Points)
- **Provides a facility that crosses or circumvents a physical barrier** (bridge or tunnel; on or off the RBTN) including a river or stream, railroad corridor, freeway, or multi-lane highway:  (45 Points)
- **Improves continuity and/or connections between jurisdictions** (on or off the RBTN) (e.g., extending a specific bikeway facility treatment across jurisdictions to improve consistency and inherent bikeability):  (10 Points)

RESPONSE (200 words or less):

- B. **MEASURE:** Discuss how the project will correct existing deficiencies or address an identified safety or security problem on the facility. The applicant should also include any available project site-related safety data (e.g. crash data, number of conflict points to be eliminated by

the project by type of conflict (bicyclist/pedestrian, bicyclist/vehicle, pedestrian/vehicle, and vehicle/vehicle)) to demonstrate the magnitude of the existing safety problem. Where available, use of MnDOT TIS system data for the project length is highly encouraged. Applicants should request crash data from MnDOT as early as possible. Crashes involving vehicle conflicts should be reported for 2011-2013, and crashes involving bicyclists and pedestrians should be reported for 2009-2013. As part of the response, demonstrate that the project improvements will reduce the crash potential and provide a safer environment (by referencing crash reduction factors or safety studies) and/or correct a deficiency. (150 Points)

RESPONSE (200 words or less):

**5. Multimodal Facilities and Connections (100 Points; 10 Percent of Total Points)** - This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes.

### **Multimodal Connections (50 Points)**

#### **Transit Connections**

A. **MEASURE:** List the transit routes directly connected to the project and the total number of routes indirectly connected within a one-mile radius of the project. Potential connections include transitway stations, high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link ([provide link](#)).

RESPONSE (List route numbers):

- Existing routes directly connected to the project: \_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project: \_\_\_\_
- Existing routes indirectly connected within one mile of the project: \_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) indirectly connected within one mile of the project: \_\_\_\_

#### **Pedestrian Connections**

B. **MEASURE:** Identify the pedestrian connections to the project and describe these existing facilities. As part of the required response, discuss how the project provides a direct connection to an existing high pedestrian-traffic area (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

RESPONSE (200 words or less):

### **Multimodal Facilities (50 Points)**

C. **MEASURE:** Discuss any transit or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing transit and pedestrian accommodations. Furthermore, address how the proposed bikeway project safely integrates all modes of transportation (i.e., bicyclists, transit, pedestrians, and vehicles). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated in the project.

RESPONSE (200 words or less):

**6. Risk Assessment (150 Points; 15 Percent of Total Points)** - This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

- A. MEASURE: Applications involving construction must complete the Risk Assessment. This checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).

RESPONSE (Complete Risk Assessment):

**TOTAL: 1,000 POINTS**

# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Prioritizing Criteria and Measures

---

Updated July 10, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; deficiencies and safety; multimodal facilities and connections; and risk assessment. The use of these common criteria will allow projects to be scored relatively equal across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Total Points)** - This criterion measures the regional significance of the project, including the project's connections to or within Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions, as defined in ThriveMSP 2040, as well as existing local activity centers.

- A. **MEASURE:** Identify the location of the project as it relates to Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions, as defined in ThriveMSP 2040 (**provide link**), as well as existing local activity centers. If the project provides a connection to a local activity center, reference the adopted county or city plan identifying this area.

**RESPONSE (Select all that apply):**

- Direct connection into, adjacent to, or within a Job Concentration:  (100 Points)
- Direct connection into, adjacent to, or within a Manufacturing/Distribution Location:  (50 Points)
- Direct connection into, adjacent to, or within an Educational Institution:  (100 Points)
- Project provides a direct connection into, adjacent to, or within an existing local activity center identified in an adopted county or city plan:  (50 Points)

**RESPONSE (City or county plan reference; 100 words or less):**

**2. Usage (200 Points; 20 Percent of Total Points)** - This criterion quantifies the project's potential impact to existing population employment. Metropolitan Council staff will calculate the cost effectiveness of the project using the Metropolitan Council model, the project location, and total project cost from previous sections.

A. MEASURE: Metropolitan Council staff will calculate the cost effectiveness of the project using the Metropolitan Council model, the project location, and total project cost.

- Cost Effectiveness = Total project cost/existing population within a half-mile of the proposed pedestrian facility (100 Points)
- Cost Effectiveness = Total project cost/existing employment within a half-mile of the proposed pedestrian facility (100 Points)

Note: Future population and employment data are not considered under this measure due to the lack of reliable data.

RESPONSE (Completed by Metropolitan Council staff):

**3. Equity (100 Points; 10 Percent of Total Points)** – This criterion addresses the project’s positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community’s efforts to promote affordable housing.

A. **MEASURE**: Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (70 Points) (**provide link**)

- Project located in Racially Concentrated Area of Poverty:  (0 to 70 Points)
- Project located in Concentrated Area of Poverty:  (0 to 56 Points)
- Project’s census tracts are above the regional average for population in poverty or population of color:  (0 to 42 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 28 Points)

**RESPONSE (200 words or less):**

B. **MEASURE**: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (30 Points) (**provide link**)

**RESPONSE (Completed by Metropolitan Council staff):**



**4. Deficiencies and Safety (300 Points; 30 Percent of Total Points)** – This criterion addresses the project’s ability to improve the overall safety of an existing or future pedestrian facility. This includes how the project will overcome physical barriers or system gaps, correct deficiencies, and/or fix a safety problem.

Note: Routine maintenance activities on a multiuse trail or bicycle facility are not eligible for funding. As defined by the FHWA, examples of routine maintenance activities include shrub and brush removal or minor drainage improvements. In order to be eligible for funding, reconstruction projects must be replacing a facility at the end of its useful life or include improvements to the facility (e.g., ADA, safety, other deficiencies). Resurfacing of a facility is eligible only if other improvements to the facility are also included in the proposed project.

- A. **MEASURE:** Discuss how the project will overcome barriers (i.e., bridge or tunnel), fill gaps, or connects system segments in the pedestrian network. The applicant should include barriers and gap improvements on the required project map. If the project is crossing or circumventing a barrier (e.g., river, stream, railroad corridor, freeway, or multi-lane highway), the applicant should demonstrate the magnitude of the barrier (number of lanes, average daily traffic, posted speed, etc.) and how the proposed project will improve travel across or around that barrier. Distance to and condition of the nearest parallel crossing of the barrier should also be provided, including the presence or absence of pedestrian facilities, number of lanes, average daily traffic, and posted speed limit. (120 Points)

**RESPONSE (200 words or less):**

- B. **MEASURE:** Discuss how the project will correct existing deficiencies or address an identified safety or security problem on the facility. The applicant should also include any available project site-related safety data (e.g. crash data, number of conflict points to be eliminated by the project by type of conflict (bicyclist/pedestrian, bicyclist/vehicle, pedestrian/vehicle, and vehicle/vehicle)) to demonstrate the magnitude of the existing safety problem. Where available, use of MnDOT TIS system data for the project length is highly encouraged. Applicants should request crash data from MnDOT as early as possible. Crashes involving vehicle conflicts should be reported for 2011-2013, and crashes involving bicyclists and pedestrians should be reported for 2009-2013. As part of the response, demonstrate that the project improvements will reduce the crash potential and provide a safer environment (by referencing crash reduction factors or safety studies) and/or correct a deficiency. (180 Points)

**RESPONSE (200 words or less):**

**5. Multimodal Facilities and Connections (150 Points; 15 Percent of Total Points)** - This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes.

**Multimodal Connections (50 Points)**

**Transit Connections**

- A. **MEASURE:** List the transit routes directly connected to the project and the total number of routes indirectly connected within a one-mile radius of the project. Potential connections include transitway stations, high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link ([provide link](#)).

RESPONSE (List route numbers):

- Existing routes directly connected to the project: \_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project: \_\_\_\_
- Existing routes indirectly connected within one mile to the project: \_\_\_\_
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) indirectly connected within one mile to the project: \_\_\_\_

RESPONSE (200 words or less):

**Bicycle Connections**

- B. **MEASURE:** Identify the bikeway connections to the project and describe these existing facilities. As part of the required response, discuss how the project provides a direct connection to an existing bikeway identified in an adopted county or city plan or study. Applicants should also discuss any bikeway connections that will be constructed before the completion of the proposed project, or planned future connections. If the bikeway connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

RESPONSE (200 words or less):

**Multimodal Facilities (50 Points)**

- C. **MEASURE:** Discuss any transit or bicycle elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing transit and bicycle accommodations. Furthermore, address how the proposed pedestrian facility project safely integrates all modes of transportation (i.e., pedestrians, transit, bicyclists, and vehicles). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why mode may not be incorporated into the project.

RESPONSE (200 words or less):

**6. Risk Assessment (150 Points; 15 Percent of Total Points)** - This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

PROJECT SCORING: Projects selected through this solicitation will be programmed for construction in 2017/2018/2019. The region must manage the federal funds in each year of the TIP. Projects are expected to be authorized in their program year in accordance with TAB's Regional Program Year Policy. Projects that do not have many risks and have already completed some of the work are more likely to be ready for funding authorization in the program year.

A. MEASURE: Applications involving construction must complete the Risk Assessment. This checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).

RESPONSE (Complete Risk Assessment):

**TOTAL: 1,000 POINTS**

# Safe Routes to School Infrastructure – Prioritizing Criteria and Measures

---

Updated July 10, 2014

## 1. Relationship between Safe Routes to School Program Elements (250 Points; 25 Percent of Total Points)

- This criterion assesses the program’s ability to integrate the Safe Routes to School Program Elements: Engineering, Education, Enforcement, Encouragement, and Evaluation. MnDOT Safe Routes to School guidance defines these elements as follows:

- **Engineering** – Creating operational and physical improvements to the infrastructure surrounding schools that reduce speeds and potential conflicts with motor vehicle traffic, and establish safer and fully accessible crossings, walkways, trails, and bikeways.
- **Education** - Teaching children about the broad range of transportation choices, instructing them in important lifelong bicycling and walking safety skills, and launching driver safety campaigns in the vicinity of schools.
- **Enforcement** - Partnering with local law enforcement to ensure traffic laws are obeyed in the vicinity of the schools (this includes enforcement of speeds, yielding to pedestrians, and proper walking and bicycling behaviors) and initiating community enforcements such as a crossing guard program.
- **Encouragement** - Using events and activities to promote walking and bicycling.
- **Evaluation** - Monitoring and documenting outcomes and trends through the collection of data before and after the project(s).

- A. MEASURE: Describe how the SRTS program associated with the project addresses or integrates the 5 Es. The response should include examples, collaborations or partnerships, and planned activities in the near-term (within five years) to further illustrate the incorporation of the 5Es into the SRTS program associated with the project.

RESPONSE (400 words or less):

**2. Usage (150 Points; 15 Percent of Total Points)** - This criterion quantifies the project's potential impact to existing population.

- A. MEASURE: Average share of student population that currently bikes or walks to school, as identified on the Safe Routes to School student travel tally worksheet. Applicants should also attach copies of all original travel tally documentation (**provide link**). (90 Points)

RESPONSE:

- Average share of student population: \_\_\_\_\_

- B. MEASURE: Student population within a half-mile of the elementary school or one mile of the middle school or high school served by the project. (60 Points)

RESPONSE:

- Student population within a half-mile or mile of the school: \_\_\_\_\_

**3. Equity (150 Points; 15 Percent of Total Points)** – This criterion addresses the project’s positive and negative impacts to low-income populations, people of color, children, and people with disabilities. The criterion also evaluates a community’s efforts to promote affordable housing.

A. **MEASURE:** Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; students; and people with disabilities, ~~and the elderly~~. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (105 Points) **(provide link)**

- Project located in Racially Concentrated Area of Poverty:  (0 to 105 Points)
- Project located in Concentrated Area of Poverty:  (0 to 84 Points)
- Project’s census tracts are above the regional average for population in poverty or population of color:  (0 to 63 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 42 Points)

**RESPONSE (200 words or less):**

B. **MEASURE:** Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (45 Points) **(provide link)**

**RESPONSE (Completed by Metropolitan Council staff):**

**4. Deficiencies and Safety (250 Points; 25 Percent of Total Points)** - This criterion addresses the project’s ability to improve the overall safety of the proposed project area. This includes how the project will overcome physical barriers or system gaps, correct deficiencies, and/or fix a safety problem.

- A. **MEASURE**: Discuss how the project will overcome barriers (i.e., bridge or tunnel), fill gaps, or connects system segments in the pedestrian/bicycle network serving a K-12 school. The applicant should include barriers and gap improvements on the required project map in context with the existing bicycle or pedestrian network serving the school(s). If the project is crossing or circumventing a barrier (e.g., river, stream, railroad corridor, freeway, or multi-lane highway), the applicant should demonstrate the magnitude of the barrier (number of lanes, average daily traffic, posted speed, etc.) and how the proposed project will improve travel across or around that barrier. Distance to and condition of the nearest parallel crossing of the barrier should also be provided, including the presence or absence of bicycle and pedestrian facilities, number of lanes, average daily traffic, and posted speed limit. (100 Points)

RESPONSE (200 words or less):

- B. **MEASURE**: Discuss how the project will correct existing deficiencies or address an identified safety or security problem on the facility or within the project site. Address how these improvements will make bicycling and walking to the school a safer and appealing transportation alternative. Include any available project site-related safety data (e.g. crash data, number of conflict points to be eliminated by the project by type of conflict (bicyclist/pedestrian, bicyclist/vehicle, pedestrian/vehicle, and vehicle/vehicle)) to demonstrate the magnitude of the existing safety problem. Where available, use of MnDOT TIS system data for the project length is highly encouraged. Applicants should request crash data from MnDOT as early as possible. Crashes involving vehicles should be reported for 2011-2013, and crashes involving bicyclists and pedestrians should be reported for 2009-2013. As part of the response, demonstrate that the project improvements will reduce the crash potential and provide a safer environment (by referencing crash reduction factors or safety studies) and/or correct a deficiency. Qualitative data from parent surveys, other internal survey data, or stakeholder engagement supporting the safety/security improvements or deficiencies should also be addressed. (150 Points)

RESPONSE (200 words or less):

## 5. Multimodal Facilities (Transit) and Connections (50 Points; 5 Percent of Total Points)

- This criterion measures how the project provides strong connections to fixed-route transit stops and stations.

- A. ***MEASURE:*** List the transit routes directly connected to the project and the total number of routes indirectly connected to the project. Indirectly connected transit stops or stations must be served by an existing bicycle or pedestrian facility and cannot be located further than a half-mile from an elementary school, or one mile from a middle or high school served by the project. Directly and indirectly connected transit stops or stations must be included on the required project map. Additionally, applicants should provide the average number of students currently using public transit to travel to school, as well as information regarding the school's public transit policy, if applicable.

***RESPONSE (List route numbers):***

- Existing routes directly connected to the project: (15 Points)
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project:(15 Points)
- Existing routes indirectly connected to the project: (10 Points)
- Planned transitways (alignment and mode determined and identified in the 2030 TPP) indirectly connected to the project: (10 Points)

***RESPONSE (200 words or less):***



**6. Public Engagement/Risk Assessment (150 Points; 15 Percent of Total Points)** - This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

- A. **MEASURE**: Describe the public engagement process that will be used to include partners and stakeholders (e.g., schools parents, law enforcement, road authorities, and other impacted community members) and build consensus during the development of the proposed project. The number and types of meetings to be held, notices or other notification distributed, stakeholder contacts, adoption of the SRTS plan by the community and school district, and any additional descriptive information should be included in the discussion of the engagement process. If collected, copies of all parent survey results must also be attached to the application (**provide link**). (50 Points)

RESPONSE (200 words or less):

- B. **MEASURE**: Applications involving construction must complete the Risk Assessment. This checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.). (100 Points)

RESPONSE (Complete Risk Assessment):

**TOTAL: 1,000 POINTS**

# Transit Expansion – Prioritizing Criteria and Measures

---

Updated July 10, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; emissions reduction; multimodal facilities and connections; and risk assessment. The use of these common criteria will allow projects to be scored equally across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Total Points)** - This criterion measures the regional significance of the project, including the project's connections to or within Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions, as defined in ThriveMSP 2040, local activity centers, population centers, and the project's ability to provide regional transit system connections (measured through the annual transit ridership of connecting transit routes).

- A. **MEASURE:** Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions, as defined in ThriveMSP 2040 (**provide link**), as well as local activity centers. If the project provides a connection to a local activity center, reference the adopted county or city plan identifying this area. (33 Points)

**RESPONSE (Select all that apply):**

- Direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of a Job Concentration:  (33 Points)
- Direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of a Manufacturing/Distribution Center:  (33 Points)
- Direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of an Educational Institution:  (33 Points)
- Project provides a direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of an existing local activity center identified in an adopted county or city plan:  (20 Points)

**RESPONSE (City or county plan reference; 100 words or less):**

- B. **MEASURE:** Identify existing population within 1/4 mile of the project's bus stops or within 1/2 mile of the project's transitway stations. Existing population will be measured by summing the population located in the TAZ's that intersect the 1/4-mile or 1/2-mile buffers. (33 Points)

**RESPONSE (Completed by Metropolitan Council staff):**

- C. **MEASURE:** List the transit routes directly connected to the planned project to help determine the annual transit ridership of these connecting routes. Potential connections include

transitways stations (existing transitways or planned transitways with a mode and alignment determined in the 2030 TPP), high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link ([provide link](#)). (34 Points)

RESPONSE (List route numbers)

- Existing transit routes directly connected to the project: \_\_\_\_\_ (24 Points)
- Planned transitways (mode and alignment determined and identified in the 2030 TPP), directly connect to the project: \_\_\_\_\_ (10 Points)

**2. Usage (350 Points; 35 Percent of Total Points)** – This criterion quantifies the project’s impact by estimating the annual transit ridership of the project to determine the overall cost-effectiveness per rider.

A. **MEASURE:** Calculate the cost effectiveness of the project per rider. Estimate the total annual transit ridership (existing plus new ridership) that is produced by the new project in the third year of service. Total annual transit ridership will be used as an input to measure cost effectiveness. Respond to one type of transit service (i.e., Express Routes, Transitways, or Urban and Suburban Routes) in order to determine total annual transit ridership. (105 Points)

- Cost Effectiveness of Total Ridership = Total annual project cost / total annual transit ridership.

The total annual project cost consists of the annualized capital cost of the project added to the annual operating cost of the project. The annualized project cost is derived from the Federal Transit Administration (FTA) guidelines on useful life. Annualized project cost is the lump sum total project cost divided by the FTA “years of useful life” as listed below. If the project has two or more components with differing years of useful life, annualize the components (see examples below). If the project type is not listed below, use most similar project type or provide supporting documentation on useful life value used.

<u>Project Type</u>	<u>Years of Useful Life</u>
Operating funds	3
Passenger Automobile/Sedan/Minivan	4
Medium Duty Transit Buses	5
Heavy Duty Transit Buses	12
Over-the-Road Coach Buses	14
Park & Ride – Surface Lot	20
Park & Ride – Structured	50
Transit Center/Station/Platform	70
Transit Shelter	20
Light Rail Vehicles	25
Commuter Rail Vehicles	25
Land Purchase	100

- **Total annual operating and capital cost** \_\_\_\_\_

**Express Routes**

- Calculate the cost effectiveness of the project per total rider using the 2020 forecast (equivalent to the third year of ridership) from the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to develop a ridership estimate. The market will be defined using the prescribed site location criteria in the plan and demand

estimates determined by the TAZs in the express bus route market area. If possible, the applicant will use the ridership figures provided for an existing or planned facility.

RESPONSE (Calculation):

**Transitways**

- Calculate the cost effectiveness of the project per total rider using ridership estimates for the third year of service. Estimates will be based on forecast data (current year and 2030) for the transitway in a study or plan that uses data approved by Metropolitan Council staff. This includes the most up-to-date estimates from plans that have been already adopted.

RESPONSE (Calculation):

**Urban and Suburban Local Routes**

- Calculate the cost effectiveness of the project per total rider using a peer routes that are currently in service to develop a ridership estimate for the third year of service. Applicants will use the most recent annual ridership figures that are available. To select the peer routes, the applicant will identify routes in the same transit market area (as defined in the 2030 Transportation Policy Plan), or routes that serve locations with similar development patterns. Describe how a peer route was selected in the response. Applicants will take the average passengers per in service hour of at least three peer routes to apply a rate of ridership for the proposed service project.

RESPONSE (Calculation and 200 words or less):

- B. **MEASURE:** Calculate the cost effectiveness of the project per new rider. Estimate the new annual transit ridership that is produced by the new project in the third year of service. New annual transit ridership will be used as an input to measure cost effectiveness. Respond to one type of transit service (i.e., Express Routes, Transitways, or Urban and Suburban Routes) in order to determine new annual transit ridership. (175 Points)
- Cost Effectiveness of New Ridership = Total annual project cost / new annual transit ridership.

The total annual project cost consists of the annualized capital cost of the project added to the annual operating cost of the project. The annualized project cost is derived from the FTA guidelines on useful life. Annualized project cost is the lump sum total project cost divided by the FTA “years of useful life” as listed below. If the project has two or more components with differing years of useful life, annualize the components (see examples below). If the project type is not listed below, use most similar project type or provide supporting documentation on useful life value used.

<u>Project Type</u>	<u>Years of Useful Life</u>
Operating funds	3
Passenger Automobile/Sedan/Minivan	4
Medium Duty Transit Buses	5

Heavy Duty Transit Buses	12
Over-the-Road Coach Buses	14
Park & Ride – surface lot	20
Park & Ride – structured	50
Transit Center/Station/Platform	70
Transit Shelter	20
Light Rail Vehicles	25
Commuter Rail Vehicles	25
Land Purchase	100

- **Total annual operating and capital cost** \_\_\_\_\_

**Express Routes**

- Calculate the cost effectiveness of the project per new rider using the 2020 forecast (equivalent to the third year of ridership) from the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to develop a ridership estimate. The market will be defined using the prescribed site location criteria in the plan and demand estimates determined by the TAZs in the express bus route market area. If possible, the applicant will use the ridership figures provided for an existing or planned facility.

RESPONSE (Calculation):

**Transitways**

- Calculate the cost effectiveness of the project per new rider using ridership estimates for the third year of service. Estimates will be based on forecast data (current year and 2030) for the transitway in a study or plan that uses data approved by Metropolitan Council staff. This includes the most up-to-date estimates from plans that have been already adopted.

RESPONSE (Completed by Metropolitan Council staff):

**Urban and Suburban Local Routes**

- Calculate the cost effectiveness of the project per new rider using a peer routes that are currently in service to develop a ridership estimate for the third year of service. Applicants will use the most recent annual ridership figures that are available. To select the peer routes, the applicant will identify routes in the same transit market area (as defined in the 2030 Transportation Policy Plan), or routes that serve locations with similar development patterns. Describe how a peer route was selected in the response. Applicants will take the average passengers per in service hour of at least three peer routes to apply a rate of ridership for the proposed service project. Note that this measure requires preparing an estimate of new transit users previously unserved by transit and applicants must take into account that some ridership will be shifted from existing services. These shifting passengers do not count toward the estimate of new ridership.

RESPONSE (Calculation and 200 words or less):

C. **MEASURE:** Calculate the **Operating Cost Effectiveness** of the project. This measure is the new annual operating cost of the project per annual rider in the third year of service. Estimate the new annual transit ridership that is produced by the new project in the third year of service. New annual transit ridership will be used as an input to measure cost effectiveness. Respond to one type of transit service (i.e., Express Routes, Transitways, or Urban and Suburban Routes) in order to determine new annual transit ridership. (70 Points)

- Operating Cost Effectiveness = New annual operating cost of the project / new annual transit ridership

The new annual operating cost consists of the additional annual operating cost that will result from this project's implementation.

- **New annual operating cost** \_\_\_\_\_

#### **Express Routes**

- Calculate the cost effectiveness of the project per new rider using the 2020 forecast (equivalent to the third year of ridership) from the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to develop a ridership estimate. The market will be defined using the prescribed site location criteria in the plan and demand estimates determined by the TAZs in the express bus route market area. If possible, the applicant will use the ridership figures provided for an existing or planned facility.

RESPONSE (Calculation):

#### **Transitways**

- Calculate the cost effectiveness of the project per new rider using ridership estimates for the third year of service. Estimates will be based on forecast data (current year and 2030) for the transitway in a study or plan that uses data approved by Metropolitan Council staff. This includes the most up-to-date estimates from plans that have been already adopted.

RESPONSE (Completed by Metropolitan Council staff):

#### **Urban and Suburban Local Routes**

- Calculate the cost effectiveness of the project per new rider using a peer routes that are currently in service to develop a ridership estimate in the third year of service. Applicants will use the most recent annual ridership figures that are available. To select the peer routes, the applicant will identify routes in the same transit market area (as defined in the 2030 Transportation Policy Plan), or routes that serve locations with similar development patterns. Describe how a peer route was selected in the response. Applicants will take the average passengers per in service hour of at least three peer routes to apply a rate of ridership for the proposed service project.

RESPONSE (Calculation and 200 words or less):

**3. Equity (200 Points; 20 Percent of Total Points)** -- This criterion addresses the project's positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community's efforts to promote affordable housing.

A. **MEASURE**: Identify the project's location from the list below and describe the project's positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (140 Points) (**provide link**)

- Project located in Racially Concentrated Area of Poverty:  (0 to 140 Points)
- Project located in Concentrated Area of Poverty:  (0 to 112 Points)
- Project's census tracts are above the regional average for population in poverty or population of color:  (0 to 84 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 56 Points)

**RESPONSE (200 words or less):**

B. **MEASURE**: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (30 Points) (**provide link**)

**RESPONSE (Completed by Metropolitan Council staff):**



**4. Emissions Reduction (200 Points; 20 Percent of Total Points)** – This criterion measures the impact that the project’s implementation will have on air quality as measured by reductions in CO, NO<sub>x</sub>, CO<sub>2</sub>, PM<sub>2.5</sub>, and VOC emissions.

There are two methods to reduce CO, NO<sub>x</sub>, CO<sub>2</sub>, PM<sub>2.5</sub>, and VOC emissions.

1. Reduce the total number of daily SOV trips
2. Reduce daily VMT

Applications for transit operating, vehicle or capital funds must calculate the benefit for the third year of service.

- A. MEASURE: Calculate how the project will reduce will reduce CO, NO<sub>x</sub>, CO<sub>2</sub>, PM<sub>2.5</sub>, and/or VOC due to the reduction in SOV trips or the reduction in VMT. After the applicant has provided these inputs, Metropolitan Council staff will apply an emissions factor to the VMT and SOV trip reduction to determine the total reduced emissions. Applicants must use either the total emissions output from the daily SOV trip reduction calculation or the daily VMT reduction calculation, depending which one produces a project a greater emissions reduction. (133 Points)

RESPONSE: (Calculation – Select One)

Daily SOV Trip Reduction

(New Daily Transit Riders multiplied by 2) divided by Average Auto Occupancy<sup>1</sup>

RESPONSE: \_\_\_\_\_

or

Daily VMT Reduction

(New Daily Transit Riders multiplied by 2) multiplied by Distance from Terminal to Terminal

RESPONSE: \_\_\_\_\_

- B. MEASURE: Calculate the cost effectiveness of the project as it relates to emissions reduction. (67 Points)

- Cost Effectiveness = Total annual project cost / kilograms of emissions reduced per day

The total annual project cost can be calculated by adding the annualized capital cost and the annual operating costs for the third year of service.

RESPONSE (Calculation):

---

<sup>1</sup> Source: Metropolitan Council Regional Model

5. **Multimodal Facilities and Connections (100 Points; 10 Percent of Total Points)** – This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes.

**Multimodal Facilities (50 Points)**

- A. **MEASURE:** Discuss any roadway, bicycle, or pedestrian elements that are included as part of the total project and how they improve the travel experience for users of these modes. Also, describe the existing roadway, bicycle, and pedestrian facilities and accommodations. Furthermore, address how the proposed project safely integrates all modes of transportation (i.e., transit, vehicles, bicyclists, and pedestrians). Applicants should also identify supporting studies or plans that address why a mode may not be incorporated into the project.

RESPONSE (200 words or less):

**Multimodal Connections (50 Points)**

- B. **MEASURE:** Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) identified in an adopted county or city plan or study. Applicants should also discuss any bicycle and pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the bicycle or pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

RESPONSE (200 words or less):

**6. Risk Assessment (50 Points; 5 Percent of Total Points)** - This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment. The Risk Assessment only needs to be completed for construction projects. All other projects do not need to complete this form. Projects that only involve transit operating assistance will receive all possible points under this criterion if the project meets funding requirements.

**Facility Projects:**

A. MEASURE: Applications involving construction must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.)

RESPONSE (Completed Risk Assessment Checklist):

**TOTAL: 1,000 POINTS**

# Transit System Modernization – Prioritizing Criteria and Measures

---

Updated July 8, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; emissions reduction, deficiencies and safety; service and customer improvements, multimodal facilities and connections; and risk assessment. The use of these common criteria will allow projects to be scored equally across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Total Points)** - This criterion measures the regional significance of the project, including the project's connections to or within Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions, as defined in ThriveMSP 2040, local activity centers, population centers, and the project's ability to provide regional transit system connections (measured through the annual transit ridership of connecting transit routes).

- A. **MEASURE:** Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions, as defined in ThriveMSP 2040 (**provide link**), as well as local activity centers. If the project provides a connection to a local activity center, reference the adopted county or city plan identifying this area.

**RESPONSE (Select all that apply):**

- Direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of a Job Concentration:  (33 Points)
- Direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of a Manufacturing/Distribution Center:  (33 Points)
- Direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of an Educational Institution:  (33 Points)
- Project provides a direct connection to or within 1/4 mile (bus stop) or 1/2 mile (transitway station) of an existing local activity center identified in an adopted county or city plan:  (20 Points)

**RESPONSE (City or county plan reference; 100 words or less):**

- B. **MEASURE:** Identify existing population within 1/4 mile of the project's bus stops or within 1/2 mile of the project's transitway stations. Existing population will be measured by summing the population located in the TAZ's that intersect the 1/4-mile or 1/2-mile buffers. (33 Points)

**RESPONSE (Completed by Metropolitan Council staff):**

- C. MEASURE: List the transit routes directly connected to the planned project to help determine the annual transit ridership of these connecting routes. Potential connections include transitways stations (existing transitways or planned transitways with a mode and alignment determined in the 2030 TPP), high-frequency express and local stations/stops, and other non-high-frequency fixed-route stations/stops. Metropolitan Council staff will provide annual ridership for each connecting route. A transit system map can be accessed with this link (**provide link**) (34 Points)

RESPONSE (List route numbers)

- Existing transit routes directly connected to the project: \_\_\_\_\_ (24 Points)
- Planned transitways (mode and alignment determined and identified in the 2030 TPP), directly connect to the project: \_\_\_\_\_(10 Points)

**2. Usage (300 points; 30 Percent of Total Points)** - This criterion quantifies the project’s impact by estimating the annual transit ridership of the project to determine the overall cost-effectiveness per rider.

A. **MEASURE:** Calculate the cost effectiveness of the project per rider. Estimate the total annual transit ridership (existing plus new ridership) that is produced by the new project in the third year of service. Total annual transit ridership will be used as an input to measure cost effectiveness. Respond to one type of transit service (i.e., Express Routes, Transitways, or Urban and Suburban Routes) in order to determine total annual transit ridership. (210 Points)

- Cost Effectiveness of Total Ridership = Total annual project cost / total annual transit ridership.

The total annual project cost consists of the annualized capital cost of the project added to the annual operating cost of the project. The annualized project cost is derived from the Federal Transit Administration (FTA) guidelines on useful life. Annualized project cost is the lump sum total project cost divided by the FTA “years of useful life” as listed below. If the project has two or more components with differing years of useful life, annualize the components (see examples below). If the project type is not listed below, use most similar project type or provide supporting documentation on useful life value used.

<u>Project Type</u>	<u>Years of Useful Life</u>
Operating funds	3
Passenger Automobile/Sedan/Minivan	4
Medium Duty Transit Buses	5
Heavy Duty Transit Buses	12
Over-the-Road Coach Buses	14
Park & Ride – Surface Lot	20
Park & Ride – Structured	50
Transit Center/Station/Platform	70
Transit Shelter	20
Light Rail Vehicles	25
Commuter Rail Vehicles	25
Land Purchase	100

- **Total annual operating and capital cost** \_\_\_\_\_

**Express Routes**

- Calculate the cost effectiveness of the project per total rider using the 2020 forecast (equivalent to the third year of ridership) from the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to develop a ridership estimate. The market will be defined using the prescribed site location criteria in the plan and demand estimates determined by the TAZs in the express bus route market area. If possible, the applicant will use the ridership figures provided for an existing or planned facility.

RESPONSE (Calculation):

**Transitways**

- Calculate the cost effectiveness of the project per total rider using ridership estimates for the third year of service. Estimates will be based on forecast data (current year and 2030) for the transitway in a study or plan that uses data approved by Metropolitan Council staff. This includes the most up-to-date estimates from plans that have been already adopted.

RESPONSE (Calculation):

**Urban and Suburban Local Routes**

- Calculate the cost effectiveness of the project per total rider using a peer routes that are currently in service to develop a ridership estimate for the third year of service. Applicants will use the most recent annual ridership figures that are available. To select the peer routes, the applicant will identify routes in the same transit market area (as defined in the 2030 Transportation Policy Plan), or routes that serve locations with similar development patterns. Describe how a peer route was selected in the response. Applicants will take the average passengers per in service hour of at least three peer routes to apply a rate of ridership for the proposed service project.

RESPONSE (Calculation and 200 words or less):

- B. **MEASURE:** Calculate the **Operating Cost Effectiveness** of the project. This measure is the new annual operating cost of the project per annual rider in the third year of service. Estimate the new annual transit ridership that is produced by the new project in the third year of service. New annual transit ridership will be used as an input to measure cost effectiveness. Respond to one type of transit service (i.e., Express Routes, Transitways, or Urban and Suburban Routes) in order to determine new annual transit ridership. (90 Points)
- Operating Cost Effectiveness = New annual operating cost of the project / new annual transit ridership

The new annual operating cost consists of the additional annual operating cost that will result from this project's implementation.

- **New annual operating cost** \_\_\_\_\_

**Express Routes**

- Calculate the cost effectiveness of the project per new rider using the 2020 forecast (equivalent to the third year of ridership) from the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to develop a ridership estimate. The market will be defined using the prescribed site location criteria in the plan and demand estimates determined by the TAZs in the express bus route market area. If possible, the applicant will use the ridership figures provided for an existing or planned facility.

RESPONSE (Calculation):

**Transitways**

- Calculate the cost effectiveness of the project per new rider using ridership estimates for the third year of service. Estimates will be based on forecast data (current year and 2030) for the transitway in a study or plan that uses data approved by Metropolitan Council staff. This includes the most up-to-date estimates from plans that have been already adopted.

RESPONSE (Completed by Metropolitan Council staff):

**Urban and Suburban Local Routes**

- Calculate the cost effectiveness of the project per new rider using a peer routes that are currently in service to develop a ridership estimate in the third year of service. Applicants will use the most recent annual ridership figures that are available. To select the peer routes, the applicant will identify routes in the same transit market area (as defined in the 2030 Transportation Policy Plan), or routes that serve locations with similar development patterns. Describe how a peer route was selected in the response. Applicants will take the average passengers per in service hour of at least three peer routes to apply a rate of ridership for the proposed service project.

RESPONSE (Calculation and 200 words or less):



**3. Equity (150 Points; 15 Percent of Total Points)** -- This criterion addresses the project's positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community's efforts to promote affordable housing.

A. **MEASURE**: Identify the project's location from the list below and describe the project's positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (105 Points) **(provide link)**

- Project located in Racially Concentrated Area of Poverty:  (0 to 140 Points)
- Project located in Concentrated Area of Poverty:  (0 to 112 Points)
- Project's census tracts are above the regional average for population in poverty or population of color:  (0 to 84 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 56 Points)

**RESPONSE (200 words or less):**

B. **MEASURE**: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (45 Points) **(provide link)**

**RESPONSE (Completed by Metropolitan Council staff):**

**4. Emissions Reduction (100 Points; 10 Percent of Total Points)** - This criterion measures the impact that the project's implementation will have on air quality as measured by reductions in CO, NO<sub>x</sub>, CO<sub>2</sub>, PM<sub>2.5</sub>, and VOC emissions. Projects can include improvements to rolling stock, increases in travel speed, facility modernization, and systemwide upgrades that reduce congestion and improve energy efficiency.

- A. MEASURE: Describe how the project will reduce CO, NO<sub>x</sub>, CO<sub>2</sub>, PM<sub>2.5</sub>, and/or VOC due to the reduction in SOV trips, reduction in VMT, and/or an increase of speeds. The applicant should also describe capital improvements that will reduce emissions and energy consumption.

RESPONSE: (300 words or less):

## 5. Service and Customer Improvements (150 Points; 15 Percent of Total Points) -

Measures under this criterion assess how the overall quality of transit service is improved, and how the regional transit system will operate more efficiently as a result of this project. An improvement that makes transit more attractive to future and existing riders is offering faster travel times between destinations. Additionally, the modernization of a transit facility should present a savings in operating costs for the transit provider. Projects can also offer improvements to facilities that offer a better customer experience, and attract riders to transit facilities.

- A. MEASURE: Calculate the percent reduction in transit passenger travel time due to the project. In this case, the applicant will indicate the existing passenger travel time from the project site to the transit route's terminal. If the project benefits multiple routes, the applicant can take an average of the passenger travel times. Applicants will then indicate the proposed travel time from the project site to the terminal and percent reduction in travel time that will result from the project's implementation. (75 Points)

RESPONSE (Calculation):

- B. MEASURE: Identify the estimated percent reduction in operating and maintenance costs that will result from this project. Operating and maintenance costs are external to the project, and do not include costs associated with the construction or procurement of facilities, vehicles, or equipment. The percent reduction in operating and maintenance costs will be calculated automatically. (38 Points)

RESPONSE (Calculation):

- C. MEASURE: Discuss how the project will improve transit service to the users. Proposed improvements and amenities can include, but are not limited to the following (37 Points):

- Improved boarding area
- Improved passenger waiting facilities
- Real-time signage
- Heated facilities or weather protection
- Safety and security equipment
- Improved lighting
- ITS measures that improve reliability and the customer experience
- Transit advantages

RESPONSE (200 words or less):

**6. Multimodal Facilities and Connections (100 Points; 10 Percent of Total Points)** – This criterion measures how the project improves the travel experience for other modes of transportation, provides strong connections, and addresses the safe integration of these modes.

**Multimodal Facilities (50 Points)**

- C. MEASURE: Discuss any roadway, bicycle, or pedestrian elements that are included as part of the total project and how they improve the travel experience for users of these modes. Also, describe the existing roadway, bicycle, and pedestrian facilities and accommodations. Furthermore, address how the proposed project safely integrates all modes of transportation (i.e., transit, vehicles, bicyclists, and pedestrians). Applicants should also identify supporting studies or plans that address why a mode may not be incorporated into the project.

RESPONSE (200 words or less):

**Multimodal Connections (50 Points)**

- D. MEASURE: Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) identified in an adopted county or city plan or study. Applicants should also discuss any bicycle and pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the bicycle or pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.

RESPONSE (200 words or less):

**7. Risk Assessment (100 Points; 10 Percent of Total Points)** –This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment.

- A. MEASURE: Applications involving construction must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.)

RESPONSE (Completed Risk Assessment Checklist):

**TOTAL: 1,000 POINTS**

# Travel Demand Management (TDM) – Prioritizing Criteria and Measures

---

Updated July 8, 2014

Each qualified project will be scored under common category criteria within its modal sub-category. The common criteria include: role in the regional transportation system and economy; usage; equity; congestion reduction/air quality; innovation; and risk assessment. The use of these common criteria will allow projects to be scored relatively equal across the modal sub-categories while also addressing the particular attributes of the project type. Please answer the following questions:

**1. Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Total Points)** - This criterion measures the regional significance of the project, including the project's connections to or within Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions as defined in ThriveMSP 2040. This criterion also measures the existing regional transportation resources that can be capitalized on as part this project.

- A. **MEASURE**: Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions, as defined in ThriveMSP 2040, as well as local activity centers identified in an adopted county or city plan. If the project provides a connection to a local activity center, reference the adopted county or city plan identifying this area. (**provide link**) (50 Points)

**RESPONSE** (*Select all that apply*):

- Direct connection to or within a Job Concentration:  (50 Points)
- Direct connection to or within an Educational Institution:  (40 Points)
- Direct connection to or within a Manufacturing/Distribution Center:  (40 Points)
- Project provides a direct connection to or within an existing local activity center identified in an adopted county or city plan:  (30 Points)

**RESPONSE** (*City or county plan reference; 100 words or less*):

- B. **MEASURE**: Identify the existing regional transportation facilities and resources on which the project will capitalize (transit stations, bikeways, etc.). (50 Points)

**RESPONSE** (*200 words or less*):

**2. Usage (100 Points; 10 Percent of Total Points)** – This criterion quantifies the project’s impact by estimating the number of direct users of the TDM project to help determine the overall cost effectiveness per user.

A. MEASURE: Calculate the cost effectiveness of the project per user. A direct project user is someone who will participate in the TDM program or project, and not one who receives an indirect benefit from the project. For example, if the project involves teleworking, a user would be the individual that is teleworking, not the roadway users that benefit from reduced congestion. Applicants must describe their methodology for determining the number of project users. (100 Points)

- Cost Effectiveness = Total project cost / total annual users

RESPONSE (200 words or less and Calculation):

**3. Equity (150 Points; 15 Percent of Total Points)** -- This criterion addresses the project's positive and negative impacts to low-income populations, people of color, children, people with disabilities, and the elderly. The criterion also evaluates a community's efforts to promote affordable housing.

A. **MEASURE**: Identify the project's location from the list below and describe the project's positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above. (105 Points) **(provide link)**

- Project located in Racially Concentrated Area of Poverty:  (0 to 105 Points)
- Project located in Concentrated Area of Poverty:  (0 to 84 Points)
- Project's census tracts are above the regional average for population in poverty or population of color:  (0 to 63 Points)
- Project is not located in one of these identified geographic areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above:  (0 to 42 Points)

**RESPONSE (200 words or less):**

B. **MEASURE**: Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. If the project is in more than one jurisdiction, the points will be awarded based on a weighted average using the length of the project in each jurisdiction. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development. (45 Points) **(provide link)**

**RESPONSE (Completed by Metropolitan Council staff):**



**4. Congestion Reduction/Air Quality (400 Points; 40 Percent of Total Points)** – This criterion measures the project’s ability to reduce congestion during the peak period in an area or corridor. This criterion also measures the impact that the project’s implementation will have on air quality as measured by reductions in CO, NO<sub>x</sub>, CO<sub>2</sub>, PM<sub>2.5</sub>, and VOC emissions.

- A. MEASURE: Describe the congested roadways in the geographic area of the project and how this project will address or alleviate those issues by reducing congestion and/or single occupancy vehicle (SOV) trips. (200 Points)

RESPONSE: (200 words or less):

- B. MEASURE: The applicant must show that the project will reduce CO, NO<sub>x</sub>, CO<sub>2</sub>, PM<sub>2.5</sub>, and/or VOC due to the reduction in VMT. After the applicant has provided these inputs, Metropolitan Council staff will apply an emissions factor to the VMT reduction to determine the total reduced emissions. (200 Points)

- $VMT\ reduced = \text{Number of one-way commute trips reduced} * 12.1$

(12.1 is the regional average commute trip length in miles as determined by the 2011 Travel Behavior Inventory, conducted by Metropolitan Transportation Services. You may use a number other than 12.1 if you know the commute length of your targeted market area).

RESPONSE (Calculation):

**5. Innovation (200 Points; 20 Percent of Total Points)** – This prioritizing criterion measures how well the project introduces new concepts to the region. Innovative TDM projects may involve the deployment of new creative strategies for the region, expand the geographic scope of a project to a new geographic area, serve populations that were previously unserved, or incorporate enhancements to an existing program.

A. MEASURE: Describe how the project is innovative. (100 Points)

RESPONSE (200 words or less):

B. MEASURE: Describe how the project is new to a particular geographic area or population? (100 Points)

RESPONSE (200 words or less):

**6. Risk Assessment (100 Points; 10 Percent of Total Points)** - This criterion measures the number of risks associated with the project and the steps already completed in the project development process. These steps are outlined in the checklist in the required Risk Assessment. Additionally, these measures will assess the technical capacity of the applicant and their long-term strategy to sustain their proposed projects beyond the initial funding period.

- A. MEASURE: Describe the technical capacity of the applicant’s organization and what makes them well suited to deliver the project. (40 Points)

RESPONSE (200 words or less):

- B. MEASURE: Describe if the project will continue after the initial federal funds are expended. Identify potential future sources of funding, if needed, to continue the project. (30 Points)

RESPONSE (200 words or less):

- C. MEASURE: Applications involving construction must complete the Risk Assessment Checklist. All other projects do not need to complete this form and will receive all possible points under this criterion if the project meets funding requirements. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.). (30 Points)

RESPONSE (Completed Risk Assessment Checklist):

**TOTAL: 1,000 POINTS**

# Regional Solicitation Modal Funding Options (Draft 7/7/14)

The TAB Executive Committee requested staff and the PMT to provide three modal funding options for their consideration. Table 1 provides historic funding percentages by mode for the five solicitations that took place between 2003 and 2011. Table 2 shows the MAP-21 program funding levels.

**Table 1: Background Information on Funding by Mode**

	Roadways Including Multimodal Elements*	Transit and TDM Projects	Bicycle and Pedestrian Facilities	Total
<b>Historic Funding (Range and Avg. for 2003-2011)</b>	55%-61% Avg. 58%	20%-29% Avg. 27%	12%-19% Avg. 15%	87%-109% Avg. 100%

\*Approximately 3% of roadway funding was allocated to multimodal elements (bicycle, pedestrian, or transit).

**Table 2: MAP-21 Funding Levels**

	CMAQ Funding	STP Funding	TAP Funding	Total
<b>MAP-21 Funding Levels</b>	36% \$54M	54% \$81M	10% \$15M	100% \$150M

Table 3 provides three options to allocate the \$150 million of federal funds that are available in the next solicitation. Option 1 proposes historic funding levels, while the other three options emphasize each of the three modes by giving that particular mode a higher percentage of the total funds. For instance, in the roadway emphasis, 61 percent of the funds are allocated to roadways. This 61 percent was derived from the highest percentage for roadways shown in Table 1. A range of 10 percentage points is provided for each mode to provide TAB with some flexibility in selecting projects.

**Table 3: Funding Options by Mode**

	Roadways Including Multimodal Elements	Transit and TDM Projects	Bicycle and Pedestrian Facilities	Total
<b>Option 1: Historic Levels</b>	58% (Range of 53%-63%) \$87M (Range of \$80M-\$95M)	27% (Range of 22%-32%) \$41M (Range of \$33M-\$48M)	15% (Range of 10%-20%) \$23M (Range of \$15M-\$30M)	100% \$150M
<b>Option 2: Roadway Including Multimodal Elements Emphasis</b>	61% (Range of 56%-66%) \$92M (Range of \$84M-\$99M)	25% (Range of 20%-30%) \$38M (Range of \$30M-\$45M)	14% (Range of 9%-19%) \$21M (Range of \$14M-\$29M)	100% \$150M
<b>Option 3: Transit Emphasis</b>	56% (Range of 51%-61%) \$84M (Range of \$77M-\$92M)	29% (Range of 24%-34%) \$44M (Range of \$36M-\$51M)	15% (Range of 10%-20%) \$23M (Range of \$15M-\$30M)	100% \$150M
<b>Option 4: Bicycle and Pedestrian Emphasis</b>	54% (Range of 49%-59%) \$81M (Range of \$74M-\$89M)	27% (Range of 22%-32%) \$41M (Range of \$33M-\$48M)	19% (Range of 14%-24%) \$29M (Range of \$21M-\$36M)	100% \$150M

## Roadway Expansion Projects

	% of Total Points
<b>Role in the Regional Transportation System and Economy</b>	20%
Measure 1 - Role in Regional Economy	
Measure 2 - Current daily heavy commercial traffic	
Measure 3 - Job Concentrations, Manufacturing, Education	
<b>Usage</b>	20%
Measure 1 - Current daily person throughput	
Measure 2 - Forecast 2030 average daily traffic volume	
<b>Equity</b>	5%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Infrastructure Age</b>	8%
Measure 1 - Date of construction and end of useful life	
<b>Congestion Reduction/Air Quality</b>	15%
Measure 1 - Cost effectiveness (project cost/vehicle delay reduced)	
Measure 2 - Cost effectiveness (project cost/kg per day reduced)	
<b>Safety</b>	15%
Measure 1 - Cost effectiveness (project cost/crashes reduced)	
<b>Multi-modal Facilities</b>	10%
Measure 1 - Transit facilities, improve travel experience	
Measure 2 - Transit routes connected	
Measure 3 - Bike/ped elements, improve travel exp. and safety	
Measure 4 - Bike and pedestrian connections	
<b>Risk Assessment</b>	8%
Measure - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

## Roadway Reconstruction/Modernization Projects

	% of Total Points
<b>Role in the Regional Transportation System and Economy</b>	20%
Measure 1 - Role in Regional Economy	
Measure 2 - Current daily heavy commercial traffic	
Measure 3 - Job Concentrations, Manufacturing, Education	
<b>Usage</b>	20%
Measure 1 - Current daily person throughput	
Measure 2 - Forecast 2030 average daily traffic volume	
<b>Equity</b>	5%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Infrastructure Age/Condition</b>	15%
Measure 1 - Date of construction and end of useful life	
Measure 2 - Geometric, structural or infrastructure deficiencies	
<b>Congestion Reduction/Air Quality</b>	8%
Measure 1 - Cost effectiveness (project cost/vehicle delay reduced)	
Measure 2 - Cost effectiveness (project cost/kg per day reduced)	
<b>Safety</b>	15%
Measure 1 - Cost effectiveness (project cost/crashes reduced)	
<b>Multi-modal Facilities</b>	10%
Measure 1 - Transit facilities, improve travel experience	
Measure 2 - Transit routes connected	
Measure 3 - Bike/ped elements, improve travel exp. and safety	
Measure 4 - Bike and pedestrian connections	
<b>Risk Assessment</b>	8%
Measure - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

## Roadway System Management

	<b>% of Total Points</b>
<b>Role in the Regional Transportation System and Economy</b>	15%
Measure 1 - Role in Regional Economy	
Measure 2 - Current daily heavy commercial traffic	
Measure 3 - Job Concentrations, Manufacturing, Education	
<b>Usage</b>	15%
Measure 1 - Current daily person throughput	
Measure 2 - Forecast 2030 average daily traffic volume	
<b>Equity</b>	5%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Infrastructure Age/Condition</b>	8%
Measure 1 - Date of construction and end of useful life	
<b>Congestion Reduction/Air Quality</b>	20%
Measure 1 - Cost effectiveness (project cost/vehicle delay reduced)	
Measure 2 - Cost effectiveness (project cost/kg per day reduced)	
<b>Safety</b>	20%
Measure 1 - Cost effectiveness (project cost/crashes reduced)	
<b>Multi-modal Facilities</b>	10%
Measure 1 - Transit facilities, improve travel experience	
Measure 2 - Transit routes connected	
Measure 3 - Bike/ped elements, improve travel exp. and safety	
Measure 4 - Bike and pedestrian connections	
<b>Risk Assessment</b>	8%
Measure - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

## Bridges

	<b>% of Total Points</b>
<b>Role in the Regional Transportation System and Economy</b>	15%
Measure 1 - Role in Regional Economy	
Measure 2 - Current daily heavy commercial traffic	
Measure 3 - Job Concentrations, Manufacturing, Education	
<b>Usage</b>	15%
Measure 1 - Current daily person throughput	
Measure 2 - Forecast 2030 average daily traffic volume	
<b>Equity</b>	5%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Infrastructure Age/Condition/Safety</b>	40%
Measure 1 - Date of construction and end of useful life	
Measure 2 - Geometric, structural or infrastructure deficiencies	
<b>Multi-modal Facilities</b>	10%
Measure 1 - Transit facilities, improve travel experience	
Measure 2 - Transit routes connected	
Measure 3 - Bike/ped elements, improve travel exp. and safety	
Measure 4 - Bike and pedestrian connections	
<b>Risk Assessment</b>	8%
Measure - Risk Assessment Form	
<b>Total Cost Effectiveness</b>	8%
Measure 1 - Cost effectiveness (total project cost/total points awarded)	
<b>Total</b>	<b>100%</b>

## Transit Expansion Projects

	% of Total Points
<b>Role in the Regional Transportation System and Economy</b>	10%
Measure 1 - Job Concentrations, Manufacturing, Education	
Measure 2 - Existing population w/in 1/4m bus stop or w/in 1/2m transitway	
Measure 3 - Transit routes directly connected - ridership	
<b>Usage</b>	35%
Measure 1 - Cost effectiveness of project per rider	
Measure 2 - Cost effectiveness of project per new rider	
Measure 3 - Service (operating) cost effectiveness of project per new rider	
<b>Equity</b>	20%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Emissions Reduction</b>	20%
Measure 1 - Total emissions reduced	
Measure 2 - Cost effectiveness (project cost/kg of emissions reduced)	
<b>Multi-modal Facilities</b>	10%
Measure 1 - Multi-modal elements part of project & improve travel experience	
Measure 2 - Multi-modal connections - bike and ped connections	
<b>Risk Assessment</b>	5%
Measure - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

## Transit System Modernization

	% of Total Points
<b>Role in the Regional Transportation System and Economy</b>	10%
Measure 1 - Job Concentrations, Manufacturing, Education	
Measure 2 - Existing population w/in 1/4m bus stop or w/in 1/2m transitway	
Measure 3 - Transit routes directly connected - ridership	
<b>Usage</b>	30%
Measure 1 - Cost effectiveness of project per total rider	
Measure 2 - Service (operating) cost effectiveness of project per new rider	
<b>Equity</b>	15%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Emissions Reduction</b>	10%
Measure 1 - Cost effectiveness (project cost/vehicle delay reduced)	
<b>Service and Customer Improvements</b>	15%
Measure 1 - Percent reduction in passenger travel time	
Measure 2 - Percent reduction in operating & maintenance costs	
Measure 3 - Discuss how project improve transit service to users	
<b>Multi-modal Facilities</b>	10%
Measure 1 - Multi-modal elements part of project & improve travel experience	
Measure 2 - Multi-modal connections - bike and ped connections	
<b>Risk Assessment</b>	10%
Measure - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

## Transportation Demand Management (TDM)

	<b>% of Total Points</b>
<b>Role in the Regional Transportation System and Economy</b>	10%
Measure 1 - Job Concentrations, Manufacturing, Education	
Measure 2 - Existing regional transportation facilities and resources	
<b>Usage</b>	10%
Measure 1 - Cost effectiveness of project per user	
<b>Equity</b>	15%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Congestion Reduction/Air Quality</b>	40%
Measure 1 - Describe congested roadways in project area	
Measure 2 - VMT reduced - MC staff calculate emissions reduced	
<b>Innovation</b>	20%
Measure 1 - Describe how project is innovative	
Measure 2 - Describe how project is new to area	
<b>Risk Assessment</b>	5%
Measure 1 - Describe technical capacity of applicant's organization	
Measure 2 - Describe how project will continue	
Measure 3 - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

---



## Multiuse Trails and Bicycle Facilities

% of Total Points

<b>Role in the Regional Transportation System and Economy</b>	20%
Measure 1 - Identify location of project relative to RBTN	
<b>Usage</b>	20%
Measure 1 - Cost effectiveness per population and employment	
<b>Equity</b>	10%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Deficiencies and Safety</b>	25%
Measure 1 - Select type of Critical Bicycle Transportation links completed	
Measure 2 - How project will correct deficiencies or address safety problem	
<b>Multi-modal Facilities</b>	10%
Measure 1 - Transit accommodations, improve travel experience	
Measure 2 - Transit routes connected	
Measure 3 - Bike/ped accommodations, improve travel exp. and safety	
Measure 4 - Bike and pedestrian connections	
<b>Risk Assessment/Public Engagement</b>	15%
Measure - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

## Pedestrian Facilities

% of Total Points

<b>Role in the Regional Transportation System and Economy</b>	10%
Measure 1 - Job Concentrations, Manufacturing, Education	
<b>Usage</b>	20%
Measure 1 - Cost effectiveness per population and employment	
<b>Equity</b>	10%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Deficiencies and Safety</b>	30%
Measure 1 - How project will overcome barriers, fill gaps, or connect system	
Measure 2 - How project will correct deficiencies or address safety problem	
<b>Multi-modal Facilities</b>	15%
Measure 1 - Transit accommodations, improve travel experience	
Measure 2 - Transit routes connected	
Measure 3 - Bike/ped accommodations, improve travel exp. and safety	
Measure 4 - Bike and pedestrian connections	
<b>Risk Assessment</b>	15%
Measure - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

## Safe Routes to School (SRTS) Infrastructure

% of Total Points

<b>Relationship between SRTS Program Elements</b>	25%
Measure 1 - Describe how project addresses 5 Es of SRTS program	
<b>Usage</b>	20%
Measure 1 - Average share of student population that bikes or walks	
Measure 2 - Student population withing school's walkshed	
<b>Equity</b>	10%
Measure 1 - Benefits and Impacts	
Measure 2 - Housing Performance Score	
<b>Deficiencies and Safety</b>	25%
Measure 1 - How project will overcome barriers, fill gaps, or connect system	
Measure 2 - How project will correct deficiencies or address safety or security	
<b>Multi-modal Facilities</b>	
Measure 1 - Transit routes connected	5%
<b>Risk Assessment/Public Engagement</b>	15%
Measure 1 - Discuss public engagement process that will be used. SRTS Plan	
Measure 2 - Risk Assessment Form	
<b>Total</b>	<b>100%</b>

---

# Roadway Expansion – Scoring Guidelines (DRAFT)

July 11, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy (200 Points; 20 Percent of Points)</b>	<p><b>A. Address how the project route fulfills its role in the regional economy as identified by its functional classification. Respond as appropriate to one type of functional classification.</b></p> <ul style="list-style-type: none"> <li>• <b>Reliever:</b> Identify the hours per day the current volume exceeds the design capacity (i.e., congestion) in either direction on the Principal Arterial being relieved by the Reliever.</li> <li>• <b>Expander:</b> Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides.</li> <li>• <b>Augmentor:</b> Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides.</li> <li>• <b>Non-Freeway Principal Arterials:</b> Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides.</li> </ul>	<p><b>100 Points</b></p>	<p><b>A. 100 Points (50 Percent of Points)</b>  <b>Relievers:</b> The applicant with the highest number of hours per day in which current capacity exceeds the design capacity on the Principal Arterial will receive the full points. Remaining projects will receive a proportional share of the full points.  <b>OR</b>  <b>Expanders, Augmentors, and Non-Freeway Principal Arterials:</b> The applicant with the furthest average distance from the closest parallel “A” Minor Arterials or Principal Arterials on both sides will receive the full points. Remaining projects will receive a proportional share of the full points.</p>
	<p><b>B. Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length.</b></p> <ul style="list-style-type: none"> <li>• Location of volume</li> <li>• Current daily heavy commercial traffic</li> </ul>		<p><b>75 Points</b></p>

# Roadway Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Role in the Regional Transportation System and Economy (Continued)</b>  <b>(200 Points; 20 Percent of Points)</b></p>	<p><b>C. Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions as defined in ThriveMSP 2040, as well as local activity centers (check boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Direct connection to or within a mile of a Job Concentration</li> <li>• Direct connection to or within a mile of a Manufacturing/Distribution Location</li> <li>• Direct connection to or within a mile of an Educational Institution</li> <li>• Direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan</li> </ul>	<p><b>25 Points</b></p>	<p><b>C. 25 Points (12.5 Percent of Points)</b>  The applicant will receive the points shown for the type of connection being made by the project. The applicant can only score 25, 15, or 0 points for this measure. If the project provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</p> <ul style="list-style-type: none"> <li>• Job Concentration(s): <b>25 Points</b> (100 Percent of Points)</li> <li>• Manufacturing/Distribution Location(s): <b>25 Points</b> (100 Percent of Points)</li> <li>• Educational Institution(s): <b>15 Points</b> (60 Percent of Points)</li> <li>• Local activity center(s): <b>15 Points</b> (60 Percent of Points)</li> <li>• None of the above: <b>0 Points</b> (0 Percent of Points)</li> </ul>
<p><b>Usage</b>  <b>(200 Points; 20 Percent of Points)</b></p>	<p><b>A. Calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership. (Met Council staff calculation):</b></p> <ul style="list-style-type: none"> <li>• Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)</li> </ul>	<p><b>125 Points</b></p>	<p><b>A. 125 Points (62.5 Percent of Points)</b>  The applicant with highest current daily person throughput will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>

# Roadway Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage (Continued) <b>(200 Points; 20 Percent of Points)</b></p>	<p><b>B. Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location.</b></p> <ul style="list-style-type: none"> <li>Forecast (2030) ADT volume (City/County model or Met Council staff calculation)</li> </ul>	<p><b>75 Points</b></p>	<p><b>B. 75 Points (37.5 Percent of Points)</b> The applicant with the highest forecast (2030) ADT volume will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>
<p>Equity <b>(50 Points; 5 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty</li> <li>Project located in Concentrated Area of Poverty</li> <li>Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>35 Points</b></p>	<p><b>A. 35 Points (70 Percent of Points)</b> The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. <b>Note: Metropolitan Council staff will score this measure.</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty: <b>0 to 35 Points (0 to 100 Percent of Points)</b></li> <li>Project located in Concentrated Area of Poverty: <b>0 to 28 Points (0 to 80 Percent of Points)</b></li> <li>Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 21 Points (0 to 60 Percent of Points)</b></li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 14 Points (0 to 40 Percent of Points)</b></li> </ul>

# Roadway Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Equity (Continued) <b>(50 Points; 5 Percent of Points)</b></p>	<p>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</p>	<p><b>15 Points</b></p>	<p><b>B. 15 Points (30 Percent of Points)</b> The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a proportional share of the full points. Note: Metropolitan Council staff will score this measure.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city or township scores for the project location based on the length of the project in each jurisdiction.</p>
<p>Infrastructure Age <b>(75 Points; 7.5 Percent of Points)</b></p>	<p>A. Identify the year of the roadway’s original construction or most recent reconstruction. If the reconstruction date is used for the roadway, a full reconstruction must have been completed during the indicated year. Routine maintenance, such as an overlay or sealcoating project, is ineligible for this calculation of remaining useful life. The useful life for a roadway is 50 years.</p> <ul style="list-style-type: none"> <li>Date of original roadway construction or most recent reconstruction (year)</li> </ul>	<p><b>75 Points</b></p>	<p>A. All applicants with a project located on a roadway past the total useful life (50 years) will receive full points. Remaining projects will receive a proportional share of the full points equal to the total useful life minus the remaining useful life for the project being scored divided by the total useful life.</p> <p>If there are no projects at or past the useful life of a roadway, the applicant with lowest remaining useful life will receive full points, and remaining projects will receive a proportional share equal to the total useful life minus the remaining useful life for the project being scored divided by the total useful life minus the remaining useful life of the oldest project. For example, if the oldest project was constructed 48 years ago and the application being scored was constructed 40 years ago, this applicant would receive <math>(40/48)*75</math> points.</p>

# Roadway Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Congestion Reduction/Air Quality (150 Points; 15 Percent of Points)	<p>A. Conduct a capacity analysis at the most congested intersection or roundabout on the roadway project to calculate the current total peak hour delay at the intersection. The applicant must then calculate and provide the cost per total peak hour vehicle delay (seconds) reduced by the project improvement.</p> <ul style="list-style-type: none"> <li>Cost Effectiveness = total project cost/total peak hour vehicle delay reduced by the project</li> </ul>	100 Points	<p>A. <b>100 points</b> (66 Percent of Points) The applicant with the lowest cost per total peak hour vehicle delay reduced by the project improvement will receive the full points for the measure. Remaining projects will receive a proportional share of the full points equal to the lowest cost per total peak hour vehicle delay reduced by a project improvement divided by the cost per total peak hour vehicle delay reduced for the application being scored.</p>
	<p>B. Calculate the reduction in kilograms of total peak hour emissions due to the project. The applicant must then calculate and provide the cost per total peak hour kilograms reduced by the project improvement.</p> <ul style="list-style-type: none"> <li>Cost Effectiveness = total project cost/total peak hour kilograms reduced by the project</li> </ul>	50 Points	<p>B. <b>50 Points</b> (34 Percent of Points) The applicant with the lowest cost per total peak hour kilograms reduced by the project improvement will receive the full points for the measure. Remaining projects will receive a proportional share of the full points equal to the lowest cost per peak hour kilograms reduced by a project improvement divided by the cost per total peak hour kilograms reduced for the application being scored.</p>
Safety (150 Points; 15 Percent of Points)	<p>A. Calculate the reduction in the total number of crashes due to improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial made by the project. The applicant must then calculate and provide the Benefit/Cost ratio associated with the project improvement.</p> <ul style="list-style-type: none"> <li>Project Benefit/Cost</li> </ul>	150 Points	<p>A. The applicant with the highest B/C ratio will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>

# Roadway Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections (100 Points; 10 Percent of Points)</b>	<p><b>A. List the transit route numbers directly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> </ul>	<p><b>50 Points</b></p>	<p><b>A &amp; B. 50 Points (50 Percent of Points)</b>                      The applicant should provide a response to measures A and B. The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <p>The scorer will weigh the project’s connections to transit (as measured through annual transit ridership), bikeways, high-traffic pedestrian areas (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers), and other pedestrian facilities, as detailed in the required response (200 words or less). A higher value will be placed on existing transit ridership and infrastructure connections present at the time of project construction over future transit ridership and planned infrastructure connections.</p>
	<p><b>B. Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian or bicycle connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</b></p>		<p><b>C. 50 Points (50 Percent of Points)</b>                      The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>
	<p><b>C. Discuss any transit, bicycle, or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing transit, bicycle, and pedestrian accommodations. Furthermore, the applicant should address how the proposed project safely integrates all modes of transportation (i.e., vehicles, transit, bicyclists, and pedestrians). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated into the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).</b></p>		



# Roadway Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Risk Assessment (75 Points; 7.5 Percent of Points)	A. All applicants must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	75 Points	A. The applicant will receive up to the full points based on the eight Risk Assessment elements, as identified in the Risk Assessment within the application.
Total Points	1,000 Points		

# Roadway Reconstruction/Modernization – Scoring Guidelines (DRAFT)

July 11, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy (200 Points; 20 Percent of Points)</b>	<p><b>A. Address how the project route fulfills its role in the regional economy as identified by its functional classification. Respond as appropriate to one type of functional classification.</b></p> <ul style="list-style-type: none"> <li>• <b>Reliever:</b> Identify the hours per day the current volume exceeds the design capacity (i.e., congestion) in either direction on the Principal Arterial being relieved by the Reliever.</li> <li>• <b>Expander:</b> Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides.</li> <li>• <b>Augmentor:</b> Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides.</li> <li>• <b>Non-Freeway Principal Arterials:</b> Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides.</li> </ul>	<p><b>100 Points</b></p>	<p><b>A. 100 Points (50 Percent of Points)</b>  <b>Relievers:</b> The applicant with the highest number of hours per day in which current capacity exceeds the design capacity on the Principal Arterial will receive the full points. Remaining projects will receive a proportional share of the full points.  <b>OR</b>  <b>Expanders, Augmentors, and Non-Freeway Principal Arterials:</b> The applicant with the furthest average distance from the closest parallel “A” Minor Arterials or Principal Arterials on both sides will receive the full points. Remaining projects will receive a proportional share of the full points.</p>
	<p><b>B. Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. Actual counts are required to be collected.</b></p> <ul style="list-style-type: none"> <li>• Location of volume</li> <li>• Current daily heavy commercial traffic</li> </ul>		<p><b>75 Points</b></p>

# Roadway Reconstruction/Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Role in the Regional Transportation System and Economy (Continued) (200 Points; 20 Percent of Points)</p>	<p><b>C. Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions as defined in ThriveMSP 2040, as well as local activity centers (check boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Direct connection to or within a mile of a Job Concentration</li> <li>• Direct connection to or within a mile of a Manufacturing/Distribution Location</li> <li>• Direct connection to or within a mile of an Educational Institution</li> <li>• Direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan</li> </ul>	<p><b>25 Points</b></p>	<p><b>C. 25 Points (12.5 Percent of Points)</b>                      The applicant will receive the points shown for the type of connection being made by the project. The applicant can only score 25, 15, or 0 points for this measure. If the project provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</p> <ul style="list-style-type: none"> <li>• Job Concentration(s): <b>25 Points</b> (100 Percent of Points)</li> <li>• Manufacturing/Distribution Location(s): <b>25 Points</b> (100 Percent of Points)</li> <li>• Educational Institution(s): <b>15 Points</b> (60 Percent of Points)</li> <li>• Local activity center(s): <b>15 Points</b> (60 Percent of Points)</li> <li>• None of the above: <b>0 Points</b> (0 Percent of Points)</li> </ul>
<p>Usage (200 Points; 20 Percent of Points)</p>	<p><b>A. Calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership (Met Council staff calculation):</b></p> <ul style="list-style-type: none"> <li>• Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)</li> </ul>	<p><b>125 Points</b></p>	<p><b>A. 125 Points (62.5 Percent of Points)</b>                      The applicant with highest current daily person throughput will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>

# Roadway Reconstruction/Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage (Continued) <b>(200 Points; 20 Percent of Points)</b></p>	<p><b>B. Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location.</b></p> <ul style="list-style-type: none"> <li>Forecast (2030) ADT volume (City/County model or Met Council staff calculation)</li> </ul>	<p><b>75 Points</b></p>	<p><b>B. 75 Points (37.5 Percent of Points)</b> The applicant with the highest forecast (2030) ADT volume will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>
<p>Equity <b>(50 Points; 5 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty</li> <li>Project located in Concentrated Area of Poverty</li> <li>Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>35 Points</b></p>	<p><b>A. 35 Points (70 Percent of Points)</b> The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. <b>Note: Metropolitan Council staff will score this measure.</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty: <b>0 to 35 Points (0 to 100 Percent of Points)</b></li> <li>Project located in Concentrated Area of Poverty: <b>0 to 28 Points (0 to 80 Percent of Points)</b></li> <li>Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 21 Points (0 to 60 Percent of Points)</b></li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 14 Points (0 to 40 Percent of Points)</b></li> </ul>

# Roadway Reconstruction/Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Equity (Continued) <b>(50 Points; 5 Percent of Points)</b></p>	<p>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</p>	<p><b>15 Points</b></p>	<p>B. <b>15 Points</b> (30 Percent of Points) The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a proportional share of the full points. Note: Metropolitan Council staff will score this measure.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city or township scores for the project location based on the length of the project in each jurisdiction.</p>
<p>Infrastructure Age/Condition <b>(150 Points; 15 Percent of Points)</b></p>	<p>A. Identify the year of the roadway’s original construction or most recent reconstruction. If the reconstruction date is used for the roadway, a full reconstruction must have been completed during the indicated year. Routine maintenance, such as an overlay or sealcoating project, is ineligible for this calculation of remaining useful life. The useful life for a roadway is 50 years.</p> <ul style="list-style-type: none"> <li>Date of original roadway construction or most recent reconstruction (year)</li> </ul>	<p><b>50 Points</b></p>	<p>A. <b>50 Points</b> (33 Percent of Points) All applicants with a project located on roadway past the total useful life (50 years) will receive full points. Remaining projects will receive a proportional share of the full points equal to the total useful life minus the remaining useful life for the project being scored divided by the total useful life.</p> <p>If there are no projects at or past the useful life of a roadway, the applicant with lowest remaining useful life will receive full points, and remaining projects will receive a proportional share equal to the total useful life minus the remaining useful life for the project being scored divided by the total useful life minus the remaining useful life of the oldest project. For example, if the oldest project was constructed 48 years ago and the application being scored was constructed 40 years ago, this applicant would receive <math>(40/48)*75</math> points.</p>

# Roadway Reconstruction/Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Infrastructure Age/Condition (Continued) (150 Points; 15 Percent of Points)	B. List or describe any known geometric, structural, or infrastructure deficiencies that will be improved as part of this project, as reflected in the project cost estimate. These could include underground, above ground, or other innovative improvements.	100 Points	B. <b>100 Points</b> (67 Percent of Points) The project with the most extensive improvements will receive the full points. Remaining projects will receive a share of the full points at the scorer's discretion. The applicant can only receive a maximum of 25 points for non-roadway improvements (e.g., sanitary sewer, water, utilities).
Congestion Reduction/Air Quality (75 Points; 7.5 Percent of Points)	A. Conduct a capacity analysis at the most congested intersection or roundabout on the roadway project to calculate the current total peak hour delay at the intersection. The applicant must then calculate and provide the cost per total peak hour vehicle delay (seconds) reduced by the project improvement. <ul style="list-style-type: none"> <li>Cost Effectiveness = total project cost/total peak hour vehicle delay reduced by the project</li> </ul>	100 Points	A. <b>100 points</b> (66 Percent of Points) The applicant with the lowest cost per total peak hour vehicle delay reduced by the project improvement will receive the full points for the measure. Remaining projects will receive a proportional share of the full points equal to the lowest cost per total peak hour vehicle delay reduced by a project improvement divided by the cost per total peak hour vehicle delay reduced for the application being scored.
	B. Calculate the reduction in kilograms of total peak hour emissions due to the project. The applicant must then calculate and provide the cost per total peak hour kilograms reduced by the project improvement. <ul style="list-style-type: none"> <li>Cost Effectiveness = total project cost/total peak hour kilograms reduced by the project</li> </ul>	25 Points	B. <b>25 Points</b> (34 Percent of Points) The applicant with the lowest cost per total peak hour kilograms reduced by the project improvement will receive the full points for the measure. Remaining projects will receive a proportional share of the full points equal to the lowest cost per peak hour kilograms reduced by a project improvement divided by the cost per total peak hour kilograms reduced for the application being scored.
Safety (150 Points; 15 Percent of Points)	A. Calculate the reduction in the total number of crashes due to improvements on the "A" Minor Arterial or Non-Freeway Principal Arterial made by the project. The applicant must then calculate and provide the Benefit/Cost ratio associated with the project improvement. <ul style="list-style-type: none"> <li>Project Benefit/Cost</li> </ul>	150 Points	A. The applicant with the highest B/C ratio will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.

# Roadway Reconstruction/Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections (100 Points; 10 Percent of Points)</b>	<p><b>A. List the transit route numbers directly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> </ul>	<b>50 Points</b>	<p><b>A &amp; B. 50 Points (50 Percent of Points)</b>                      The applicant should provide a response to measures A and B. The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <p>The scorer will weigh the project’s connections to transit (as measured through annual transit ridership), bikeways, high-traffic pedestrian areas (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers), and other pedestrian facilities, as detailed in the required response (200 words or less). A higher value will be placed on existing transit ridership and infrastructure connections present at the time of project construction over future transit ridership and planned infrastructure connections.</p>
	<p><b>B. Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian or bicycle connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</b></p>		<p><b>C. 50 Points (50 Percent of Points)</b>                      The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>
	<p><b>C. Discuss any transit, bicycle, or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing transit, bicycle, and pedestrian accommodations. Furthermore, the applicant should address how the proposed project safely integrates all modes of transportation (i.e., vehicles, transit, bicyclists, and pedestrians). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated into the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).</b></p>		

# Roadway Reconstruction/Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Risk Assessment <b>(75 Points; 7.5 Percent of Points)</b>	A. All applicants must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	<b>75 Points</b>	A. The applicant will receive up to the full points based on the eight Risk Assessment elements, as identified in the Risk Assessment within the application.
Total Points	<b>1,000 Points</b>		



## Roadway System Management – Scoring Guidelines (DRAFT)

July 11, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy (150 Points; 15 Percent of Points)</b>	<p><b>A. Address how the project route fulfills its role in the regional economy as identified by its functional classification. If the project serves a system of routes, respond using the route with the highest functional classification. This system must include a Non-Freeway Principal Arterial or an “A” Minor Arterial.</b></p> <ul style="list-style-type: none"> <li><b>Non-Freeway Principal Arterial or “A” Minor Arterial:</b> Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.</li> </ul>	<p><b>75 Points</b></p>	<p><b>A. 75 Points (50 Percent of Points)</b>  <b>Non-Freeway Principal Arterial or “A” Minor Arterial:</b>                      The applicant with the furthest average distance from the closest parallel “A” Minor Arterials or Principal Arterials on both sides will receive the full points. Remaining projects will receive a proportional share of the full points.</p>
	<p><b>B. Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. Actual counts are required to be collected.</b></p> <ul style="list-style-type: none"> <li>Location of volume</li> <li>Current daily heavy commercial traffic</li> </ul>		<p><b>50 Points</b></p>

# Roadway System Management – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Role in the Regional Transportation System and Economy (Continued) <b>(150 Points; 15 Percent of Points)</b></p>	<p><b>C. Identify the location of the project or system of routes as it relates to the Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions as defined in ThriveMSP 2040, as well as local activity centers (check boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Direct connection to or within a mile of a Job Concentration</li> <li>• Direct connection to or within a mile of a Manufacturing/Distribution Location</li> <li>• Direct connection to or within a mile of an Educational Institution</li> <li>• Direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan</li> </ul>	<p><b>25 Points</b></p>	<p><b>C. 25 Points (17 Percent of Points)</b> The applicant will receive the points shown for the type of connection being made by the project. The applicant can only score 25, 15, or 0 points for this measure. If the project or system of routes provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</p> <ul style="list-style-type: none"> <li>• Job Concentration(s): <b>25 Points</b> (100 Percent of Points)</li> <li>• Manufacturing/Distribution Location(s): <b>25 Points</b> (100 Percent of Points)</li> <li>• Educational Institution(s): <b>15 Points</b> (60 Percent of Points)</li> <li>• Local activity center(s): <b>15 Points</b> (60 Percent of Points)</li> <li>• None of the above: <b>0 Points</b> (0 Percent of Points)</li> </ul>
<p>Usage <b>(150 Points; 15 Percent of Points)</b></p>	<p><b>A. Calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership (Met Council staff calculation). If the project is located on a system of roadways, the current daily person throughput will be calculated for the system.</b></p> <ul style="list-style-type: none"> <li>• Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)</li> </ul>	<p><b>100 Points</b></p>	<p><b>A. 100 Points (66 Percent of Points)</b> The applicant with highest current daily person throughput will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>

# Roadway System Management – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage (Continued) <b>(150 Points; 15 Percent of Points)</b></p>	<p><b>B. Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location.</b></p> <ul style="list-style-type: none"> <li>Forecast (2030) ADT volume (City/County model or Met Council staff calculation)</li> </ul>	<p><b>50 Points</b></p>	<p><b>B. 50 Points (34 Percent of Points)</b> The applicant with the highest forecast (2030) ADT volume will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>
<p>Equity <b>(50 Points; 5 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty</li> <li>Project located in Concentrated Area of Poverty</li> <li>Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>35 Points</b></p>	<p><b>A. 35 Points (70 Percent of Points)</b> The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. <b>Note: Metropolitan Council staff will score this measure.</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty: <b>0 to 35 Points (0 to 100 Percent of Points)</b></li> <li>Project located in Concentrated Area of Poverty: <b>0 to 28 Points (0 to 80 Percent of Points)</b></li> <li>Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 21 Points (0 to 60 Percent of Points)</b></li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 14 Points (0 to 40 Percent of Points)</b></li> </ul>

# Roadway System Management – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Equity (50 Points; 5 Percent of Points)</p>	<p>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</p>	<p>15 Points</p>	<p>B. <b>15 Points</b> (30 Percent of Points)                      The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a proportional share of the full points. Note: Metropolitan Council staff will score this measure.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city or township scores for the project location based on the length of the project in each jurisdiction.</p>

# Roadway System Management – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Infrastructure Age/Condition (75 Points; 75 Percent of Points)</p>	<p>A. Identify the type(s) and age(s) of ITS, signal/control, and/or communication equipment that will be improved or replaced as part of the project, as reflected in the project cost estimate. Met Council staff will calculate the remaining useful life of the equipment.</p> <ul style="list-style-type: none"> <li>• Equipment to be improved</li> <li>• Date of equipment installation (year)</li> </ul>	<p>75 Points</p>	<p>A. All applicants replacing equipment past the total useful life, as listed below, will receive full points. Projects replacing more than one type or age of equipment should be scored based on the average remaining useful life. Remaining projects will receive a proportional share of the full points equal to the total useful life minus the remaining useful life for the project being scored divided by the total useful life.</p> <p>If there are no projects at or past the useful life of the equipment, the applicant with lowest remaining useful life will receive full points, and remaining projects will receive a proportional share equal to the total useful life minus the remaining useful life for the project being scored divided by the total useful life minus the remaining useful life of the oldest project. For example, if the oldest project was installed 18 years ago (traffic signal) and the application being scored was installed 14 years ago, this applicant would receive <math>(14/18) * 75</math> points.</p> <p><b>Equipment Useful Life Values</b></p> <ul style="list-style-type: none"> <li>• ITS Equipment: 10 years</li> <li>• Traffic Signals/Control Equipment: 20 years</li> <li>• Communication Equipment: 10 years</li> </ul>

# Roadway System Management – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Congestion Reduction/Air Quality (200 Points; 20 Percent of Points)	<p>A. Conduct a capacity analysis at the most congested intersection or roundabout on the roadway project to calculate the current total peak hour delay at the intersection. The applicant must then calculate and provide the cost per total peak hour vehicle delay (seconds) reduced by the project improvement.</p> <ul style="list-style-type: none"> <li>Cost Effectiveness = total project cost/total peak hour vehicle delay reduced by the project</li> </ul>	75 Points	<p>A. <b>150 points</b> (75 Percent of Points) The applicant with the lowest cost per total peak hour vehicle delay reduced by the project improvement will receive the full points for the measure. Remaining projects will receive a proportional share of the full points equal to the lowest cost per total peak hour vehicle delay reduced by a project improvement divided by the cost per total peak hour vehicle delay reduced for the application being scored.</p>
	<p>B. Calculate the reduction in kilograms of total peak hour emissions due to the project. The applicant must then calculate and provide the cost per total peak hour kilograms reduced by the project improvement.</p> <ul style="list-style-type: none"> <li>Cost Effectiveness = total project cost/total peak hour kilograms reduced by the project</li> </ul>		<p>B. <b>50 Points</b> (25 Percent of Points) The applicant with the lowest cost per total peak hour kilograms reduced by the project improvement will receive the full points for the measure. Remaining projects will receive a proportional share of the full points equal to the lowest cost per peak hour kilograms reduced by a project improvement divided by the cost per total peak hour kilograms reduced for the application being scored.</p>
Safety (200 Points; 20 Percent of Points)	<p>A. Calculate the reduction in the total number of crashes due to improvements on the “A” Minor Arterial or Non-Freeway Principal Arterial made by the project. Projects for a system of roadways must calculate crash reduction for the project’s network. The applicant must then calculate and provide the Benefit/Cost ratio associated with the project improvement.</p> <ul style="list-style-type: none"> <li>Project Benefit/Cost</li> </ul>	200 Points	<p>A. The applicant with the highest B/C ratio will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>

# Roadway System Management – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections (100 Points; 10 Percent of Points)</b>	<p><b>A. List the transit route numbers directly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> </ul>	<p><b>50 Points</b></p>	<p><b>A &amp; B. 50 Points (50 Percent of Points)</b></p> <p>The applicant should provide a response to measures A and B. The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <p>The scorer will weigh the project’s connections to transit (as measured through annual transit ridership), bikeways, high-traffic pedestrian areas (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers), and other pedestrian facilities, as detailed in the required response (200 words or less). A higher value will be placed on existing transit ridership and infrastructure connections present at the time of project construction over future transit ridership and planned infrastructure connections.</p>
	<p><b>B. Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian or bicycle connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</b></p>		<p><b>C. 50 Points (50 Percent of Points)</b></p> <p>The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>
	<p><b>C. Discuss any transit, bicycle, or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing transit, bicycle, and pedestrian accommodations. Furthermore, the applicant should address how the proposed project safely integrates all modes of transportation (i.e., vehicles, transit, bicyclists, and pedestrians). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated into the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).</b></p>		

# Roadway System Management – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Risk Assessment</b> <b>(75 Points; 7.5 Percent of Points)</b>	<b>A. All applicants involving construction must complete the Risk Assessment Checklist. All other projects do not need to complete this form and will receive all possible points under this criterion if the project meets funding requirements. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).</b>	<b>75 Points</b>	<b>A. The applicant will receive up to the full points based on the eight Risk Assessment elements, as identified in the Risk Assessment within the application. A project that is not required to complete the checklist will receive full points.</b>
<b>Total Points</b>	<b>1,000 Points</b>		



## Bridges – Scoring Guidelines (DRAFT)

July 11, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy (150 Points; 15 Percent of Points)</b>	<p><b>A. Address how the project route fulfills its role in the regional economy as identified by its functional classification. If the project serves a system of routes, respond using the route with the highest functional classification. This system must include a Non-Freeway Principal Arterial or an “A” Minor Arterial.</b></p> <ul style="list-style-type: none"> <li>• <b>Non-Freeway Principal Arterial or “A” Minor Arterial:</b></li> <li>• Calculate the average distance between the project and the closest parallel “A” Minor Arterials or Principal Arterials on both sides. Provide a map that illustrates and is consistent with the calculation of total area divided by the project length on both sides of the project.</li> </ul>	<p><b>75 Points</b></p>	<p><b>A. 75 Points (50 Percent of Points)</b>  <b>Non-Freeway Principal Arterial or “A” Minor Arterial:</b>                      The applicant with the furthest average distance from the closest parallel “A” Minor Arterials or Principal Arterials on both sides will receive the full points. Remaining projects will receive a proportional share of the full points.</p>
	<p><b>B. Provide the current daily heavy commercial traffic at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. Actual counts are required to be collected.</b></p> <ul style="list-style-type: none"> <li>• Location of volume</li> <li>• Current daily heavy commercial traffic</li> </ul>		<p><b>50 Points</b></p>

# Bridges – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Role in the Regional Transportation System and Economy (Continued) (150 Points; 15 Percent of Points)</p>	<p><b>C. Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions as defined in ThriveMSP 2040, as well as local activity centers (check boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Direct connection to or within a mile of a Job Concentration</li> <li>• Direct connection to or within a mile of a Manufacturing/Distribution Location</li> <li>• Direct connection to or within a mile of an Educational Institution</li> <li>• Direct connection to or within a mile of an existing local activity center identified in an adopted county or city plan</li> </ul>	<p><b>25 Points</b></p>	<p><b>C. 25 Points (17 Percent of Points)</b>            The applicant will receive the points shown for the type of connection being made by the project. The applicant can only score 25, 15, or 0 points for this measure. If the project provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</p> <ul style="list-style-type: none"> <li>• Job Concentration(s): <b>25 Points (100 Percent of Points)</b></li> <li>• Manufacturing/Distribution Location(s): <b>25 Points (100 Percent of Points)</b></li> <li>• Educational Institution(s): <b>15 Points (60 Percent of Points)</b></li> <li>• Local activity center(s): <b>15 Points (60 Percent of Points)</b></li> <li>• None of the above: <b>0 Points (0 Percent of Points)</b></li> </ul>
<p>Usage (200 Points; 20 Percent of Points)</p>	<p><b>A. Calculate the current daily person throughput at one location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length using the current average annual daily traffic (AADT) volume and average annual ridership (Met Council staff calculation):</b></p> <ul style="list-style-type: none"> <li>• Current Daily Person Throughput = (current average annual daily traffic volume x 1.30 vehicle occupancy) + average annual daily transit ridership (2013)</li> </ul>	<p><b>150 Points</b></p>	<p><b>A. 100 Points (50 Percent of Points)</b>            The applicant with highest current daily person throughput will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>

# Bridges – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage (Continued) <b>(200 Points; 20 Percent of Points)</b></p>	<p><b>B. Provide the forecast (2030) average daily traffic volume at the same location along the “A” Minor Arterial or Non-Freeway Principal Arterial project length. The applicant may choose to use a county or city travel demand model based on the Metropolitan Council model to identify the forecast (2030) average daily traffic volume or have Metropolitan Council staff determine the forecast volume using the Metropolitan Council model and project location.</b></p> <ul style="list-style-type: none"> <li>Forecast (2030) ADT volume (City/County model or Met Council staff calculation)</li> </ul>	<p><b>50 Points</b></p>	<p><b>B. 100 Points (50 Percent of Points)</b> The applicant with the highest forecast (2030) ADT volume will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p>
<p>Equity <b>(50 Points; 5 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty</li> <li>Project located in Concentrated Area of Poverty</li> <li>Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>35 Points</b></p>	<p><b>A. 35 Points (70 Percent of Points)</b> The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. Note: Metropolitan Council staff will score this measure.</p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty: <b>0 to 35 Points (0 to 100 Percent of Points)</b></li> <li>Project located in Concentrated Area of Poverty: <b>0 to 28 Points (0 to 80 Percent of Points)</b></li> <li>Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 21 Points (0 to 60 Percent of Points)</b></li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 14 Points (0 to 40 Percent of Points)</b></li> </ul>

# Bridges – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Equity (Continued) (50 Points; 5 Percent of Points)</p>	<p>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</p>	<p>15 Points</p>	<p>B. <b>15 Points</b> (30 Percent of Points) The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a proportional share of the full points. Note: Metropolitan Council staff will score this measure.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city or township scores for the project location based on the length of the project in each jurisdiction.</p>
<p>Infrastructure Age/Condition/Safety (400 Points; 40 Percent of Points)</p>	<p>A. Identify the bridge sufficiency rating and select the classification and/or if the structure is posted for load restrictions (response and check boxes).</p> <ul style="list-style-type: none"> <li>• Bridge Sufficiency Rating (0 to 100)</li> <li>• Structurally Deficient</li> <li>• Functionally Obsolete</li> <li>• Load-Posted</li> </ul> <p>B. Describe the design and safety deficiencies improved by the proposed project.</p>	<p>300 Points</p> <p>100 Points</p>	<p>A. <b>300 Points</b> (75 Percent of Points) The applicant with the lowest bridge sufficiency rating, in combination with other bridge conditions (structural deficiency, functional obsolescence, and posted for load restrictions) will receive the full points for the measure. Remaining projects will receive a proportional share of the full points.</p> <p>B. <b>100 Points</b> (25 Percent of Points) The applicant will receive the up to the full points based on the quality of the response (200 words or less). The highest scoring projects will include a comprehensive set of design and safety improvements for the identified deficiencies.</p>

# Bridges – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections (100 Points; 10 Percent of Points)</b>	<p><b>A. List the transit route numbers directly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> </ul>	<p><b>50 Points</b></p>	<p><b>A &amp; B. 50 Points (50 Percent of Points)</b> The applicant should provide a response to measures A and B. The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <p>The scorer will weigh the project’s connections to transit (as measured through annual transit ridership), bikeways, high-traffic pedestrian areas (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers), and other pedestrian facilities, as detailed in the required response (200 words or less). A higher value will be placed on existing transit ridership and infrastructure connections present at the time of project construction over future transit ridership and planned infrastructure connections.</p>
	<p><b>B. Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian or bicycle connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</b></p>		<p><b>C. 50 Points (50 Percent of Points)</b> The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>
	<p><b>C. Discuss any transit, bicycle, or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing transit, bicycle, and pedestrian accommodations. Furthermore, the applicant should address how the proposed project safely integrates all modes of transportation (i.e., vehicles, transit, bicyclists, and pedestrians). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated into the project (e.g., a bicycle system plan that locates bikeway facilities on a lower-volume parallel route).</b></p>	<p><b>50 Points</b></p>	

## Bridges – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Risk Assessment (75 Points; 7.5 Percent of Points)	A. All applicants must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	75 Points	A. The applicant will receive up to the full points based on the eight Risk Assessment elements, as identified in the Risk Assessment within the application.
Total Project Cost Effectiveness (75 Points; 7.5 Percent of Points)	A. Met Council staff will calculate the total project cost effectiveness based on the total project cost and total points awarded in the previous criteria. Cost Effectiveness = total project cost/total number of points awarded in previous six criteria	75 Points	A. The applicant with the lowest total project cost effectiveness will receive the full points. Remaining projects will receive a proportional share of the full points.
Total Points	1,000 Points		

# Multiuse Trails and Bicycle Facilities – Scoring Guidelines (DRAFT)

July 10, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy</b> <b>(200 Points; 20 Percent of Points)</b>	<b>A. Location of the project relative to the RBTN (check boxes):</b> <ul style="list-style-type: none"> <li>Tier 1, Priority RBTN Corridor</li> <li>Tier 2, RBTN Corridor</li> <li>Direct connection to the RBTN (Tier 1 or Tier 2)</li> </ul> OR <ul style="list-style-type: none"> <li>Project is not located on or directly connected to the RBTN, but is part of a local system identified on an adopted county or city plan</li> </ul>	<b>200 Points</b>	<b>A. The applicant will receive the points shown below based on the location of the project relative to the RBTN.</b> <ul style="list-style-type: none"> <li>Tier 1: <b>200 Points</b> (100 Percent of Points)</li> <li>Tier 2: <b>160 Points</b> (80 Percent of Points)</li> <li>Direct connection to the RBTN: <b>120 Points</b> (60 Percent of Points)</li> <li>Local System in an adopted county or city plan: <b>20 Points</b> (10 Percent of Points)</li> <li>None of the above: <b>0 Points</b> (0 Percent of Points)</li> </ul>
<b>Usage</b> <b>(200 Points; 20 Percent of Points)</b>	<b>A. Metropolitan Council staff will calculate the cost effectiveness of the project using the Metropolitan Council model, the project location, and total project cost:</b> <ul style="list-style-type: none"> <li>Cost Effectiveness = Total project cost/existing population within one mile of the project</li> <li>Cost Effectiveness = Total project cost/existing employment within one mile of the project</li> </ul>	<b>200 Points</b>	<b>A. The applicant with the lowest project cost per person or job will receive the full points listed below. Remaining projects will receive a proportional share of the full points equal to the lowest project cost per person or job divided by the project cost per person or job for the application being scored.</b> <ul style="list-style-type: none"> <li>Total project cost/existing population: <b>100 Points</b> (50 Percent of Points)</li> <li>Total project cost/existing employment: <b>100 Points</b> (50 Percent of Points)</li> <li>Using the Metropolitan Council model, all traffic analysis zones that are included within or intersect the buffer area around the project will be included in the analysis. Cost effectiveness calculations must be based on the total cost of the project, not just the portion of the project eligible for federal funding.</li> </ul>

# Multiuse Trails and Bicycle Facilities – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Equity</b> <b>(100 Points; 10 Percent of Points)</b>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty</li> <li>Project located in Concentrated Area of Poverty</li> <li>Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>70 Points</b></p>	<p><b>A. 70 Points (70 Percent of Points)</b>                      The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. Note: Metropolitan Council staff will score this measure.</p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty: <b>0 to 70 Points (0 to 100 Percent of Points)</b></li> <li>Project located in Concentrated Area of Poverty: <b>0 to 56 Points (0 to 80 Percent of Points)</b></li> <li>Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 42 Points (0 to 60 Percent of Points)</b></li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 28 Points (0 to 40 Percent of Points)</b></li> </ul>
	<p><b>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</b></p>		<p><b>30 Points</b></p>



# Multiuse Trails and Bicycle Facilities – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Deficiencies and Safety</b>  <b>(250 Points; 25 Percent of Points)</b></p>	<p><b>A. Select the type of Critical Bicycle Transportation Link(s) completed by the project and discuss how the project will close a gap, cross or circumvent a physical barrier, or improve continuity or connections between jurisdictions (check boxes and response). Distance to and condition of the nearest parallel crossing of the barrier should also be provided, including the presence or absence of bicycle facilities, the number of lanes, average daily traffic, and the posted speed limit.</b></p> <ul style="list-style-type: none"> <li>• Closes a gap (on or off the RBTN)</li> <li>• Provides a facility that crosses or circumvents a physical barrier (bridge or tunnel; on or off the RBTN)</li> <li>• Improves continuity and/or connections between jurisdictions (on or off the RBTN)</li> </ul>	<p><b>100 Points</b></p>	<p><b>A. 100 Points (40 Percent of Points)</b>  <b>The applicant will receive the full points shown for each of the critical links identified below if the supporting response (200 words or less) demonstrates the project’s ability to fully complete the link.</b></p> <ul style="list-style-type: none"> <li>• Closes a gap: <b>45 Points (45 Percent of Points)</b></li> <li>• Provides a facility that crosses or circumvents a physical barrier: <b>45 Points (45 Percent of Points)</b></li> <li>• Improves continuity and/or connections between jurisdictions: <b>10 Points (10 Percent of Points)</b></li> </ul>

# Multiuse Trails and Bicycle Facilities – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Deficiencies and Safety (Continued)</b>  <b>(250 Points; 25 Percent of Points)</b></p>	<p><b>B. Discuss how the project will correct existing deficiencies or address an identified safety or security problem on the facility.</b></p>	<p><b>150 Points</b></p>	<p><b>B. 150 Points (60 Percent of Points)</b>            The applicant will receive the points shown below, based on the magnitude of the deficiencies or safety issues and the quality of the improvements, as addressed in the response (200 words or less). The project with the most extensive improvements will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <ul style="list-style-type: none"> <li>• Applicant provides actual bicycle, pedestrian, and vehicle crash data to demonstrate the magnitude of the existing safety problem. Project also demonstrates that the project will reduce the crash potential and provide a safer environment and/or correct a deficiency: <b>100 to 150 Points (67 to 100 Percent of Points)</b></li> <li>• Applicant demonstrates the project’s ability to reduce the risk for bicycle and pedestrian crashes with the reduction of modal conflict points (bike/ped, bike/vehicle, ped/vehicle, and vehicle/vehicle) or safety improvements that address these modal conflicts: <b>50 to 100 Points (34 to 67 Percent of Points)</b></li> <li>• Demonstrates the project’s ability to correct deficiencies: <b>25 to 50 Points (17 to 34 Percent of Points)</b></li> </ul>

# Multiuse Trails and Bicycle Facilities – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections (100 Points; 10 Percent of Points)</b>	<p><b>A. List the transit route numbers directly and indirectly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> <li>Existing routes indirectly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) indirectly connected to the project</li> </ul>	<p><b>50 Points</b></p>	<p><b>A &amp; B. 50 Points (50 Percent of Points)</b>                      The applicant should provide a response to measures A and B. The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <p>The scorer will weigh the project’s connections to transit (as measured through annual transit ridership), high-traffic pedestrian areas (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) and pedestrian facilities, as detailed in the required response (200 words or less). A higher value will be placed on existing transit ridership and infrastructure connections present at the time of project construction over future transit ridership and planned infrastructure connections.</p>
	<p><b>B. Identify the pedestrian connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</b></p>		
	<p><b>C. Describe the existing transit and pedestrian accommodations. Discuss any transit or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Additionally, the applicant should address how the proposed bikeway project safely integrates all modes of transportation (i.e., bicyclists, transit, pedestrians, and vehicles). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated into the project.</b></p>	<p><b>50 Points</b></p>	<p><b>C. 50 Points (50 Percent of Points)</b>                      The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>

# Multiuse Trails and Bicycle Facilities – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Risk Assessment</b> <b>(150 Points; 15 Percent of Points)</b>	<b>A. All applicants must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).</b>	<b>150 Points</b>	<b>A. The applicant will receive up to the full points based on the eight Risk Assessment elements, as identified in the Risk Assessment within the application.</b>
<b>Total Points</b>	<b>1,000 Points</b>		

# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Scoring Guidelines (DRAFT)

July 10, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Points)</b></p>	<p><b>A. Location of the project as it relates to Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions, as well as local activity centers (checked boxes and response):</b></p> <ul style="list-style-type: none"> <li>• Direct connection into, adjacent to, or within a Job Concentration</li> <li>• Direct connection into, adjacent to, or within a Manufacturing/ Distribution Location</li> <li>• Direct connection into, adjacent to, or within an Educational Institution</li> <li>• Project provides a direct connection into, adjacent to, or within an existing local activity center identified in an adopted county or city plan</li> </ul>	<p><b>100 Points</b></p>	<p><b>A. The applicant will receive the points shown below based on the location of the project relative to ThriveMSP 2040 Job Concentrations, Manufacturing/ Distribution Locations, and Educational Institutions, as well as local activity centers. The applicant can only score 100, 50, or 0 points. If the project provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</b></p> <ul style="list-style-type: none"> <li>• Job Concentrations: <b>100 Points</b> (100 Percent of Points)</li> <li>• Manufacturing/Distribution Locations: <b>50 Points</b> (50 Percent of Points)</li> <li>• Educational Institutions: <b>100 Points</b> (100 Percent of Points)</li> <li>• Local activity center in an adopted county or city plan: <b>50 Points</b> (50 Percent of Points)</li> <li>• None of the above: <b>0 Points</b> (0 Percent of Points)</li> </ul>

# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage <b>(200 Points; 20 Percent of Points)</b></p>	<p><b>A. Cost effectiveness of the project using the Metropolitan Council model, the project location, and total project cost (Metropolitan Council staff calculation):</b></p> <ul style="list-style-type: none"> <li>• Cost Effectiveness = Total project cost/existing population within a half- mile of the project</li> <li>• Cost Effectiveness = Total project cost/existing employment within a half=mile of the project</li> </ul>	<p><b>200 Points</b></p>	<p><b>A. The applicant with the lowest project cost per person or job will receive the full points listed below. Remaining projects will receive a proportional share of the full points equal to the lowest project cost per person or job divided by the project cost per person or job for the application being scored.</b></p> <ul style="list-style-type: none"> <li>• Total project cost/existing population: <i>100 Points (50 Percent of Points)</i></li> <li>• Total project cost/existing employment: <i>100 Points (50 Percent of Points)</i></li> <li>• Using the Metropolitan Council model, all traffic analysis zones that are included within or intersect the buffer area around the project will be included in the analysis. Cost effectiveness calculations must be based on the total cost of the project, not just the portion of the project eligible for federal funding.</li> </ul>

# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Equity</b> <b>(100 Points; 10 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty</li> <li>• Project located in Concentrated Area of Poverty</li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>70 Points</b></p>	<p><b>A. 70 Points (70 Percent of Points)</b> The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. Note: Metropolitan Council staff will score this measure.</p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty: <b>0 to 70 Points (0 to 100 Percent of Points)</b></li> <li>• Project located in Concentrated Area of Poverty: <b>0 to 56 Points (0 to 80 Percent of Points)</b></li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 42 Points (0 to 60 Percent of Points)</b></li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 28 Points (0 to 40 Percent of Points)</b></li> </ul>

# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Equity (Continued) <b>(100 Points; 10 Percent of Points)</b></p>	<p>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</p>	<p><b>30 Points</b></p>	<p><b>B. 30 Points (30 Percent of Points)</b> The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a proportional share of the full points. Note: Metropolitan Council staff will score this measure.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city or township scores for the project location based on the length of the project in each jurisdiction.</p>
<p>Deficiencies and Safety <b>(300 Points; 30 Percent of Points)</b></p>	<p>A. Discuss how the project will overcome barriers (i.e., bridge or tunnel), fill gaps, or connects system segments in the pedestrian/bicycle network. (200 words or less). If the project is crossing or circumventing a barrier (e.g., river, stream, railroad corridor, freeway, or multi-lane highway), the applicant should demonstrate the magnitude of the barrier (number of lanes, average daily traffic, posted speed, etc.) and how the proposed project will improve travel across or around that barrier. Distance to and condition of the nearest parallel crossing of the barrier should also be provided, including the presence or absence of pedestrian facilities, the number of lanes, average daily traffic, and the posted speed limit.</p>	<p><b>120 Points</b></p>	<p><b>A. 120 Points (40 Percent of Points)</b> If the applicant is proposing to close a gap to improve continuity and/or connections, the applicant will receive full points if the response (200 words or less) and project map demonstrate the project’s ability to fully address the connection/gap.</p> <p>If the applicant is proposing to provide a facility to cross or circumvent a physical barrier (i.e., bridge or tunnel), the applicant removing the most critical barrier will receive the full points, as described through the discussion of the magnitude and type of barrier to be crossed; the distance to the nearest parallel crossing; the type of facility and its condition at this alternate crossing; and as demonstrated on the project map. Projects with an alternate crossing that has a safe bicycle/pedestrian facility within one mile should be considered a non-critical barrier and should be scored lower than barriers with a greater distance to a parallel crossing. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>



# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Deficiencies and Safety (Continued)</b>  <b>(300 Points; 30 Percent of Points)</b></p>	<p><b>B. Discuss how the project will correct existing deficiencies or address an identified safety or security problem on the facility.</b></p>	<p><b>180 Points</b></p>	<p><b>B. 180 Points (60 Percent of Points)</b>  <b>The applicant will receive the points shown below, based on the magnitude of the deficiencies or safety issues and the quality of the improvements, as addressed in the response (200 words or less). Improvements supported by crash reduction factors should be scored highest.</b></p> <ul style="list-style-type: none"> <li>• Applicant provides actual bicycle, pedestrian, and vehicle crash data to demonstrate the magnitude of the existing safety problem. Project also demonstrates that the project will reduce the crash potential and provide a safer environment and/or correct a deficiency: <b>120 to 180 Points (67 to 100 Percent of Points)</b></li> <li>• Applicant demonstrates the project’s ability to reduce the risk for bicycle and pedestrian crashes with the reduction of modal conflict points (bike/ped, bike/vehicle, ped/vehicle, and vehicle/vehicle) or safety improvements that address these modal conflicts: <b>60 to 120 Points (34 to 67 Percent of Points)</b></li> <li>• Demonstrates the project’s ability to correct deficiencies: <b>30 to 60 Points (17 to 34 Percent of Points)</b></li> </ul>

# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections</b> <b>(150 Points; 15 Percent of Points)</b>	<p><b>A. List the transit route numbers directly and indirectly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> <li>Existing routes indirectly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) indirectly connected to the project</li> </ul>	<p><b>50 Points</b></p>	<p><b>A &amp; B. 50 Points (50 Percent of Points)</b>                      The applicant should provide a response to measures A and B. The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <p>The scorer will weigh the project’s connections to transit (as measured through annual transit ridership) and bikeways. A higher value will be placed on existing transit ridership and infrastructure connections present at the time of project construction over future transit ridership and planned infrastructure connections.</p>
	<p><b>B. Identify the bikeway connections to the project, describe these existing facilities. Applicants should also discuss any bikeway connections that will be constructed before the completion of the proposed project, or planned future connections. If the bikeway connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</b></p>		
	<p><b>C. Discuss any transit or bicycle elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing transit and bicycle accommodations. Furthermore, the applicant should address how the proposed pedestrian facility project safely integrates all modes of transportation (i.e., pedestrians, transit, bicyclists, and vehicles). Applicants should note if there is no transit service in the project area and identify supporting studies or plans that address why a mode may not be incorporated into the project.</b></p>	<p><b>50 Points</b></p>	<p><b>C. 50 Points (50 Percent of Points)</b>                      The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>

# Pedestrian Facilities (Sidewalks, Streetscaping, and ADA) – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Risk Assessment (150 Points; 15 Percent of Points)	A. All applicants must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	150 Points	A. The applicant will receive up to the full points based on the eight Risk Assessment elements, as identified in the Risk Assessment within the application.
Total Points	1,000 Points		

# Safe Routes to School – Scoring Guidelines (DRAFT)

July 10, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Relationship between Safe Routes to School Program Elements <b>(250 Points; 25 Percent of Points)</b>	A. Describe how the 5 Es are integrated into the SRTS program associated with the project. The response should include examples, collaborations or partnerships, and planned activities to further illustrate the incorporation of the 5Es into the SRTS program associated with the project.	<b>250 Points</b>	<p>A. The applicant will receive the full points based on the program's ability to demonstrate the incorporation of each of the 5Es through activities completed or to be implemented in the near-term (within five years). Applicants will receive up to the full points for each element at the scorer's discretion.</p> <ul style="list-style-type: none"> <li>• Engineering: <b>50 Points</b> (20 Percent of Points)</li> <li>• Education: <b>50 Points</b> (20 Percent of Points)</li> <li>• Enforcement: <b>50 Points</b> (20 Percent of Points)</li> <li>• Encouragement: <b>50 Points</b> (20 Percent of Points)</li> <li>• Evaluation: <b>50 Points</b> (20 Percent of Points)</li> </ul>
Usage <b>(150 Points; 15 Percent of Points)</b>	A. Average share of student population that currently bikes or walks to school, as identified on the Safe Routes to School student travel tally worksheet. Applicants should also attach copies of all original travel tally documentation.	<b>90 Points</b>	<p>A. <b>90 Points</b> (60 Percent of Points) The applicant with the highest average share of student population that current bikes or walks to school will receive the full points. Remaining projects will receive a proportional share of the full points.</p>
	B. Student population within a half-mile of the elementary school or one mile of the middle school or high school.	<b>60 Points</b>	<p>B. <b>60 Points</b> (40 Percent of Points) The applicant with the highest student population within a half-mile of the elementary school or one mile of the middle school or high school will receive the full points. Remaining projects will receive a proportional share of the full points.</p>

# Safe Routes to School – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Equity</b> <b>(150 Points; 15 Percent of Points)</b>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; students; and people with disabilities. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty</li> <li>Project located in Concentrated Area of Poverty</li> <li>Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>105 Points</b></p>	<p><b>A. 105 Points (70 Percent of Points)</b>  The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. Note: Metropolitan Council staff will score this measure.</p> <ul style="list-style-type: none"> <li>Project located in Racially Concentrated Area of Poverty: <b>0 to 105 Points (0 to 100 Percent of Points)</b></li> <li>Project located in Concentrated Area of Poverty: <b>0 to 84 Points (0 to 80 Percent of Points)</b></li> <li>Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 63 Points (0 to 60 Percent of Points)</b></li> <li>Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations: <b>0 to 42 Points (0 to 40 Percent of Points)</b></li> </ul>
	<p><b>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</b></p>		<p><b>45 Points</b></p>

# Safe Routes to School – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Deficiencies and Safety (250 Points; 25 Percent of Points)</p>	<p>A. Discuss how the project will overcome barriers (i.e., bridge or tunnel), fill gaps, or connect system segments in the pedestrian/bicycle network serving a K-12 school. (200 words or less). If the project is crossing or circumventing a barrier (e.g., river, stream, railroad corridor, freeway, or multi-lane highway), the applicant should demonstrate the magnitude of the barrier (number of lanes, average daily traffic, posted speed, etc.) and how the proposed project will improve travel across or around that barrier. Distance to and condition of the nearest parallel crossing of the barrier should also be provided, including the presence or absence of bicycle and pedestrian facilities, the number of lanes, average daily traffic, and the posted speed limit.</p>	<p>100 Points</p>	<p>A. <b>100 Points (40 Percent of Points)</b>            If the applicant is proposing to close a system gap to improve continuity and/or connections to the project school, the applicant will receive full points if the response (200 words or less) and project map demonstrate the project’s ability to fully address the connection/gap.</p> <p>If the applicant is proposing to provide a facility to cross or circumvent a physical barrier (i.e., bridge or tunnel), the applicant removing the most critical barrier will receive the full points, as described through the discussion of the magnitude and type of barrier to be crossed; the distance to the nearest parallel crossing; the type of facility and its condition at this alternate crossing; and as demonstrated on the project map. Projects with an alternate crossing that has a safe bicycle/pedestrian facility within one mile should be considered a non-critical barrier and should be scored lower than barriers with a greater distance to a parallel crossing. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>

# Safe Routes to School – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Deficiencies and Safety (Continued) <b>(250 Points; 25 Percent of Points)</b></p>	<p>B. Discuss how the project will correct existing deficiencies or address an identified safety or security problem on the facility or within the project site.</p>	<p><b>150 Points</b></p>	<p><b>B. 150 Points (60 Percent of Points)</b> The applicant will receive the points shown below, based on the magnitude of the deficiencies or safety issues and the quality of the improvements, as addressed in the response (200 words or less). Improvements which are supported by crash reduction factors, safety studies, survey data, and/or stakeholder engagement should be scored highest. The project with the most extensive improvements will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion.</p> <ul style="list-style-type: none"> <li>• Applicant provides actual bicycle, pedestrian, and vehicle crash data to demonstrate the magnitude of the existing safety problem. Applicant also demonstrates that the project will reduce the crash potential and provide a safer environment and/or correct a deficiency, supported by crash reduction factors, safety studies, survey data, and/or stakeholder engagement: <b>100 to 150 Points (67 to 100 Percent of Points)</b></li> <li>• Applicant demonstrates the project’s ability to reduce the risk for bicycle and pedestrian crashes with the reduction of modal conflict points (bike/ped, bike/car, ped/car, and vehicle/vehicle) or safety improvements that address these modal conflicts: <b>50 to 100 Points (34 to 67 Percent of Points)</b></li> <li>• Demonstrates the project’s ability to correct deficiencies: <b>25 to 50 Points (17 to 34 Percent of Points)</b></li> </ul>

# Safe Routes to School – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Multimodal Facilities (Transit) and Connections (50 Points; 5 Percent of Points)</b></p>	<p><b>A. List the transit route numbers directly and indirectly connected to the project. Indirect connections must be within a half mile of elementary schools and one mile of middle or high schools. Metropolitan Council staff will calculate annual transit ridership. If applicable, applicants must also provide student public transit ridership and public transit policy information to be used for MnDOT SRTS information purposes only.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> <li>Existing routes indirectly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) indirectly connected to the project</li> </ul>	<p><b>50 Points</b></p>	<p><b>A. The applicant with route connections having the highest annual transit ridership will receive the full points shown below. Remaining projects will receive a proportional share of the full points. If provided, student public transit ridership and public transit policy information will be used for MnDOT SRTS information purposes only and should not impact scoring.</b></p> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project: <b>15 Points (30 Percent of Points)</b></li> <li>Planned transitways directly connected to the project: <b>15 Points (30 Percent of Points)</b></li> <li>Existing routes indirectly connected to the project: <b>10 Points (20 Percent of Points)</b></li> <li>Planned transitways indirectly connected to the project: <b>10 Points (20 Percent of Points)</b></li> </ul>
<p><b>Public Engagement/ Risk Assessment (150 Points; 15 Percent of Points)</b></p>	<p><b>A. Describe the public engagement process that will be used to include partners and stakeholders (e.g., schools parents, law enforcement, road authorities, and other impacted community members) and build consensus during the development of the proposed project. The number and types of meetings to be held, notices or other notification distributed, stakeholder contacts, adoption of the SRTS plan by the community and school district, and any additional descriptive information should be included in the discussion of the engagement process. If collected, copies of all parent survey results must also be attached to the application.</b></p>	<p><b>50 Points</b></p>	<p><b>A. 50 Points (34 Percent of Points)</b>  The applicant will be scored on the comprehensiveness and quality of the planned public engagement activities. Additionally, applicants with a project selected through a public engagement process should score higher than projects without this engagement step. Community support, as displayed through parent surveys, stakeholder contacts, and/or adoption of the SRTS plan by the community and school district, should also be considered in the scoring. Note: parent surveys are attached for MnDOT informational purposes only.</p> <p>The project with the most extensive near-term engagement process (current year through project construction year), including any completed engagement activities for the proposed project, will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.</p>



## Safe Routes to School – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Public Engagement/ Risk Assessment (Continued) (150 Points; 15 Percent of Points)	B. All applicants must complete the Risk Assessment Checklist. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	100 Points	<b>B. 100 Points (64 Percent of Points)</b> The applicant will receive up to the full points based on the eight Risk Assessment elements, as identified within the application.
Total Points	1,000 Points		

# Transit Expansion – Scoring Guidelines (DRAFT)

July 10, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions	
<b>Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Points)</b>	<p><b>A. Identify the location of the project as it relates to Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions, as well as local activity centers (check boxes and response):</b></p> <ul style="list-style-type: none"> <li>• Direct connection to a Job Concentration within 1/4 mile of a bus stop or within 1/2 mile of a transitway station</li> <li>• Direct connection to a Manufacturing/Distribution Location within 1/4 mile of a bus stop and 1/2 mile of a transitway station.</li> <li>• Direct connection to an Educational Institution within 1/4 mile of a bus stop or within 1/2 mile of a transitway station</li> <li>• Project provides a direct connection to an existing local activity center identified in an adopted county or city plan within 1/4 mile of a bus stop or within 1/2 mile of a transitway station.</li> </ul>	<p><b>33 Points</b></p>	<p><b>A. 33 Points</b>                      The applicant will receive the points shown for the type of connection made by the project. The applicant can only score 33, 20, or 0 points for this measure. If the project provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</p> <ul style="list-style-type: none"> <li>• Job Concentration(s): <b>33 Points</b></li> <li>• Manufacturing/Distribution Location(s): <b>33 Points</b></li> <li>• Educational Institution(s): <b>33 Points</b></li> <li>• Local activity center(s): <b>20 Points</b></li> <li>• None of the above: <b>0 Points</b></li> </ul>	
	<p><b>B. Metropolitan Council staff will calculate the population located within 1/4 mile of the project’s bus stops or 1/2 mile of transitway stations.</b></p>		<p><b>33 Points</b></p>	<p><b>B. 33 Points</b>                      The applicant with the highest population will receive the full points. Remaining projects will receive a proportional share of the full points.</p> <ul style="list-style-type: none"> <li>• Using the Metropolitan Council model, all traffic analysis zones that are included in or intersect the buffer area around the project will be included in the analysis.</li> </ul>
	<p><b>C. List the transit route numbers directly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b></p> <ul style="list-style-type: none"> <li>• Existing routes directly connected to the project</li> <li>• Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> </ul>		<p><b>34 Points</b></p>	<p><b>C. 34 Points</b>                      The applicant with route connections having the highest annual transit ridership will receive the full points. Remaining projects will receive a proportional share of the full points.</p> <ul style="list-style-type: none"> <li>• Existing routes directly connected to the project: <b>24 Points</b></li> <li>• Planned transitways directly connected to the project: <b>10 Points</b></li> </ul>

# Transit Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage <b>(350 Points; 35 Percent of Points)</b></p>	<p><b>A. Calculate the cost effectiveness of the project per total rider. Based on the type of service, as detailed below, the applicant or Metropolitan Council staff will estimate the total annual transit ridership (existing plus new ridership) that is produced by the new project in the third year of service. The applicant or Met Council staff will then use the estimated total annual transit ridership and total annual project cost as inputs to calculate cost effectiveness.</b></p> <ul style="list-style-type: none"> <li><b>Cost Effectiveness of Total Ridership</b> = Total annual project cost / total annual ridership</li> </ul> <p><b>Measure response by service type:</b></p> <ul style="list-style-type: none"> <li><b>Express Routes:</b> Applicant will calculate cost effectiveness using the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to get total 2020 ridership (equivalent to third year of service).</li> <li><b>Transitways:</b> Applicant will provide total annual project cost. Met Council staff will calculate cost effectiveness using forecast data for transitways approved by Met Council staff to get total ridership in the third year of service.</li> <li><b>Urban and Suburban Local Routes:</b> Applicant will calculate cost effectiveness using an average of peer routes currently in service to develop a total ridership estimate for the third year of service. Applicants must describe how a peer route was selected in the response, and will then take the passengers per in service hour of that route to apply a rate of ridership to the proposed service.</li> </ul>	<p><b>105 Points</b></p>	<p><b>A. 105 Points</b></p> <p>The applicant with the lowest project cost per rider, equal to total annual project cost divided by total annual ridership, will receive the full points. Remaining projects will receive a proportional share of the full points.</p> <p>For urban and suburban local bus service, scorers should adjust the score if the applicant’s methodology for ridership estimation is insufficient, based on whether the selected peer routes exist in the same TPP market area or serve locations with similar development patterns. If selected peer routes do not meet one of these standards, the scorer should deduct points from the score. 50 percent of points should be deducted if the applicant provides no methodology. Up to 30 percent of points should be deducted if the estimation methodology is not sound.</p>

# Transit Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage (Continued) (350 Points; 35 Percent of Points)</p>	<p><b>B. Calculate the cost effectiveness of the project per new rider. Based on the type of service, as detailed below, the applicant or Metropolitan Council staff will estimate the total annual new transit ridership that is produced by the new project in the third year of service. The applicant or Met Council staff will then use the estimated total annual transit ridership and total annual project cost as inputs to calculate cost effectiveness.</b></p> <ul style="list-style-type: none"> <li>• <b>Cost Effectiveness of New Ridership</b> = Total annual project cost / total annual new ridership</li> </ul> <p><b>Measure response by service type:</b></p> <ul style="list-style-type: none"> <li>• <b>Express Routes:</b> Applicant will calculate cost effectiveness using the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to get 2020 new ridership (equivalent to third year of service).</li> <li>• <b>Transitways:</b> Applicant will provide total annual project cost. Met Council staff will calculate cost effectiveness using forecast data for transitways approved by Met Council staff to get new ridership in the third year of service.</li> <li>• <b>Urban and Suburban Local Routes:</b> Applicant will calculate cost effectiveness using an average of peer routes currently in service to develop a new ridership estimate for the third year of service. Applicants must describe how a peer route was selected in the response, and will then take the passengers per in service hour of that route to apply a rate of ridership to the proposed service.</li> </ul>	<p><b>175 Points</b></p>	<p><b>B. 175 Points</b></p> <p>The applicant with the lowest project cost per new rider, equal to total annual project cost divided by total annual new ridership, will receive the full points. Remaining projects will receive a proportional share of the full points.</p> <p>For urban and suburban local bus service, scorers should adjust the score if the applicant’s methodology for ridership estimation is insufficient, based on whether the selected peer routes exist in the same TPP market area or serve locations with similar development patterns. If selected peer routes do not meet one of these standards, the scorer should deduct points from the score. 50 percent of points should be deducted if the applicant provides no methodology. Up to 30 percent of points should be deducted if the estimation methodology is not sound</p>

# Transit Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage (Continued) <b>(350 Points; 35 Percent of Points)</b></p>	<p><b>C. Calculate the Operating Cost Effectiveness of the project.</b> This measure is the new annual operating cost of the project per new annual rider in the third year of service. Based on the type of service, as detailed below, the applicant or Metropolitan Council staff will estimate the total annual new transit ridership that is produced by the new project in the third year of service. The applicant or Met Council staff will then use the estimated total new annual transit ridership and total annual new operating cost as inputs to calculate cost effectiveness.</p> <ul style="list-style-type: none"> <li>• <b>Operating Cost Effectiveness</b> = Total new annual operating cost / total annual new ridership</li> </ul> <p><b>Measure response by service type:</b></p> <ul style="list-style-type: none"> <li>• <b>Express Routes:</b> Applicant will calculate cost effectiveness using the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to get 2020 new ridership (equivalent to third year of service).</li> <li>• <b>Transitways:</b> Met Council staff will calculate cost effectiveness using forecast data for transitways approved by Met Council staff to get new ridership in the third year of service.</li> <li>• <b>Urban and Suburban Local Routes:</b> Applicant will calculate cost effectiveness using an average of peer routes currently in service to develop a new ridership estimate for the third year of service. Applicants must describe how a peer route was selected in the response, and will then take the passengers per in service hour of that route to apply a rate of ridership to the proposed service.</li> </ul>	<p><b>70 Points</b></p>	<p><b>C. 70 Points</b> The applicant with the lowest project operating cost per new rider, equal to total annual project-related operating cost divided by total annual new ridership, will receive the full points. Remaining projects will receive a proportional share of the full points.</p> <p>For urban and suburban local bus service, scorers should adjust the score if the applicant’s methodology for ridership estimation is insufficient, based on whether the selected peer routes exist in the same TPP market area or serve locations with similar development patterns. If selected peer routes do not meet one of these standards, the scorer should deduct points from the score. 50 percent of points should be deducted if the applicant provides no methodology. Up to 30 percent of points should be deducted if the estimation methodology is not sound.</p>

# Transit Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Equity (200 Points; 20 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty</li> <li>• Project located in Concentrated Area of Poverty</li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>140 Points</b></p>	<p><b>A. 140 Points</b></p> <p>The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. <b>Note: Metropolitan Council staff will score this measure.</b></p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty: <b>0 to 140 Points</b></li> <li>• Project located in Concentrated Area of Poverty: <b>0 to 112 Points</b></li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 84 Points</b></li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 56 Points</b></li> </ul>

# Transit Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Equity (Continued) <b>(200 Points; 20 Percent of Points)</b></p>	<p>B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.</p>	<p><b>60 Points</b></p>	<p><b>B. 60 Points</b> The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a proportional share of the full points. Note: Metropolitan Council staff will score this measure.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city or township scores for the project location based on the length of the project in each jurisdiction.</p>
<p>Emissions Reduction <b>(200 Points; 20 Percent of Points)</b></p>	<p>A. The applicant must show that the project will reduce CO, NOx, CO2, PM2.5, and/or VOC due to the reduction in SOV trips or the reduction in VMT. After the applicant has provided these inputs, Metropolitan Council staff will apply an emissions factor to the VMT and SOV trip reduction to determine the reduced emissions.</p> <ul style="list-style-type: none"> <li>• Daily VMT Reduction = (New Daily Transit Riders x 2) x Distance from Terminal to Terminal</li> </ul> <p>or</p> <ul style="list-style-type: none"> <li>• SOV trip reduction = (New Daily Transit Riders x 2) / Average Auto Occupancy</li> </ul> <p>B. Calculate the cost effectiveness of the project per KG of emissions reduced.</p> <ul style="list-style-type: none"> <li>• Cost effectiveness = Total annual project cost / kg of emissions reduced per day</li> </ul>	<p><b>133 Points</b></p>	<p><b>A. 133 Points</b> The applicant with the greatest reduction in emissions, as equal to kg of emissions reduced per day due to SOV trip reduction and VMT reduction, will receive the full points. Remaining projects will receive a proportional share of the full points.</p> <p><b>B. 67 Points</b> The applicant with the lowest project cost per kg of emissions reduced, equal to total annual project cost divided by kg of emissions reduced per day, will receive the full points. Remaining projects will receive a proportional share of the full points.</p>

# Transit Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections</b> <b>(100 Points; 10 Percent of Points)</b>	<p><b>A. Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian or bicycle connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</b></p>	<p><b>50 Points</b></p>	<p><b>A. 50 Points (50 Percent of Points)</b>                      The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.                      The scorer will weigh the project’s connections to bikeways, high-traffic pedestrian areas (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) as detailed in the required response (200 words or less), and other pedestrian facilities. A higher value will be placed on connections present at the time of project construction over planned future connections.</p>
	<p><b>B. Discuss any roadway, bicycle, or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing roadway, bicycle, and pedestrian accommodations. Additionally, the applicant should address how the proposed project safely integrates all modes of transportation (i.e., transit, bicyclists, pedestrians, and vehicles).</b></p>		<p><b>B. 50 Points (50 Percent of Points)</b>                      The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion.  <b>Suggested improvements are listed below:</b></p> <ul style="list-style-type: none"> <li>• Improves the safety and security of the pedestrian or bicyclist (e.g., pedestrian-scale lighting, removing obstructions to create safe gathering spaces, leading pedestrian signal phasing, traffic calming, bike facilities separated from pedestrians)</li> <li>• Improves the quality of the travel experience (e.g., pavement improvements, public art, benches, wayfinding)</li> <li>• Improves the pedestrian network near the transit stop/station</li> <li>• Improves the bicycle network near the transit stop/station</li> </ul>



## Transit Expansion – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Risk Assessment (50 Points; 5 Percent of Points)	A. Applications involving construction must complete the Risk Assessment Checklist. All other projects do not need to complete this form and will receive all possible points under this criterion if the project meets funding requirements. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	50 Points	A. The applicant will receive up to the full points based on the eight Risk Assessment elements. A project that is not required to complete the checklist will receive full points.
Total Points		1,000 Points	

# Transit System Modernization – Scoring Guidelines (DRAFT)

Updated July 10, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Points)</b>	<p><b>A. Identify the location of the project as it relates to Job Concentrations, Manufacturing/Distribution Locations, and Educational Institutions, as well as local activity centers (check boxes and response):</b></p> <ul style="list-style-type: none"> <li>• Direct connection to a Job Concentration within 1/4 mile of a bus stop or within 1/2 mile of a transitway station</li> <li>• Direct connection to a Manufacturing/Distribution Location within 1/4 mile of a bus stop and 1/2 mile of a transitway station.</li> <li>• Direct connection to an Educational Institution within 1/4 mile of a bus stop or within 1/2 mile of a transitway station</li> <li>• Project provides a direct connection to an existing local activity center identified in an adopted county or city plan within 1/4 mile of a bus stop or within 1/2 mile of a transitway station.</li> </ul>	<p><b>33 Points</b></p>	<p><b>A. 33 Points</b>                      The applicant will receive the points shown for the type of connection made by the project. The applicant can only score 33, 20, or 0 points for this measure. If the project provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</p> <ul style="list-style-type: none"> <li>• Job Concentration(s): <b>33 Points</b></li> <li>• Manufacturing/Distribution Location(s): <b>33 Points</b></li> <li>• Educational Institution(s): <b>33 Points</b></li> <li>• Local activity center(s): <b>20 Points</b></li> <li>• None of the above: <b>0 Points</b></li> </ul>
	<p><b>B. Met Council staff will calculate the population located within 1/4 mile of the project's bus stops or 1/2 mile of transitway stations.</b></p>		<p><b>33 Points</b></p>

# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy (Continued)</b> <b>(100 Points; 10 Percent of Points)</b>	<b>C. List the transit route numbers directly connected to the project. Metropolitan Council staff will calculate annual transit ridership.</b> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project</li> <li>Planned transitways (alignment and mode determined and identified in the 2030 TPP) directly connected to the project</li> </ul>	<b>34 Points</b>	<b>C. 34 Points</b> <b>The applicant with route connections having the highest annual transit ridership will receive the full points. Remaining projects will receive a proportional share of the full points.</b> <ul style="list-style-type: none"> <li>Existing routes directly connected to the project: <b>24 Points</b></li> <li>Planned transitways directly connected to the project: <b>10 Points</b></li> </ul>

# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage <b>(300 Points; 30 Percent of Points)</b></p>	<p><b>A. Calculate the cost effectiveness of the project per total rider. Based on the type of service, as detailed below, the applicant or Metropolitan Council staff will estimate the total annual transit ridership (existing plus new ridership) that is produced by the new project in the third year of service. The applicant or Met Council staff will then use the estimated total annual transit ridership and total annual project cost as inputs to calculate cost effectiveness.</b></p> <ul style="list-style-type: none"> <li><b>Cost Effectiveness of Total Ridership=</b> Total annual project cost / total annual ridership</li> </ul> <p><b>Measure response by service type:</b></p> <ul style="list-style-type: none"> <li><b>Express Routes:</b> Applicant will calculate cost effectiveness using the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to get total 2020 ridership (equivalent to third year of service).</li> <li><b>Transitways:</b> Met Council staff will calculate cost effectiveness using forecast data for transitways approved by Met Council staff to get total ridership in the third year of service.</li> <li><b>Urban and Suburban Local Routes:</b> Applicant will calculate cost effectiveness using an average of peer routes currently in service to develop a total ridership estimate for the third year of service. Applicants must describe how a peer route was selected in the response, and will then take the passengers per in service hour of that route to apply a rate of ridership to the proposed service.</li> </ul>	<p><b>210 Points</b></p>	<p><b>A. 210 Points</b></p> <p>The applicant with the lowest project cost per rider, equal to total annual project cost divided by total annual ridership, will receive the full points. Remaining projects will receive a proportional share of the full points.</p> <p>For urban and suburban local bus service, scorers should adjust the score if the applicant’s methodology for ridership estimation is not reasonable, based on whether the selected peer routes exist in the same TPP market area or serve locations with similar development patterns. If selected peer routes do not meet one of these standards, the scorer should deduct points from the score. 50 percent of points should be deducted if the applicant provides no methodology. Up to 30 percent of points should be deducted if the estimation methodology is not sound.</p>

# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p>Usage (Continued) <b>(300 Points; 30 Percent of Points)</b></p>	<p><b>B. Calculate the Operating Cost Effectiveness of the project. Based on the type of service, as detailed below, the applicant or Metropolitan Council staff will estimate the new annual transit ridership that is produced by the new project in the third year of service. The applicant or Met Council staff will then use the estimated new annual transit ridership and new annual operating cost as inputs to calculate cost effectiveness.</b></p> <ul style="list-style-type: none"> <li><b>Operating Cost Effectiveness</b> = Total new annual operating cost / total annual new ridership</li> </ul> <p><b>Measure response by service type:</b></p> <ul style="list-style-type: none"> <li><b>Express Routes:</b> Applicant will calculate cost effectiveness using the park-and-ride demand estimation model in the 2030 Regional Park-and-Ride Plan to get 2020 new ridership (equivalent to third year of service).</li> <li><b>Transitways:</b> Met Council staff will calculate cost effectiveness using forecast data for transitways approved by Met Council staff to get new ridership in the third year of service.</li> <li><b>Urban and Suburban Local Routes:</b> Applicant will calculate cost effectiveness using an average of peer routes currently in service to develop a new ridership estimate for the third year of service. Applicants must describe how a peer route was selected in the response, and will then take the passengers per in service hour of that route to apply a rate of ridership to the proposed service.</li> </ul>	<p><b>90 Points</b></p>	<p><b>B. 90 Points</b></p> <p>The applicant with the lowest project operating cost per new rider, equal to total annual project-related operating cost divided by total annual new ridership, will receive the full points Remaining projects will receive a proportional share of the full points.</p> <p>For urban and suburban local bus service, scorers should adjust the score if the applicant’s methodology for ridership estimation is not reasonable, based on whether the selected peer routes exist in the same TPP market area or serve locations with similar development patterns. If selected peer routes do not meet one of these standards, the scorer should deduct points from the score. 50 percent of points should be deducted if the applicant provides no methodology. Up to 30 percent of points should be deducted if the estimation methodology is not sound.</p>

# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Equity (150 Points; 15 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty</li> <li>• Project located in Concentrated Area of Poverty</li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>105 Points</b></p>	<p><b>A. 105 Points</b>  <b>The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. Note: Metropolitan Council staff will score this measure.</b></p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty: <b>0 to 105 Points</b></li> <li>• Project located in Concentrated Area of Poverty: <b>0 to 84 Points</b></li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 63 Points</b></li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 42 Points</b></li> </ul>

# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Equity (Continued) (150 Points; 15 Percent of Points)	B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.	45 Points	<p><b>B. 45 Points</b></p> <p>The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a proportional share of the full points. Note: Metropolitan Council staff will score this measure.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city or township scores for the project location based on the length of the project in each jurisdiction.</p>
Emissions Reduction (100 Points; 10 Percent of Points)	A. Describe how the project will reduce CO, NOx, CO2, PM2.5, and/or VOC due to the reduction in SOV trips, reduction in VMT, and/or an increase of speeds. The applicant should also describe capital improvements that will reduce emissions and energy consumption.	100 Points	<p><b>A. 100 Points</b></p> <p>The applicant should describe improvements to rolling stock, increases in travel speed, facility improvements, and systemwide upgrades that will reduce congestion and/or improve energy efficiency. The application will be scored based on the improvements that are being made. Projects will receive a share of the full points at the scorer's discretion. (200 words or less).</p>
Service and Customer Improvements (150 Points; 15 Percent of Points)	<p>A. Indicate existing and proposed travel times and calculate the percent reduction in transit passenger travel time due to the project:</p> <ul style="list-style-type: none"> <li>Existing passenger travel time (applicant can use average passenger travel time if project benefits multiple routes)</li> <li>Proposed travel time from project site to terminal</li> <li>Percent reduction in travel time</li> </ul>	75 Points	<p><b>A. 75 Points</b></p> <p>The applicant with the greatest reduction in travel time will receive the full points. Remaining projects will receive a proportional share of the full points.</p>

# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Service and Customer Improvements (Continued)</b> <b>(150 Points; 15 Percent of Points)</b>	<b>B. Identify the estimated percent reduction in operating and maintenance costs that will result from this project. Operating and maintenance costs are external to the project, and do not include costs associated with the construction or procurement of facilities, vehicles, or equipment. The percent reduction in operating and maintenance costs will be calculated automatically.</b>	<b>38 Points</b>	<b>B. 38 Points</b> The applicant with the greatest reduction in operating and maintenance costs will receive the full points. Remaining projects will receive a proportional share of the full points.
	<b>C. Discuss how the project will improve transit service to the users. Proposed improvements and amenities can include, but are not limited to the following:</b> <ul style="list-style-type: none"> <li>• Improved boarding area</li> <li>• Improved passenger waiting facilities</li> <li>• Real-time signage</li> <li>• Heated facilities or weather protection</li> <li>• Safety and security equipment</li> <li>• Improved lighting</li> <li>• ITS measures that improve reliability and the customer experience</li> <li>• Transit advantages</li> </ul>	<b>37 Points</b>	<b>C. 37 Points</b> The applicant should describe improvements included in the project that will make transit service more attractive and improve the user experience. The project will be scored based on the quality of the responses. Projects will receive a share of the full points at the scorer’s discretion.



# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Multimodal Facilities and Connections (100 Points; 10 Percent of Points)</b>	<p>A. Identify the pedestrian and bicycle connections to the project, describe these existing facilities, and discuss how the project provides a direct connection to an existing high pedestrian-traffic area identified in an adopted county or city plan or study. Applicants should also discuss any pedestrian or bicycle connections that will be constructed before the completion of the proposed project, or planned future connections. If the pedestrian connection is planned, also describe the timing of the project and the adopted county or city plan or study that identifies this facility.</p>	<p><b>50 Points</b></p>	<p><b>A. 50 Points (50 Percent of Points)</b>                      The project with the most extensive connections to other modes will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion. The scorer will weigh the project’s connections to bikeways, high-traffic pedestrian areas (e.g., commercial, mixed-use, or entertainment nodes/districts; town or village centers) as detailed in the required response (200 words or less), and other pedestrian facilities. A higher value will be placed on connections present at the time of project construction over planned future connections.</p>
	<p>B. Discuss any roadway, bicycle, or pedestrian elements that are included as part of the project and how they improve the travel experience for users of these modes. Also, describe the existing roadway, bicycle, and pedestrian accommodations. Additionally, the applicant should address how the proposed project safely integrates all modes of transportation (i.e., transit, bicyclists, pedestrians, and vehicles).</p>		<p><b>B. 50 Points (50 Percent of Points)</b>                      The project with the most comprehensive enhancements to the travel experience and safe integration of other modes, as addressed in the required response (200 words or less), will receive the full points. Remaining projects will receive a share of the full points at the scorer’s discretion. Suggested improvements are listed below:</p> <ul style="list-style-type: none"> <li>• Improves the safety and security of the pedestrian or bicyclist (e.g., pedestrian-scale lighting, removing obstructions to create safe gathering spaces, leading pedestrian signal phasing, traffic calming, bike facilities separated from pedestrians)</li> <li>• Improves the quality of the travel experience (e.g., pavement improvements, public art, benches, wayfinding)</li> <li>• Improves the pedestrian network near the transit stop/station</li> <li>• Improves the bicycle network near the transit stop/station</li> </ul>

# Transit System Modernization – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Risk Assessment (100 Points; 10 Percent of Points)	A. Applications involving construction must complete the Risk Assessment Checklist. All other projects do not need to complete this form and will receive all possible points under this criterion if the project meets funding requirements. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	100 Points	A. The applicant will receive up to the full points based on the eight Risk Assessment elements. A project that is not required to complete the checklist will receive full points.
Total Points	1,000 Points		

# TDM – Scoring Guidelines (DRAFT)

Updated July 10, 2014

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Role in the Regional Transportation System and Economy (100 Points; 10 Percent of Points)</b>	<p><b>A. Identify the location of the project as it relates to the Job Concentrations, Manufacturing/Distribution Locations and Educational Institutions , as well as local activity centers (check boxes and response):</b></p> <ul style="list-style-type: none"> <li>• Direct connection to or within a Job Concentration</li> <li>• Direct Connection to a Manufacturing/Distribution Location</li> <li>• Direct connection to or within an Educational Institution</li> <li>• Project provides a direct connection to or within an existing local activity center identified in an adopted county or city plan</li> </ul>	<p><b>50 Points</b></p>	<p><b>A. 50 Points</b>                      The applicant will receive the points shown for the type of connection made by the project. The applicant can only score 50, 40, 30, or 0 points for this measure. If the project provides a connection to a local activity center, the applicant must describe the adopted county or city plan identifying this area to receive points.</p> <ul style="list-style-type: none"> <li>• Job Concentration(s): <b>50 Points</b></li> <li>• Manufacturing/Distribution Location(s): <b>40 Points</b></li> <li>• Educational Institution(s): <b>40 Points</b></li> <li>• Local activity center(s) in an adopted county or city plan: <b>30 Points</b></li> <li>• None of the above: <b>0 Points</b></li> </ul>
	<p><b>B. Identify the existing regional transportation facilities and resources on which the project will capitalize (transit stations, bikeways, etc.).</b></p>		<p><b>25 Points</b></p>

# TDM – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<p><b>Usage</b> <b>(100 Points; 10 Percent of Points)</b></p>	<p><b>A. Calculate the cost effectiveness of the project per user. A direct project user is someone who will participate in the TDM program or project, and not one who receives an indirect benefit from the project. For example, if the project involves teleworking, a user would be the individual that is teleworking, not the roadway users that benefit from reduced congestion.</b></p> <ul style="list-style-type: none"> <li>• Cost effectiveness = Total annual project cost/ total annual users</li> </ul>	<p><b>100 Points</b></p>	<p><b>A. 100 Points</b> The applicant with the lowest project cost per user, equal to total annual project cost divided by total users, will receive the full points. Remaining projects will receive a proportional share of the full points.</p>
<p><b>Equity</b> <b>(150 Points; 15 Percent of Points)</b></p>	<p><b>A. Identify the project’s location from the list below and describe the project’s positive benefits, and negative impacts, and mitigation for low-income populations; people of color; children, people with disabilities, and the elderly. Geographic proximity alone is not sufficient to receive the full points listed below. In order to receive the maximum points, the response should address the benefits, impacts, and mitigation for the populations listed above (checked boxes and response).</b></p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty</li> <li>• Project located in Concentrated Area of Poverty</li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color</li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above</li> </ul>	<p><b>105 Points</b></p>	<p><b>A. 105 Points</b> The applicant will fully describe the positive benefits and negative impacts (with mitigation to address the issue) for those identified groups (200 words or less). The project with the most positive benefits and appropriate mitigation for negative impacts will receive the full points for each category below. Remaining projects will receive a share of the full points at the scorer’s discretion. Note: Metropolitan Council staff will score this measure.</p> <ul style="list-style-type: none"> <li>• Project located in Racially Concentrated Area of Poverty: <b>0 to 105 Points</b></li> <li>• Project located in Concentrated Area of Poverty: <b>0 to 84 Points</b></li> <li>• Project’s census tracts are above the regional average for population in poverty or population of color: <b>0 to 63 Points</b></li> <li>• Project is not located in one of above identified areas listed in 1-3; however, people of color or low-income populations are included in the project area in lower concentrations, or other populations listed above: <b>0 to 42 Points</b></li> </ul>

# TDM – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Equity (Continued) (150 Points; 15 Percent of Points)	B. Metropolitan Council staff will award points to the project based on the 2014 Housing Performance Score for the city or township in which the project is located. The score includes consideration of affordability and diversification, local initiatives to facilitate affordable workforce housing development or preservation, and density of residential development.	45 Points	<p><b>B. 45 Points</b> The applicant with the highest 2014 Housing Performance Score (calculated from the Summer 2014 survey with the 2012 calculation methodology) will receive the full points. Remaining projects will receive a fraction of the full points equal to the Housing Performance Score for the application being scored divided by the highest Housing Performance Score.</p> <p>Projects will use the city Housing Performance Score based on the project location. If a project is located in more than one jurisdiction the points will be awarded based on a weighted average of the city scores for the project location based on the length of the project in each jurisdiction.</p>
Congestion Reduction/Air Quality (400 Points; 40 Percent of Points)	A. Describe the congested roadways in the geographic area of the project and how this project will address or alleviate those issues by reducing congestion and/or single occupancy vehicle (SOV) trips.	200 Points	<p><b>A. 200 Points</b> The applicant will receive full points based on the quality of the response. Remaining projects will receive a share of the full points at the scorer's discretion.</p> <ul style="list-style-type: none"> <li>The project is located in an area of traffic congestion: 60 Points</li> <li>The project will reduce congestion and/or SOV trips in the project area: 140 Points</li> </ul>
	<p>B. The applicant must show that the project will reduce CO, NOx, CO2, PM2.5, and/or VOC due to the reduction in VMT.</p> <p>After the applicant has provided these inputs, Metropolitan Council staff will apply an emissions factor to the VMT reduction to determine the total reduced emissions.</p> <ul style="list-style-type: none"> <li>VMT reduced = Number of one-way commute trips reduced * 12.1</li> </ul>	200 Points	<p><b>B. 200 Points</b> The applicant with the greatest reduction in emissions will receive the full points. Remaining projects will receive a proportional share of the full points.</p>

# TDM – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Innovation (200 Points; 20 Percent of Points)</b>	<b>A. Describe how the project is innovative.</b>	<b>100 Points</b>	<b>A. 100 Points</b> The applicant will receive the full points shown for each of innovation categories based on the quality of the response (200 words or less). The applicant with the top score will receive full points. Remaining projects will receive a proportional share of the full points. <ul style="list-style-type: none"> <li>• Project introduces a new policy, program, or creative strategy: <b>50 Points</b></li> <li>• Concept has been proven in another setting and will be successful in the proposed setting: <b>30 Points</b></li> <li>• Project enhances an existing program: <b>20 Points</b></li> </ul>
	<b>B. Describe how the project is new to a particular geographic area or population.</b>	<b>100 Points</b>	<b>B. 100 Points</b> The applicant will receive a maximum of the points shown below based on the project’s ability to reach a previously unserved population or a new geographic area, as addressed in the response (200 words or less). The applicant with the top score will receive full points. Remaining projects will receive a proportional share of the full points. <ul style="list-style-type: none"> <li>• Project expands the geographic scope of an existing project: <b>50 Points</b></li> <li>• Project serves or engages a new group of people: <b>50 Points</b></li> </ul>

# TDM – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
<b>Risk Assessment (100 Points; 10 Percent of Points)</b>	<p>A. Describe the technical capacity of the applicant’s organization and what makes it well suited to deliver the project. The applicant should have experience implementing similar projects and adequate resources to deliver the project in a timely manner.</p>	<p><b>40 Points</b></p>	<p><b>A. 40 Points</b>                      The applicant will receive a maximum of the points listed below, based on the quality of their response (200 words or less). Highest scoring projects will be led by agencies with staff expertise in TDM, experience in the field, and adequate resources to deliver the project in a timely manner. The applicant with the top score will receive full points. Remaining projects will receive a proportional share of the full points.</p> <ul style="list-style-type: none"> <li>• Organization has experience implementing similar projects: <b>16 Points</b></li> <li>• Organization has adequate resources to implement the project in a timely manner: <b>24 Points</b></li> </ul>
	<p>B. Describe if the project will continue after the initial federal funds are expended. Identify potential future sources of funding, if needed, to continue the project.</p>	<p><b>30 Points</b></p>	<p><b>B. 30 Points</b>                      The applicant will receive a maximum of the points shown below based on the quality of their response. Applicants that receive the highest scores will have a financial plan in place to continue the project after the initial funding period. The applicant with the top score will receive full points. Remaining projects will receive a proportional share of the full points.</p> <ul style="list-style-type: none"> <li>• Project funding sources are identified and secured to continue the project past the initial funding period, and/or carry on the project to a future phase: <b>30 Points</b></li> <li>• Applicant has identified potential funding sources that could support the project beyond the initial funding period: <b>20 Points</b></li> <li>• Applicant has not identified funding sources to carry the project beyond the initial funding period: <b>0 Points</b></li> </ul>

## TDM – Scoring Guidelines (DRAFT)

Prioritizing Criteria	Measures	Maximum Points	Scoring Instructions
Risk Assessment (100 Points; 10 Percent of Points)	C. Applications involving construction must complete the Risk Assessment Checklist. All other projects do not need to complete this form and will receive all possible points under this criterion if the project meets funding requirements. The Risk Assessment Checklist includes activities completed to-date, as well as an assessment of risks (e.g., right-of-way acquisition, proximity to historic properties, etc.).	30 Points	C. 30 Points The applicant will receive up to the full points based on the eight Risk Assessment elements. A project that is not required to complete the checklist will receive full points.
Total Points		1,000 Points	