



Application

10353 - 2018 Roadway Expansion

10821 - 5. CSAH 7 (7th Avenue) Expansion in Andover

Regional Solicitation - Roadways Including Multimodal Elements

Status: Submitted
Submitted Date: 07/13/2018 9:49 AM

Primary Contact

Name:* Mr. Jack L Forslund
Salutation First Name Middle Name Last Name

Title: Transportation Planner

Department: Anoka County Transportation Division

Email: jack.forslund@co.anoka.mn.us

Address: 1440 Bunker Lake Boulevard NW

***** Andover Minnesota 55304-4005
City State/Province Postal Code/Zip

Phone:* 763-324-3179
Phone Ext.

Fax: 763-324-3020

What Grant Programs are you most interested in? Regional Solicitation - Roadways Including Multimodal Elements

Organization Information

Name: ANOKA COUNTY

Jurisdictional Agency (if different):

Organization Type:

County Government

Organization Website:

Address:

1440 BUNKER LAKE BLVD

*

ANDOVER

Minnesota

55304

City

State/Province

Postal Code/Zip

County:

Anoka

Phone:*

763-324-3100

Ext.

Fax:

763-324-3020

PeopleSoft Vendor Number

0000003633A15

Project Information

Project Name

CSAH 7 (7th Avenue) Expansion in Andover

Primary County where the Project is Located

Anoka

Cities or Townships where the Project is Located:

Andover

Jurisdictional Agency (If Different than the Applicant):

Brief Project Description (Include location, road name/functional class, type of improvement, etc.)

The roadway section proposed for the improvement is CSAH 7 (7th Avenue NW) from just north of CSAH 116 (Bunker Lake Blvd. NW) to CR 20 (157th Avenue NW) in the city of Andover. CSAH 7, an A Minor Expander, is currently a two-lane undivided roadway that has experienced substantial traffic growth in recent years and needs expansion to a four-lane divided roadway with intersection access modifications. The improved section would match that which currently exists on CSAH 7 to the south and north, effectively eliminating a traffic bottleneck. The expansion project will also include a multiuse trail east of the roadway, which will represent an extension of the trail from the south.

(Limit 2,800 characters; approximately 400 words)

TIP Description Guidance (will be used in TIP if the project is selected for funding)

CSAH 7 (7th Avenue NW) from north of CSAH 116 to CR 20 in Andover

Project Length (Miles) 1.7

to the nearest one-tenth of a mile

Project Funding

Are you applying for competitive funds from another source(s) to implement this project? No

If yes, please identify the source(s)

Federal Amount \$6,593,600.00

Match Amount \$1,648,400.00

Minimum of 20% of project total

Project Total \$8,242,000.00

Match Percentage 20.0%

Minimum of 20%

Compute the match percentage by dividing the match amount by the project total

Source of Match Funds Anoka County Highway Fund

A minimum of 20% of the total project cost must come from non-federal sources; additional match funds over the 20% minimum can come from other federal sources

Preferred Program Year

Select one: 2022

Select 2020 or 2021 for TDM projects only. For all other applications, select 2022 or 2023.

Additional Program Years:

Select all years that are feasible if funding in an earlier year becomes available.

Project Information: Roadway Projects

County, City, or Lead Agency Anoka County Highway Department

Functional Class of Road A-Minor Expander

Road System CSAH

TH, CSAH, MSAS, CO. RD., TWP. RD., CITY STREET

Road/Route No. 7

i.e., 53 for CSAH 53

Name of Road 7th Avenue NW

Example; 1st ST., MAIN AVE

Zip Code where Majority of Work is Being Performed 55304

(Approximate) Begin Construction Date 04/01/2022

(Approximate) End Construction Date 11/02/2022

TERMINI:(Termini listed must be within 0.3 miles of any work)

From:
(Intersection or Address)

CSAH 116 (Bunker Lake Blvd. NW)

To:
(Intersection or Address)

CR 20 (157th Avenue NW)

DO NOT INCLUDE LEGAL DESCRIPTION

Or At

Primary Types of Work

GRADE, AGG BASE, CURB and GUTTER, BIKE PATH, PED
RAMPS

*Examples: GRADE, AGG BASE, BIT BASE, BIT SURF,
SIDEWALK, CURB AND GUTTER, STORM SEWER,
SIGNALS, LIGHTING, GUARDRAIL, BIKE PATH, PED RAMPS,
BRIDGE, PARK AND RIDE, ETC.*

BRIDGE/CULVERT PROJECTS (IF APPLICABLE)

Old Bridge/Culvert No.:

New Bridge/Culvert No.:

Structure is Over/Under
(Bridge or culvert name):

Requirements - All Projects

All Projects

1. The project must be consistent with the goals and policies in these adopted regional plans: Thrive MSP 2040 (2014), the 2040 Transportation Policy Plan (2015), the 2040 Regional Parks Policy Plan (2015), and the 2040 Water Resources Policy Plan (2015).

Check the box to indicate that the project meets this requirement. Yes

2. The project must be consistent with the 2040 Transportation Policy Plan. Reference the 2040 Transportation Plan goals, objectives, and strategies that relate to the project.

From the TPP, Table 2-1, pages 2.6 through 2.16 as well as text from pages 2.17 to 2.55.

A. Goal: Transportation System Stewardship.

Objectives:

A. Efficiently preserve and maintain the regional transportation system in a state of good repair.

B. Operate the regional transportation system to efficiently and cost-effectively connect people and freight to destinations.

Strategies:

A1.

A2.

B. Goal: Safety and Security.

Objectives:

A. Reduce crashes and improve safety and security for all modes

of passenger travel and freight transport.

List the goals, objectives, strategies, and associated pages:

Strategies:

B1.

B6.

C. Goal: Access to Destinations.

Objectives:

A. Increase the availability of multimodal travel options, especially in congested highway corridors.

B. Increase travel time reliability and predictability for travel on highway and transit systems

E. Improve multimodal travel options for people of all ages and abilities to connect to jobs and other opportunities, particularly for historically under-represented populations.

Strategies:

C4.

C9.

C10.

D. Goal: Competitive Economy.

Objectives:

B. Invest in a multimodal transportation system to attract and retain businesses and residents.

C. Support the region's economic competitiveness through the efficient movement of freight.

Strategies:

D1.

D4.

E. Goal: Healthy Environment.

Objectives:

A. Reduce transportation-related air emissions.

B. Reduce impacts of transportation construction, operations, and use on the natural, cultural, and developed environments.

C. Increase the availability and attractiveness of transit, bicycling, and walking to encourage healthy communities and active car-free lifestyles.

D. Provide a transportation system that promotes community cohesion and connectivity for people of all ages and abilities, particularly for historically under-represented populations.

Strategies:

E1.

E3.

E4.

E5.

E6.

E7.

F. Goal: Leveraging Transportation Investments to Guide Land Use.

Objectives:

C. Encourage local land use design that integrates highways, streets, transit, walking, and bicycling.

Strategies:

F1.

F3.

F7.

3. The project or the transportation problem/need that the project addresses must be in a local planning or programming document. Reference the name of the appropriate comprehensive plan, regional/statewide plan, capital improvement program, corridor study document [studies on trunk highway must be approved by the Minnesota Department of Transportation and the Metropolitan Council], or other official plan or program of the applicant agency [includes Safe Routes to School Plans] that the project is included in and/or a transportation problem/need that the project addresses.

List the applicable documents and pages:

Andover 2030 Comprehensive Plan (Chapter 3 Transportation, p. 22)

4. The project must exclude costs for studies, preliminary engineering, design, or construction engineering. Right-of-way costs are only eligible as part of transit stations/stops, transit terminals, park-and-ride facilities, or pool-and-ride lots. Noise barriers, drainage projects, fences, landscaping, etc., are not eligible for funding as a standalone project, but can be included as part of the larger submitted project, which is otherwise eligible.

Check the box to indicate that the project meets this requirement. Yes

5. Applicants that are not cities or counties in the seven-county metro area with populations over 5,000 must contact the MnDOT Metro State Aid Office prior to submitting their application to determine if a public agency sponsor is required.

Check the box to indicate that the project meets this requirement. Yes

6. Applicants must not submit an application for the same project elements in more than one funding application category.

Check the box to indicate that the project meets this requirement. Yes

7. The requested funding amount must be more than or equal to the minimum award and less than or equal to the maximum award. The cost of preparing a project for funding authorization can be substantial. For that reason, minimum federal amounts apply. Other federal funds may be combined with the requested funds for projects exceeding the maximum award, but the source(s) must be identified in the application. Funding amounts by application category are listed below.

Roadway Expansion: \$1,000,000 to \$7,000,000

Roadway Reconstruction/ Modernization Modernization and Spot Mobility: \$1,000,000 to \$7,000,000

Traffic Management Technologies (Roadway System Management): \$250,000 to \$7,000,000

Bridges Rehabilitation/ Replacement: \$1,000,000 to \$7,000,000

Check the box to indicate that the project meets this requirement. Yes

8. The project must comply with the Americans with Disabilities Act (ADA).

Check the box to indicate that the project meets this requirement. Yes

9. In order for a selected project to be included in the Transportation Improvement Program (TIP) and approved by USDOT, the public agency sponsor must either have, or be substantially working towards, completing a current Americans with Disabilities Act (ADA) self-evaluation or transition plan that covers the public right of way/transportation, as required under Title II of the ADA.

The applicant is a public agency that employs 50 or more people and has an adopted ADA transition plan that covers the public right of way/transportation.

Yes

02/01/2018

Date plan adopted by governing body

The applicant is a public agency that employs 50 or more people and is currently working towards completing an ADA transition plan that covers the public rights of way/transportation.

Date process started

Date of anticipated plan completion/adoption

The applicant is a public agency that employs fewer than 50 people and has a completed ADA self-evaluation that covers the public rights of way/transportation.

Date self-evaluation completed

The applicant is a public agency that employs fewer than 50 people and is working towards completing an ADA self-evaluation that covers the public rights of way/transportation.

Date process started

Date of anticipated plan completion/adoption

(TDM Applicants Only) The applicant is not a public agency subject to the self-evaluation requirements in Title II of the ADA.

10. The project must be accessible and open to the general public.

Check the box to indicate that the project meets this requirement. Yes

11. The owner/operator of the facility must operate and maintain the project year-round for the useful life of the improvement, per FHWA direction established 8/27/2008 and updated 6/27/2017.

Check the box to indicate that the project meets this requirement. Yes

12. The project must represent a permanent improvement with independent utility. The term independent utility means the project provides benefits described in the application by itself and does not depend on any construction elements of the project being funded from other sources outside the regional solicitation, excluding the required non-federal match. Projects that include traffic management or transit operating funds as part of a construction project are exempt from this policy.

Check the box to indicate that the project meets this requirement. Yes

13. The project must not be a temporary construction project. A temporary construction project is defined as work that must be replaced within five years and is ineligible for funding. The project must also not be staged construction where the project will be replaced as part of future stages. Staged construction is eligible for funding as long as future stages build on, rather than replace, previous work.

Check the box to indicate that the project meets this requirement. Yes

14. The project applicant must send written notification regarding the proposed project to all affected state and local units of government prior to submitting the application.

Check the box to indicate that the project meets this requirement. Yes

Roadways Including Multimodal Elements

1. All roadway and bridge projects must be identified as a principal arterial (non-freeway facilities only) or A-minor arterial as shown on the latest TAB approved roadway functional classification map.

Check the box to indicate that the project meets this requirement. Yes

Roadway Expansion and Reconstruction/Modernization and Spot Mobility projects only:

2. The project must be designed to meet 10-ton load limit standards.

Check the box to indicate that the project meets this requirement. Yes

Bridge Rehabilitation/Replacement projects only:

3. Projects requiring a grade-separated crossing of a principal arterial freeway must be limited to the federal share of those project costs identified as local (non-MnDOT) cost responsibility using MnDOT's Cost Participation for Cooperative Construction Projects and Maintenance Responsibilities manual. In the case of a federally funded trunk highway project, the policy guidelines should be read as if the funded trunk highway route is under local jurisdiction.

Check the box to indicate that the project meets this requirement.

4. The bridge must carry vehicular traffic. Bridges can carry traffic from multiple modes. However, bridges that are exclusively for bicycle or pedestrian traffic must apply under one of the Bicycle and Pedestrian Facilities application categories. Rail-only bridges are ineligible for funding.

Check the box to indicate that the project meets this requirement.

5. The length of the bridge must equal or exceed 20 feet.

Check the box to indicate that the project meets this requirement.

6. The bridge must have a sufficiency rating less than 80 for rehabilitation projects and less than 50 for replacement projects. Additionally, the bridge must also be classified as structurally deficient or functionally obsolete.

Check the box to indicate that the project meets this requirement.

Roadway Expansion, Reconstruction/Modernization and Spot Mobility, and Bridge Rehabilitation/Replacement projects only:

7. All roadway projects that involve the construction of a new/expanded interchange or new interchange ramps must have approval by the Metropolitan Council/MnDOT Interchange Planning Review Committee prior to application submittal. Please contact Michael Corbett at MnDOT (Michael.J.Corbett@state.mn.us or 651-234-7793) to determine whether your project needs to go through this process.

Check the box to indicate that the project meets this requirement. Yes

Requirements - Roadways Including Multimodal Elements

Specific Roadway Elements

CONSTRUCTION PROJECT ELEMENTS/COST ESTIMATES	Cost
Mobilization (approx. 5% of total cost)	\$651,000.00
Removals (approx. 5% of total cost)	\$505,000.00
Roadway (grading, borrow, etc.)	\$565,000.00
Roadway (aggregates and paving)	\$2,064,000.00
Subgrade Correction (muck)	\$0.00
Storm Sewer	\$1,091,000.00
Ponds	\$593,000.00
Concrete Items (curb & gutter, sidewalks, median barriers)	\$553,000.00
Traffic Control	\$71,000.00
Striping	\$84,000.00
Signing	\$37,000.00
Lighting	\$0.00
Turf - Erosion & Landscaping	\$295,000.00
Bridge	\$0.00
Retaining Walls	\$54,000.00
Noise Wall (not calculated in cost effectiveness measure)	\$1,507,000.00
Traffic Signals	\$0.00
Wetland Mitigation	\$0.00

Other Natural and Cultural Resource Protection	\$0.00
RR Crossing	\$0.00
Roadway Contingencies	\$0.00
Other Roadway Elements	\$24,000.00
Totals	\$8,094,000.00

Specific Bicycle and Pedestrian Elements

CONSTRUCTION PROJECT ELEMENTS/COST ESTIMATES	Cost
Path/Trail Construction	\$112,000.00
Sidewalk Construction	\$0.00
On-Street Bicycle Facility Construction	\$0.00
Right-of-Way	\$0.00
Pedestrian Curb Ramps (ADA)	\$36,000.00
Crossing Aids (e.g., Audible Pedestrian Signals, HAWK)	\$0.00
Pedestrian-scale Lighting	\$0.00
Streetscaping	\$0.00
Wayfinding	\$0.00
Bicycle and Pedestrian Contingencies	\$0.00
Other Bicycle and Pedestrian Elements	\$0.00
Totals	\$148,000.00

Specific Transit and TDM Elements

CONSTRUCTION PROJECT ELEMENTS/COST ESTIMATES	Cost
Fixed Guideway Elements	\$0.00
Stations, Stops, and Terminals	\$0.00
Support Facilities	\$0.00
Transit Systems (e.g. communications, signals, controls, fare collection, etc.)	\$0.00
Vehicles	\$0.00
Contingencies	\$0.00
Right-of-Way	\$0.00
Other Transit and TDM Elements	\$0.00
Totals	\$0.00

Transit Operating Costs

Number of Platform hours	0
Cost Per Platform hour (full loaded Cost)	\$0.00
Subtotal	\$0.00
Other Costs - Administration, Overhead,etc.	\$0.00

Totals

Total Cost	\$8,242,000.00
Construction Cost Total	\$8,242,000.00
Transit Operating Cost Total	\$0.00

Congestion on adjacent Parallel Routes:

Adjacent Parallel Corridor CSAH 9 (Round Lake Blvd. NW)

Adjacent Parallel Corridor Start and End Points:

Start Point: CSAH 116

End Point: CR 20

Free-Flow Travel Speed: 48

The Free-Flow Travel Speed is black number.

Peak Hour Travel Speed: 43

The Peak Hour Travel Speed is red number.

Percentage Decrease in Travel Speed in Peak Hour Compared to Free-Flow: 10.42%

Upload Level of Congestion Map: 1530562496233_1. LOC Map.pdf

Principal Arterial Intersection Conversion Study:

Proposed interchange or at-grade project that reduces delay at a High Priority Intersection:

(80 Points)

Proposed at-grade project that reduces delay at a Medium Priority Intersection:

(60 Points)

Proposed at-grade project that reduces delay at a Low Priority Intersection:

(50 Points)

Proposed interchange project that reduces delay at a Medium Priority Intersection:

(40 Points)

Proposed interchange project that reduces delay at a Low Priority Intersection:

(0 Points)

Not listed as a priority in the study: Yes

(0 Points)

Measure B: Project Location Relative to Jobs, Manufacturing, and Education

Existing Employment within 1 Mile:	276
Existing Manufacturing/Distribution-Related Employment within 1 Mile:	12
Existing Post-Secondary Students within 1 Mile:	0
Upload Map	1530562541811_4. RE Map.pdf

Please upload attachment in PDF form.

Measure C: Current Heavy Commercial Traffic

RESPONSE: Select one for your project, based on the Regional Truck Corridor Study:

Along Tier 1:

Along Tier 2:

Along Tier 3:

The project provides a direct and immediate connection (i.e., intersects) with either a Tier 1, Tier 2, or Tier 3 corridor:

None of the tiers: Yes

Measure A: Current Daily Person Throughput

Location	CSAH 7, between CSAH 116 and CR 20
Current AADT Volume	14500
Existing Transit Routes on the Project	N/A

For New Roadways only, list transit routes that will likely be diverted to the new proposed roadway (if applicable).

Upload Transit Connections Map 1530562608780_3. TC Map.pdf

Please upload attachment in PDF form.

Response: Current Daily Person Throughput

Average Annual Daily Transit Ridership 0

Current Daily Person Throughput

18850.0

Measure B: 2040 Forecast ADT

Use Metropolitan Council model to determine forecast (2040) ADT volume

No

If checked, METC Staff will provide Forecast (2040) ADT volume

OR

Identify the approved county or city travel demand model to determine forecast (2040) ADT volume

Met Council ABM (refined by SEH/Haifeng Xiao for use on the Anoka County 2040 Transportation Plan)

Forecast (2040) ADT volume

17200

Measure A: Connection to disadvantaged populations and projects benefits, impacts, and mitigation

Select one:

Project located in Area of Concentrated Poverty with 50% or more of residents are people of color (ACP50):

(up to 100% of maximum score)

Project located in Area of Concentrated Poverty:

(up to 80% of maximum score)

Projects census tracts are above the regional average for population in poverty or population of color:

(up to 60% of maximum score)

Project located in a census tract that is below the regional average for population in poverty or populations of color or includes children, people with disabilities, or the elderly:

Yes

(up to 40% of maximum score)

1.(0 to 3 points) A successful project is one that has actively engaged low-income populations, people of color, children, persons with disabilities, and the elderly during the project's development with the intent to limit negative impacts on them and, at the same time, provide the most benefits.

Describe how the project has encouraged or will engage the full cross-section of community in decision-making. Identify the communities to be engaged and where in the project development process engagement has occurred or will occur. Elements of quality engagement include: outreach to specific communities and populations that are likely to be directly impacted by the project; techniques to reach out to populations traditionally not involved in the community engagement related to transportation projects; residents or users identifying potential positive and negative elements of the project; and surveys, study recommendations, or plans that provide feedback from populations that may be impacted by the proposed project. If relevant, describe how NEPA or Title VI regulations will guide engagement activities.

Response:

When developing a project, Anoka County reaches out to all members of the community, ranging from residents and businesses located adjacent to the project as well as commuters that may use the facility. For residents and businesses adjacent to the project, our design and environmental impact team meet with them early in the process and provide them a project folder containing information on the project as well as information for their own use such as plats and right-of-way limits. A robust stakeholder engagement plan will also be defined that involves collaboration with city staff, emergency service providers, and directly with the public through a series of project open houses and small group meetings (e.g. city council meetings, chamber of commerce, and citizen advocacy groups). Additional outreach efforts include the use of social media, newsletters, local cable access tv stations, and variable message boards to alert the public of upcoming meetings and/or events. Additionally, our Anoka County Highway Department website contains links for people to contact us for general information or requests, project specifics, and even grievances. Furthermore, the ACHD just recently completed our ADA Transition Plan, which is readily available at various outlets (including websites) to maximize its usefulness for us in reaching out to the public on how we can improve our projects.

(Limit 1,400 characters; approximately 200 words)

2.(0 to 7 points) Describe the projects benefits to low-income populations, people of color, children, people with disabilities, and the elderly. Benefits could relate to safety; public health; access to destinations; travel time; gap closure; leveraging of other beneficial projects and investments; and/or community cohesion. Note that this is not an exhaustive list.

CSAH 7 (7th Avenue NW) is an important regional route because it serves as a north/south arterial corridor connecting several Anoka County communities (Saint Francis, Oak Grove, Burns Township, Ramsey, Andover, and Anoka) to US Highway 10 on the south and Trunk Highway 47 on the north. The study area includes children, people with disabilities, people of color, elderly residents, and low-income populations; although not in concentrations recognized by the Metropolitan Council.

Response:

The CSAH 7 project is located in an area defined as a Transit Market Area IV by the Met Council (i.e. an area that supports dial-a-ride and peak period express/commuter service). Therefore, this project will improve multimodal connectivity between transit facilities and benefit populations that depend on transit services to access job centers, shopping, recreational facilities, educational opportunities, and other destinations throughout the Twin Cities. The proposed trail extension will offer safety, security, and travel experience benefits for all trail users, including children and the disabled, and will be compliant with the Americans with Disabilities Act (ADA).

(Limit 2,800 characters; approximately 400 words)

3. (-3 to 0 points) Describe any negative externalities created by the project along with measures that will be taken to mitigate them. Negative externalities can result in a reduction in points, but mitigation of externalities can offset reductions.

Below is a list of negative impacts. Note that this is not an exhaustive list.

Increased difficulty in street crossing caused by increased roadway width, increased traffic speed, wider turning radii, or other elements that negatively impact pedestrian access.

Increased noise.

Decreased pedestrian access through sidewalk removal / narrowing, placement of barriers along the walking path, increase in auto-oriented curb cuts, etc.

Project elements that are detrimental to location-based air quality by increasing stop/start activity at intersections, creating vehicle idling areas, directing an increased number of vehicles to a particular point, etc.

Increased speed and/or cut-through traffic.

Removed or diminished safe bicycle access.

Inclusion of some other barrier to access to jobs and other destinations.

Displacement of residents and businesses.

Construction/implementation impacts such as dust; noise; reduced access for travelers and to businesses; disruption of utilities; and eliminated street crossings. These tend to be temporary.

Other

Response: None.

(Limit 2,800 characters; approximately 400 words)

Upload Map 1530563394014_2. SE Map.pdf

Measure B: Affordable Housing

City	Segment Length (For stand-alone projects, enter population from Regional Economy map) within each City/Township	Segment Length/Total Project Length	Score	Housing Score Multiplied by Segment percent
Andover	1.7	1.0	34.0	34.0

Total Project Length

Total Project Length (as entered in the "Project Information" form) 1.7

Affordable Housing Scoring

Total Project Length (Miles) or Population 1.7
Total Housing Score 34.0

Affordable Housing Scoring

Measure A: Infrastructure Age

Year of Original Roadway Construction or Most Recent Reconstruction	Segment Length	Calculation	Calculation 2
1977.0	1.7	3360.9	1977.0
	2	3361	1977

Average Construction Year

Weighted Year 1977.0

Total Segment Length (Miles)

Total Segment Length 1.7

Measure A: Congestion Reduction/Air Quality

Total Peak Hour Delay Per Vehicle Without The Project (Seconds/Vehicle)	Total Peak Hour Delay Per Vehicle With The Project (Seconds/Vehicle)	Total Peak Hour Delay Per Vehicle Reduced by Project (Seconds/Vehicle)	Volume (Vehicles per hour)	Total Peak Hour Delay Reduced by the Project:	EXPLANATION of methodology used to calculate railroad crossing delay, if applicable.	Synchro or HCM Reports
0.8	0.3	0.5	1469	734.5	15312369162 48_1-2 CSAH 7 at 155th Synchro DELAY Reports.pdf	

Vehicle Delay Reduced

Total Peak Hour Delay Reduced 734.5

Measure B: Roadway projects that do not include new roadway segments or railroad grade-separation elements

Total (CO, NOX, and VOC) Peak Hour Emissions without the Project (Kilograms):	Total (CO, NOX, and VOC) Peak Hour Emissions with the Project (Kilograms):	Total (CO, NOX, and VOC) Peak Hour Emissions Reduced by the Project (Kilograms):
0.94	0.75	0.19
1	1	0

Total

Total Emissions Reduced: 0.19

Upload Synchro Report 1531236991060_3-4 CSAH 7 at 155th Synchro EMISSION Reports.pdf

Please upload attachment in PDF form. (Save Form, then click 'Edit' in top right to upload file.)

Measure B: Roadway projects that are constructing new roadway segments, but do not include railroad grade-separation elements (for Roadway Expansion applications only):

Total (CO, NOX, and VOC) Peak Hour Emissions without the Project (Kilograms):	Total (CO, NOX, and VOC) Peak Hour Emissions with the Project (Kilograms):	Total (CO, NOX, and VOC) Peak Hour Emissions Reduced by the Project (Kilograms):
0	0	0

Total Parallel Roadway

Emissions Reduced on Parallel Roadways 0

Upload Synchro Report

Please upload attachment in PDF form. (Save Form, then click 'Edit' in top right to upload file.)

New Roadway Portion:

Cruise speed in miles per hour with the project:	0
Vehicle miles traveled with the project:	0
Total delay in hours with the project:	0
Total stops in vehicles per hour with the project:	0
Fuel consumption in gallons:	0
Total (CO, NOX, and VOC) Peak Hour Emissions Reduced or Produced on New Roadway (Kilograms):	0
EXPLANATION of methodology and assumptions used:(Limit 1,400 characters; approximately 200 words)	
Total (CO, NOX, and VOC) Peak Hour Emissions Reduced by the Project (Kilograms):	0.0

Measure B: Roadway projects that include railroad grade-separation elements

Cruise speed in miles per hour without the project:	0
Vehicle miles traveled without the project:	0
Total delay in hours without the project:	0
Total stops in vehicles per hour without the project:	0
Cruise speed in miles per hour with the project:	0
Vehicle miles traveled with the project:	0

Total delay in hours with the project: 0
Total stops in vehicles per hour with the project: 0
Fuel consumption in gallons (F1) 0
Fuel consumption in gallons (F2) 0
Fuel consumption in gallons (F3) 0
Total (CO, NOX, and VOC) Peak Hour Emissions Reduced by the Project (Kilograms): 0
EXPLANATION of methodology and assumptions used:(Limit 1,400 characters; approximately 200 words)

Measure A: Benefit of Crash Reduction

CMF Used: 0.34

Crash Modification Factor Used:

Safety Improvements include:

Expand the existing 2-lane roadway to a 4-lane divided roadway.

(Limit 700 Characters; approximately 100 words)

CMF Used: 0.34

Safety Improvements include:

Rationale for Crash Modification Selected:

Expand the existing 2-lane roadway to a 4-lane divided roadway. CMF 7566 of 0.341 (65.88% reduction) applied to all crash severities and types.

(Limit 1400 Characters; approximately 200 words)

Project Benefit (\$) from B/C Ratio:

1.08

Worksheet Attachment

1531156767748_3- CSAH 7 (7th Ave) - N of Bunker Lake Blvd.pdf

Please upload attachment in PDF form.

Roadway projects that include railroad grade-separation elements:

Current AADT volume: 0

Average daily trains: 0

Crash Risk Exposure eliminated: 0

Measure A: Multimodal Elements and Existing Connections

Currently, this segment of CSAH 7 does not have existing trails or sidewalks along the roadway. However, an off-road trail does exist along CSAH 7 south of 145th Avenue NW.

No fixed transit service is provided on CSAH 7 within the project limits. However, the project is located in an area designated as a "Transit Market Area IV" by the Met Council (i.e. an area that supports dial-a-ride and peak period express/commuter service). The CSAH 7 Expansion Project will achieve much more than supporting this designation. The proposed project improvements will provide a continuous multi-modal connection to nearby bus stops (43889 and 43904) on the 805 Route and to community amenities, as well as improve safety and security for all users along the corridor. The proposed project will extend an existing multiuse trail, which currently ends at 145th Avenue NW, north to CSAH 20/157th Lane NW. This will provide residents in the area with a safe and efficient pedestrian/bicycle connection south to several institutional (Rum River Library, Anoka High School) and recreational (Anoka Nature Preserve, Anoka Ice Arena) land uses that are located near the CSAH 7 (7th Avenue NW) and CSAH 116 (Bunker Lake Blvd.) intersection. The trail corridor along CSAH 7 also connects to the county regional trail system along CSAH 116, which is classified as a Tier II alignment of the Regional bicycle Transportation Network (RBTN) map for Anoka County. More importantly, this multiuse trail connection will provide greater opportunities to access jobs, housing, schools, and public services without having to depend on a vehicle.

The improvements will provide a more comfortable, safe, and reliable travel experience for all modes. Bicycles, pedestrians, and general traffic will be separated throughout the project area and south along CSAH 7. This design approach increases comfort and reduces crash risk exposure, which

Response:

benefits all motorized and non-motorized users. The project will also include ADA compliant curb ramps to allow easy access for disabled (wheelchairs) users.

(Limit 2,800 characters; approximately 400 words)

Transit Projects Not Requiring Construction

If the applicant is completing a transit application that is operations only, check the box and do not complete the remainder of the form. These projects will receive full points for the Risk Assessment.

Park-and-Ride and other transit construction projects require completion of the Risk Assessment below.

Check Here if Your Transit Project Does Not Require Construction

Measure A: Risk Assessment - Construction Projects

1)Layout (30 Percent of Points)

Layout should include proposed geometrics and existing and proposed right-of-way boundaries.

Layout approved by the applicant and all impacted jurisdictions (i.e., cities/counties that the project goes through or agencies that maintain the roadway(s)). A PDF of the layout must be attached along with letters from each jurisdiction to receive points. Yes

100%

Attach Layout

1530566198811_5. CSAH7_CSAH116-CSAH20-6-14-18.pdf

Please upload attachment in PDF form.

Layout completed but not approved by all jurisdictions. A PDF of the layout must be attached to receive points.

50%

Attach Layout

Please upload attachment in PDF form.

Layout has not been started

0%

Anticipated date or date of completion

2)Review of Section 106 Historic Resources (20 Percent of Points)

No known historic properties eligible for or listed in the National Register of Historic Places are located in the project area, and project is not located on an identified historic bridge

100%

There are historical/archeological properties present but determination of no historic properties affected is anticipated.

100%

Historic/archeological property impacted; determination of no adverse effect anticipated Yes

80%

Historic/archeological property impacted; determination of adverse effect anticipated

40%

Unsure if there are any historic/archaeological properties in the project area.

0%

Project is located on an identified historic bridge

3)Right-of-Way (30 Percent of Points)

Right-of-way, permanent or temporary easements either not required or all have been acquired Yes

100%

Right-of-way, permanent or temporary easements required, plat, legal descriptions, or official map complete

50%

Right-of-way, permanent or temporary easements required, parcels identified

25%

Right-of-way, permanent or temporary easements required, parcels not all identified

0%

Anticipated date or date of acquisition

4)Railroad Involvement (20 Percent of Points)

No railroad involvement on project or railroad Right-of-Way agreement is executed (include signature page, if applicable) Yes

100%

Signature Page

Please upload attachment in PDF form.

Railroad Right-of-Way Agreement required; negotiations have begun

50%

Railroad Right-of-Way Agreement required; negotiations have not begun.

0%

Anticipated date or date of executed Agreement

Measure A: Cost Effectiveness

Total Project Cost (entered in Project Cost Form): \$8,242,000.00

Enter Amount of the Noise Walls: \$1,507,000.00

Total Project Cost subtract the amount of the noise walls: \$6,735,000.00

Points Awarded in Previous Criteria


Cost Effectiveness \$0.00

Other Attachments


File Name	Description	File Size
1-Page Project Information Sheet - CSAH 7 Expansion in Andover.pdf	1-Page Project Summary	329 KB
AC Board Resolution of Support - CSAH 7.pdf	AC Board Resolution of Support for CSAH 7	660 KB
Letter of Support from Andover for CSAH 7.pdf	Letter of Support for CSAH 7 from Andover	46 KB
Project Area Map CSAH 7 Expansion in Andover.pdf	Project Area Map	243 KB

Level of Congestion

Roadway Expansion Project: CSAH 7 (7th Avenue NW) Roadway Expansion in Andover | Map ID: 1528311728437



- Project Points
- Project
- Principal Arterials
- A Minor Arterials
- Principal Arterials Planned
- A Minor Arterials Planned



Created: 6/6/2018
LandscapeRSA1



For complete disclaimer of accuracy, please visit <http://giswebsite.metc.state.mn.us/gis/itenew/notice.aspx>



Regional Economy


Roadway Expansion Project: CSAH 7 (7th Avenue NW) Roadway Expansion in Andover | Map ID: 1528311728437

Results

WITHIN ONE MI of project:
Postsecondary Students: 0

Totals by City:

- Andover**
Population: 3852
Employment: 188
Mfg and Dist Employment: 8
- Anoka**
Population: 371
Employment: 1
Mfg and Dist Employment: 0
- Ramsey**
Population: 2830
Employment: 87
Mfg and Dist Employment: 4



-  Project Points
-  Project
-  Manufacturing/Distribution Centers
-  Job Concentration Centers



Created: 6/6/2018
LandscapeRSA5




For complete disclaimer of accuracy, please visit <http://giswebsite.metc.state.mn.us/gisitenew/notice.aspx>



Transit Connections

Roadway Expansion Project: CSAH 7 (7th Avenue NW) Roadway Expansion in Andover | Map ID: 1528311728437



Results

Transit with a Direct Connection to project:
-- NONE --

**indicates Planned Alignments*

Project Points **Transitway Stations** Transit Routes **Transitway**
 Project Northstar Line Northstar Line



Created: 6/6/2018
LandscapeRSA3



For complete disclaimer of accuracy, please visit
<http://giswebsite.metc.state.mn.us/gissitenew/notice.aspx>




NCompass Technologies

Socio-Economic Conditions

Results

Project located in a census tract that is below the regional average for population in poverty or populations of color, or includes children, people with disabilities, or the elderly:
(0 to 12 Points)



-  Project Points
-  Project
-  Area of Concentrated Poverty > 50% residents of color

-  Area of Concentrated Poverty
-  Above reg'l avg conc of race/poverty



Created: 6/6/2018
LandscapeRSA2



For complete disclaimer of accuracy, please visit <http://giswebsite.metc.state.mn.us/gissitenew/notice.aspx>



5. CSAH 7 and 155th Intersection 2018 EXISTING_PM.syn
 Summary Report

07/10/2018

Intersection												
Int Delay, s/veh	0.8											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕			↕	↕		↕	↕
Traffic Vol, veh/h	5	2	12	7	2	2	17	1066	16	2	334	5
Future Vol, veh/h	5	2	12	7	2	2	17	1066	16	2	334	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	275	-	-	200
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	5	2	13	8	2	2	18	1159	17	2	363	5

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	1573	1579	363	1572	1567	1159	368	0	0	1176	0	0
Stage 1	367	367	-	1195	1195	-	-	-	-	-	-	-
Stage 2	1206	1212	-	377	372	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	89	109	682	89	111	238	1191	-	-	594	-	-
Stage 1	653	622	-	227	260	-	-	-	-	-	-	-
Stage 2	224	255	-	644	619	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	84	104	682	83	106	238	1191	-	-	594	-	-
Mov Cap-2 Maneuver	84	104	-	83	106	-	-	-	-	-	-	-
Stage 1	624	620	-	217	249	-	-	-	-	-	-	-
Stage 2	210	244	-	627	617	-	-	-	-	-	-	-

Approach	EB		WB		NB		SB	
HCM Control Delay, s	25.4		46.3		0.1		0.1	
HCM LOS	D		E					

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1191	-	-	197	99	594	-
HCM Lane V/C Ratio	0.016	-	-	0.105	0.121	0.004	-
HCM Control Delay (s)	8.1	0	-	25.4	46.3	11.1	0
HCM Lane LOS	A	A	-	D	E	B	A
HCM 95th %tile Q(veh)	0	-	-	0.3	0.4	0	-

Network Totals

Number of Intersections	1
Total Delay (hr)	0
Stops (#)	144
Average Speed (mph)	48
Total Travel Time (hr)	4
Distance Traveled (mi)	202
Fuel Consumed (gal)	9
Fuel Economy (mpg)	21.5
Unserved Vehicles (#)	0
Vehicles in dilemma zone (#)	0
Performance Index	0.8

5. CSAH 7 and 155th Intersection 2018 IMPROVED_PM.syn
 Summary Report

07/10/2018

Intersection												
Int Delay, s/veh	0.3											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations			↗			↗	↗	↗↗	↗	↗	↗↗	↗
Traffic Vol, veh/h	0	0	19	0	0	11	17	1066	16	2	334	5
Future Vol, veh/h	0	0	19	0	0	11	17	1066	16	2	334	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	300	-	300	275	-	275
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	0	0	21	0	0	12	18	1159	17	2	363	5

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	-	-	182	-	-	580	368	0	0	1176	0	0
Stage 1	-	-	-	-	-	-	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-	-	-	-	-	-	-
Critical Hdwy	-	-	6.94	-	-	6.94	4.14	-	-	4.14	-	-
Critical Hdwy Stg 1	-	-	-	-	-	-	-	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-	-	-	-	-	-	-
Follow-up Hdwy	-	-	3.32	-	-	3.32	2.22	-	-	2.22	-	-
Pot Cap-1 Maneuver	0	0	829	0	0	458	1187	-	-	590	-	-
Stage 1	0	0	-	0	0	-	-	-	-	-	-	-
Stage 2	0	0	-	0	0	-	-	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	-	-	829	-	-	458	1187	-	-	590	-	-
Mov Cap-2 Maneuver	-	-	-	-	-	-	-	-	-	-	-	-
Stage 1	-	-	-	-	-	-	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-	-	-	-	-	-	-

Approach	EB		WB		NB		SB	
HCM Control Delay, s	9.5		13.1		0.1		0.1	
HCM LOS	A		B					

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1187	-	-	829	458	590	-	-
HCM Lane V/C Ratio	0.016	-	-	0.025	0.026	0.004	-	-
HCM Control Delay (s)	8.1	-	-	9.5	13.1	11.1	-	-
HCM Lane LOS	A	-	-	A	B	B	-	-
HCM 95th %tile Q(veh)	0	-	-	0.1	0.1	0	-	-

Network Totals

Number of Intersections	1
Total Delay (hr)	0
Stops (#)	61
Average Speed (mph)	52
Total Travel Time (hr)	4
Distance Traveled (mi)	202
Fuel Consumed (gal)	8
Fuel Economy (mpg)	26.5
Unserved Vehicles (#)	0
Vehicles in dilemma zone (#)	0
Performance Index	0.3

3: CSAH 7 & 155th

Direction	All
Future Volume (vph)	1469
Total Delay / Veh (s/v)	1
CO Emissions (kg)	0.66
NOx Emissions (kg)	0.13
VOC Emissions (kg)	0.15

3: CSAH 7 & 155th

Direction	All
Future Volume (vph)	1470
Total Delay / Veh (s/v)	0
CO Emissions (kg)	0.53
NOx Emissions (kg)	0.10
VOC Emissions (kg)	0.12

HSIP worksheet

Control Section	T.H. / Roadway	Location	Beginning Ref. Pt.	Ending Ref. Pt.	State, County, City or Township	Study Period Begins	Study Period Ends
	CSAH 7	0.25 miles north of Bunker Lake Blvd to CR 20 (157th Ave)	2+00.503	4+00.021	Anoka Co.	1/1/2013	12/31/2015
Description of Proposed Work		Expand CSAH 7 (7th Avenue) from 2-lane undivided to 4-lane divided					

Accident Diagram Codes	1 Rear End	2 Sideswipe Same Direction	3 Left Turn Main Line	5 Right Angle	4,7 Ran off Road	8, 9 Head On/ Sideswipe - Opposite Direction	Pedestrian	Other	Total

Study Period: Number of Crashes	Fatal	F					1		1
	Personal Injury (PI)	A			1		1		2
		B	1						1
		C	1		1				1
	Property Damage	PD	8	1		4			13

% Change in Crashes	Fatal	F					-66%		
	PI	A			-66%		-66%		
		B	-66%						
		C	-66%		-66%				-66%
	Property Damage	PD	-66%	-66%		-66%	-66%		

**Use Desktop Reference for Crash Reduction Factors*

Change in Crashes = No. of crashes X % change in crashes	Fatal	F					-0.66		-0.66
	PI	A			-0.66		-0.66		-1.32
		B	-0.66						-0.66
		C	-0.66		-0.66				-0.66
	Property Damage	PD	-5.27	-0.66		-2.64			-8.56

Year (Safety Improvement Construction) **2018**

Project Cost (exclude Right of Way)	Type of Crash	Study Period: Change in Crashes	Annual Change in Crashes	Cost per Crash	Annual Benefit
\$ 8,242,000	F	-0.66	-0.22	\$ 1,140,000	\$ 250,573
Right of Way Costs (optional)	A	-1.32	-0.44	\$ 570,000	\$ 250,573
Traffic Growth Factor	B	-0.66	-0.22	\$ 170,000	\$ 37,366
Capital Recovery	C	-1.98	-0.66	\$ 83,000	\$ 54,730
1. Discount Rate	PD	-8.56	-2.86	\$ 7,600	\$ 21,716
2. Project Service Life (n)	Total				
					\$ 614,958

B/C= 1.08

Using present worth values,
B= \$ 8,878,540
C= \$ 8,242,000
 See "Calculations" sheet for amortization.

Amortizing...

Year	Crash Benefits	Present Worth Benefits	Present Worth Costs
2018	\$ 614,958	\$ 614,958	\$ 8,242,000
2019	\$ 619,509	\$ 592,832	
2020	\$ 624,094	\$ 571,501	
2021	\$ 628,712	\$ 550,938	
2022	\$ 633,364	\$ 531,115	
2023	\$ 638,051	\$ 512,005	
2024	\$ 642,773	\$ 493,582	
2025	\$ 647,529	\$ 475,823	
2026	\$ 652,321	\$ 458,702	
2027	\$ 657,148	\$ 442,198	
2028	\$ 662,011	\$ 426,287	
2029	\$ 666,910	\$ 410,949	
2030	\$ 671,845	\$ 396,163	
2031	\$ 676,817	\$ 381,909	
2032	\$ 681,825	\$ 368,167	
2033	\$ 686,871	\$ 354,920	
2034	\$ 691,954	\$ 342,150	
2035	\$ 697,074	\$ 329,839	
2036	\$ 702,232	\$ 317,971	
2037	\$ 707,429	\$ 306,530	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	
0	\$ -	\$ -	

Totals = \$ 8,878,540 \$ 8,242,000
(B) (C)

year (n)= 1, 2, 3,....

discount rate (i) = 7%

$$\text{Crash Benefits (@ year n)} = (\text{Crash Benefits})_{n-1} \times (1 + \text{Traffic Growth Factor})$$

$$\text{Present Worth Benefits (@ year n)} = (\text{Crash Benefits})_n \times 1/(1 + \text{Discount Rate})^n$$

▼ Countermeasure: Convert 2 lane roadway to 4 lane divided roadway

Compare	CMF	CRF(%)	Quality	Crash Type	Crash Severity	Area Type	Reference	Comments
<input type="checkbox"/>	0.341	65.88	★★★★☆	All	All	Urban	Ahmed et al., 2015	
<input type="checkbox"/>	0.712	28.79	★★★★☆	All	All	Rural	Ahmed et al., 2015	
<input type="checkbox"/>	0.691	30.88	★★★★☆	All	O	Rural	Ahmed et al., 2015	
<input type="checkbox"/>	0.549	45.13	★★★★☆	All	K,A,B,C	Rural	Ahmed et al., 2015	
<input type="checkbox"/>	0.351	64.89	★★★★☆	All	O	Urban	Ahmed et al., 2015	
<input type="checkbox"/>	0.367	63.27	★★★★☆	All	K,A,B,C	Urban	Ahmed et al., 2015	
<input type="checkbox"/>	0.236	76.4	★★★★☆	All	All	Urban	Ahmed et al., 2015	Applies to roadways with AADT ... [read more]
<input type="checkbox"/>	0.466	53.36	★★★★☆	All	All	Urban	Ahmed et al., 2015	Applies to roadways with AADT ... [read more]
<input type="checkbox"/>	0.714	28.59	★★★★☆	All	All	Rural	Ahmed et al., 2015	Applies to roadways with AADT ... [read more]
<input type="checkbox"/>	0.79	21.04	★★★★☆	All	All	Rural	Ahmed et al., 2015	Applies to roadways with AADT ... [read more]

[Compare](#) [Reset Compare](#)

*NOTE: You can compare CMFs across countermeasures, subcategories, and categories.



CMF / CRF Details

CMF ID: 7566

Convert 2 lane roadway to 4 lane divided roadway

Description: Conversion of urban and rural two-lane roadways to four-lane divided roadways

Prior Condition: 2 lane roadway

Category: Roadway

Study: [Evaluation of the Safety Effectiveness of the Conversion of Two-Lane Roadways to Four-Lane Divided Roadways: Bayesian vs. Empirical Bayes, Ahmed et al., 2015](#)

Star Quality Rating:



[\[View score details\]](#)

Crash Modification Factor (CMF)

Value: 0.341

Adjusted Standard Error:

Unadjusted Standard Error: 0.091

Crash Reduction Factor (CRF)

Value: 65.88 (This value indicates a **decrease** in crashes)

Adjusted Standard Error:	
Unadjusted Standard Error:	9.05

Applicability

Crash Type:	All
Crash Severity:	All
Roadway Types:	Not specified
Number of Lanes:	2
Road Division Type:	Undivided
Speed Limit:	
Area Type:	Urban
Traffic Volume:	
Time of Day:	All

If countermeasure is intersection-based

Intersection Type:	
Intersection Geometry:	
Traffic Control:	
Major Road Traffic Volume:	
Minor Road Traffic Volume:	

Development Details

Date Range of Data Used:	2002 to 2012
Municipality:	

State:	FL
Country:	USA
Type of Methodology Used:	Before/after using empirical Bayes or full Bayes
Sample Size Used:	

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	Nov-01-2015
Comments:	

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.



PROJECT NAME: CSAH 7 (7th Avenue NW) Expansion to 4-lanes

GEOGRAPHIC LIMITS: 1.7 miles. From north of CSAH 116 (Bunker Lake Blvd. NW) to CR 20 (157th Avenue NW)

PROJECT LOCATION: City of Andover, Anoka County

APPLICANT: Anoka County Highway Department

FUNDING REQUEST: \$6,593,600

TOTAL PROJECT COST: \$8,242,000

PROJECT DESCRIPTION

CSAH 7 (7th Avenue NW) experienced substantial traffic growth in recent years and requires expansion to a four-lane divided roadway with intersection access modifications. The improved section would match that which currently exists on CSAH 7 to the south, effectively removing the traffic bottleneck between these points. The expansion project will also include a multiuse trail along the east side of the roadway, which will be an extension of the trail from the south. The proximity of the trail to a library, school, and park will make this particularly beneficial.



EXISTING GEOMETRY: 2-lane Undivided
Daily Traffic Capacity: 15,000*

PROPOSED GEOMETRY: 4-lane Divided
Daily Traffic Capacity: 34,000*

PROJECT BENEFITS

Elimination of Traffic Bottleneck:

Eliminates the 2-lane bottleneck section that exists between the 4-lane sections of north and south of project

Reduction in Congestion:

- 2017: 14,600 volume is approaching 15,000 capacity (LOS E) with significant peak hour congestion.

- 2040: 17,200 volume EXCEEDS 15,000 capacity (LOS F)

1.6 additional miles of Multiuse Trail will be provided to safely accommodate pedestrians and bicyclists.

Improved Pavement Quality (PQI), which is currently 56 out of a possible 100 rating

OTHER INFORMATION:

Roadway was last reconstructed in 1977



* Daily Capacity of the roadway was obtained directly for the roadway from the Met Council Regional Activity Based Model. For simplicity, when volume exceeds capacity the roadway is congested.

BOARD OF COUNTY COMMISSIONERS

Anoka County, Minnesota

DATE: May 22, 2018

RESOLUTION #2018-78

OFFERED BY COMMISSIONER: Schulte

**AUTHORIZING SUBMITTAL OF FEDERAL FUNDING
APPLICATION FOR CSAH 7 EXPANSION PROJECT**

WHEREAS, CSAH 7 (7TH Avenue NW) is an "A" Minor Arterial Expander route that provides an important north-south transportation connection in Anoka County; and,

WHEREAS, traffic volumes on CSAH 7 have been increasing over the past decade and are expected to continue to increase in the future as the area continues to grow; and,

WHEREAS, existing and future traffic volumes are such that congestion is and will continue to negatively impact the ability of the corridor to move traffic; and,

WHEREAS, existing and future traffic volumes are such that safety is a concern at intersections and along some segments of the corridor; and,


WHEREAS, Anoka County and the City of Andover have worked together in the past to make travel capacity and safety improvements along the corridor:

NOW, THEREFORE, BE IT RESOLVED that the Anoka County Highway Department is hereby authorized to submit an application through the Metropolitan Council's 2018 Regional Solicitation program to the Transportation Advisory Board to receive federal transportation funds to make capacity and safety improvements on CSAH 7 from approximately 0.25 miles north of CSAH 116 (Bunker Lake Blvd. NW) to CR 20 (157th Avenue NW) in the city of Andover in the Roadway Expansion category.

STATE OF MINNESOTA)
COUNTY OF ANOKA) ss

I, Jerry Soma, County Administrator, Anoka County, Minnesota, hereby certify that I have compared the foregoing copy of the resolution of the county board of said county with the original record thereof on file in the Administration Office, Anoka County, Minnesota, as stated in the minutes of the proceedings of said board at a meeting duly held on May 22, 2018, and that the same is a true and correct copy of said original record and of the whole thereof, and that said resolution was duly passed by said board at said meeting.

Witness my hand and seal this 22nd day of May 2018.



JERRY SOMA
COUNTY ADMINISTRATOR

	<u>YES</u>	<u>NO</u>
DISTRICT #1 – LOOK	X	
DISTRICT #2 – BRAASTAD	X	
DISTRICT #3 – WEST	X	
DISTRICT #4 – KORDIAK	X	
DISTRICT #5 – GAMACHE	X	
DISTRICT #6 – SIVARAJAH	X	
DISTRICT #7 – SCHULTE	X	



1685 CROSSTOWN BOULEVARD N.W. • ANDOVER, MINNESOTA 55304 • (763) 755-5100
FAX (763) 755-8923 • WWW.ANDOVERMN.GOV

July 5, 2018

Doug Fischer
Anoka County Division Manager / County Engineer
2100 Third Avenue
Anoka, MN 55303-2270

RE: Support for CSAH 7 and CSAH 9 Improvements

Dear Mr. Fischer,

The City of Andover is aware that Anoka County is actively pursuing funding for improvements for expanding 7th Avenue NW (CSAH 7) to four-lanes from approximately Bunker Lake Boulevard (CSAH 116) to 157th Avenue NW (CR 20), and Round Lake Blvd. NW (CSAH 9) from 150th Lane NW to 157th Avenue NW (CR 20). The City of Andover supports the County's efforts to pursue funding through various federal and state transportation programs.

The CSAH 7 and CSAH 9 Corridors through Andover have been experiencing traffic growth that has resulted in both roadways experiencing increased congestion as the area continues to grow. Proposed project improvements will support projected population and traffic growth in the region while supporting regional and area businesses.

The City of Andover appreciates the County's efforts and those of project partners to address the challenges of these travel corridors. We look forward to continued partnership to address noted safety, mobility, and access concerns at this key regional intersection.

Sincerely,

David D. Berkowitz, P.E.
City of Andover

Project Area Map: CSAH 7 Expansion in Andover



SOURCE: Google, ACHD